

F · S · T

HANDCRAFTED PRECISION
for you



FINE SCIENCE TOOLS

2026



Markus Gawenda
Owner

LETTER FROM THE OWNER

Dear Valued Customers, Partners, and Friends,

As we celebrate our 51st year of precision, passion, and purpose, we extend our deepest gratitude to you; our valued partners, clients, and colleagues – who all are an integral part of this remarkable journey. From our humble beginnings to our global presence today, one thing has never changed: our unwavering commitment to quality, service, support, and innovation.

Behind every catalog page is a dedicated team that truly cares – not just about instruments, but about the people who use them. Whether you're a long-time customer or opening our catalog for the first time, we are here to guide you, collaborate with you, and deliver an experience rooted in trust, quality, and care.

This year, we are proud to unveil our theme: Smallville – a tribute to our unwavering attention to detail and profound commitment to craftsmanship. It serves as a powerful and imaginative symbol of the qualities that define us. Just as each miniature figure is meticulously crafting every cutting

edge, every curve, every tip and mechanism reflects the heart and soul we pour into our instruments. Every element matters and every customer deserves nothing less than excellence.

This commitment to precision extends beyond our instruments, it is also embedded in every aspect of our processes, on how best to serve you. We at Fine Science Tools (FST®) are always looking for smarter, more sustainable ways to help our community. We are actively rethinking materials, refining production processes, and protecting the health of our planet alongside the health of everyone. We are making conscious efforts at FST and every decision we make today considers the needs of tomorrow. Thank you for being a part of our story. Here's to the next chapter – built on precision, shaped by innovation, and guided by values that never go out of style.

Warmest regards, Markus Gawenda

TIMELINE

FST® SINCE 1974

For more than 50 years, Fine Science Tools has been the leading distributor of precision surgical and microsurgical instruments, as well as laboratory accessories with offices in Foster City (USA), Heidelberg (Germany) and Hong Kong (China) supporting and serving customers across the globe.

1974



FST is established by Hans Gawenda in North Vancouver B.C., Canada

1996

FST invents and launches the first and only available 0.5 mm Cup Rongeur

1984



FST opens a business office in Foster City, California, USA

1993



FST opens a business office in Heidelberg, Germany

1999

25th Anniversary of FST

2003

Deployment of the first website with ordering capability

2006


Introduction of FST CeramaCut® scissors

2009

FST Catalog Cover wins 1st place award for Showcase of Print and Design Excellence. Since 2009, FST catalog covers and print ads have won over 22 awards



Hans Gawenda



First FST product

2014

FST wins the Highest
Attention-Getting Ads
in Magazines

2019

Markus Gawenda
joins the company

US Office moves
and expands
in Foster City,
California, USA

2021

FST establishes a global
Management-Team

2023

Markus Gawenda becomes
the sole owner

2024

50th Anniversary of FST

FST opens
a business office
in China

Launch of our
FST "Exclusive Line"

2025

New Webshop
Launch

Markus Gawenda












Exclusive Line

CREATIVE DESIGNS

CATALOG COVERS AND PRINT ADS

The unveiling of our annual marketing campaign reflects our passion and excitement for innovation and creativity year after year. FST® catalog covers and print Ads have won over 22 awards and are well known within the research community.





EXCLUSIVE LINE

BONN-GAWENDA SCISSORS

Our Exclusive Line was released on our 50th Anniversary, these instruments are meticulously crafted to support every aspect of your research needs. At the heart of this collection is the Bonn-Gawenda Scissors, created as a tribute to our founder, Hans Gawenda, and symbolizing our legacy of innovation and excellence. These scissors stand out for their advanced design and exceptional craftsmanship, reflecting the high standards that have always defined our work.

The ToughCut® technology incorporates one micro-serrated cutting edge paired with a razor-sharp blade, delivering consistently clean and precise cuts. These scissors have perfect tips for precision work under a microscope. Designed with comfort and ergonomics in mind, the large finger loops and specially engineered handle ensure exceptional control throughout each use.



Cutting Edge: 10 mm
Microscopically fine tips

Length: 10.5 cm

One side serrated

One side razor-sharp

Larger Loops

ToughCut®



Watch the video about
the Bonn-Gawenda Scissors



F · S · T

Exclusive Line

Our Exclusive Line offers a unique combination of popular features. Whether you're seeking elegance, stability and ergonomics, or versatile functionality, the Exclusive Line was specially designed to cater to every aspect of your needs.



**Look for the Exclusive Line
icon in the catalog.**



14854-10

14855-10

16220-14

16221-14

12875-13

11851-20


11852-20

TABLE OF CONTENTS | CATALOG 2026

Letter from the Owner	1
Timeline	2 – 3
Creative Designs	4 – 5
Exclusive Line	6 – 7
Table of Contents	8 – 9
Catalog Features	10 – 11
Precision that makes a mark	12 – 13
Handcrafted, Custom Design	12
Quality Control, Scissors Test	13
Our Range of Services	14 – 15
Overview	14
Sharpening & Repair	15
Alloys & Materials	16 – 17
Maintenance & Care	18 – 21



Index Pages	218 – 225
Numerical Index	218 – 221
Alphabetical Index	222 – 225



Scissors	23 – 55
Spring	23 – 34
Fine	35 – 48
Surgical	49 – 55
Bone Instruments	56 – 69
Rongeurs	56 – 59
Cutters	60 – 66
Accessories	67 – 68
Curettes & Chisels	69
Knives & Scalpels	70 – 81

Forceps/Tweezers	83 – 115
FST® by Dumont	83 – 92
Fine	93 – 96, 99 – 103
Moria	97 – 98
S&T®	98
Standard	104 – 115
Hemostats	116 – 121
Vascular Instruments	122 – 131
Clamps	122 – 126
Occluders & Ligation	127 – 128
Dilation & Cannulation	129 – 131

Probes & Hooks	133 – 138
Spatulae	139 – 142
Spoons	143
Pins & Holders	144 – 145
Wound Closure	146 – 156
Needle Holders & Suture	146 – 153
Staplers, Clips & Applicators	154 – 156
Retractors	157 – 163

Animal Accessories	165 – 170
Feeding Needles	165 – 166
Animal Identification	167 – 170
Instrument Care & Accessories	171 – 182
Instrument Care	171 – 172
Sterilization & Storage	173 – 182
Surgical Accessories	183 – 186
Drill Accessories	183
Cauterizers	184 – 186
Laboratory Accessories	187 – 197
Tools	187 – 191
Magnifiers & Lens Paper	192 – 197


Student Quality Instruments	200 – 217
Quality instruments with the student in mind	
Scissors	200 – 205
Scalpel Handles	206
Forceps	207 – 212
Hemostats	213 – 215
Pin & Needle Holders	216
Retractors, Vessel Dilator & Clamps	217

CATALOG FEATURES


PRODUCT FEATURES

To provide you with our support regarding your decisions in finding the right instruments for your purpose, the product feature details are explained below.


Most items in the catalog are shown in actual size.



Some items in the catalog have a magnified view of the tip.



300%



Most items in the catalog have an illustrated view of the tip.


Straight Sharp/Sharp

Length: 8 cm
Cutting edge: 2 mm
Tip Ø: 0.05 mm

No. 15000-03

Detailed item specifications.

Effective cutting edge



Total Blade length

ICONS



The Exclusive Line offers a unique combination of popular features of our tools combined into one. Whether you're seeking elegance, stability and ergonomics, or versatile functionality, the Exclusive Line is specially designed to cater to every facet of your needs.



Fine Science Tools has noted which items are most frequently purchased for use in a variety of surgical procedures. To find our most popular items, look for the "most popular" icon throughout the catalog.



Our yearly selection of new instruments is based on a careful study and knowledge of our customer needs, as well as listening to their requests.



The tips have micro serrations to ensure a better grip on tissue or other materials.



Fine Science Tools is proud to offer a large selection of left-handed surgical instruments to our community. To find our left-handed instruments in this catalog, look for the "left-handed" icon on the pages below.



FST® features a selection of scissors with larger than normal finger loops. Most of these loops are easily adjustable to fit larger fingers more comfortably. To find our large loop scissors please look for the "large loop" icon on the pages below.



These items are not suitable to autoclave, but can be sterilized by a different method. For example: hot bead sterilization, gas sterilization, plasma sterilization or hot air sterilization. Please contact us to receive more information regarding the best preferred method for your instruments.

Scissors: pages 38, 49
Hemostatic Forceps: page 117
Needle Holders: pages 150 - 151
Ligation Aid: page 128

Scissors: pages 35, 39, 48 and 51

Fine Science Tools offers a wide selection of the latest and most popular Dumont forceps. Handcrafted in Switzerland for more than a century, these forceps are known for their consistent and uncompromised fineness.

Dumont forceps come in an array of styles and alloys. Below you will find detailed descriptions to help guide you in choosing the right Dumont forceps best suited for your needs.

FINDING THE DUMONT FORCEPS BEST SUITED FOR YOUR NEEDS

Alloys	Hardness	Magnetic	Temperature resistance	Autoclavable	Advantages
Titanium	Least Hard	No	Up to 430 °C	Yes	Resistant to corrosion from nitric acid, chloride, and salt water. Titanium is 40% lighter than Surgical Stainless Steel.
Dumoxel	Hard	No	400 °C	Yes	The most popular alloy available for Dumont forceps offers the high resistance to corrosion, sulphuric environments, hydrochloric acids, and all other mineral and organic acids.
Inox	Harder	Yes	400 °C	Yes	Available for most Dumont forceps. Contains chromium added to carbon steel, which results in some loss of hardness but offers good stainless qualities and resistance to corrosion.
Dumostar	Harder	No	500 °C	Yes	More durable and corrosion resistant than the best Surgical Stainless Steel. Highly resistant to mineral and organic acids, and salt water. Dumostar lasts an average of four times longer than Dumoxel and Inox. Most cost effective alloy for laboratory use.
Carbon	Hardest	Yes	N/A	No	Extremely hard; ensuring strong tips. Easily stains and rusts without proper care. Carbon cannot be immersed in a water bath or sterilized.

Tip profiles: Dimensions vary. See each style for specific dimensions (width x thickness).

Standard	Made for high precision and consistently precise work under a microscope.
Biology	Twice as fine as "Standard Tips". Especially produced for high precision laboratory work under the microscope.
Super Fine Tips	Four times finer than the "Standard Tips". These tips are extremely delicate for the finest work under the microscope. Extra care is needed for these tips as they are very fragile.

Styles

#2	Straight forceps with wide yet fine tips, referred to as Mouse Laminectomy Forceps because of their popularity in breaking off delicate bone from mouse skulls.	#5XL	Extra Long #5 forceps.
#2AP	Epoxy coated with flat wide blunt tips.	#5/45	Tips angled at 45°.
#3	Long straight forceps with coarse tips. Popular in low magnification procedures.	#5/45C	Designed to pick up cover slips from multi-well plates.
#3C	Shorter version of #3.	#5/90	Tips angled at 90°.
#4	Similar to the #5 but with broader shanks and stronger tips.	#5AC	Self-closing Anti-Capillary forceps.
#5	Most popular style of Dumont straight forceps with fine tips which come in several styles.	#6	Sharply angled, broad tips.
#55	Similar to the #5 but with lighter shanks, giving the forceps a lighter spring action.	#7	Most popular style of Dumont curved forceps with fine tips which come in several styles.
#5CO	Similar to the #55 but with even finer shanks producing the lightest spring action and longest meeting surface of any Dumont style.	#7B	Curved serrated tips.
#5L	Medical #5 forceps with slide sleeve for a secure hold and retention.	AA	Strong broad tips.
#5SF	The finest tips ever produced by Dumont.	M	Mini forceps.
		Medical	Denotes distinctive ribbed handle to maximize grip.
		SS	Long and narrow shanks with thin tips.
		WA	One piece design with no soldering grooves allows the forceps to be thoroughly and easily cleaned preventing biofilm residue.

PRECISION THAT MAKES A MARK



HANDCRAFTED

Our highly skilled and experienced surgical mechanics refine and perfect our instruments in Fine Science Tools' very own workshop, a step that only we take in this manner. This is crucial for the precision and consistent quality of our products. For example, our Friedmann-Pearson rongeurs with a tip diameter of 0.5 or 0.7 mm are unique in the world.


Our spring scissors have also established themselves in the research industry and are unsurpassed in their fineness. The result: a level of quality to be proud of – and to which we have now committed ourselves to. Our "Handcrafted" symbol stands for 100% guaranteed craftsmanship and instruments that you can rely on today, tomorrow, and always.



CUSTOM DESIGN

Whether you are seeking a personalized, one-of-a-kind instrument tailored to your specific requirements or interested in building a specialized application kit, we have the expertise and resources to deliver. Through our extensive network of expert partners and collaborations with leading institutions and companies, we offer custom-

manufactured instruments, carefully curated instrument kits, and co-branded sets designed for collaborative projects. Additionally, we provide special modifications to our existing products, ensuring a perfect fit for your unique applications. Interested? Get in touch with one of our offices – we're happy to assist you!





QUALITY CONTROL

The exceptional quality of our surgical and microsurgical instruments is a direct result of our relentless commitment to detail and craftsmanship. Nearly every instrument we offer is meticulously crafted by skilled European artisans and engineered to exacting specifications. We use only premium Surgical Stainless Steel and subject each instrument to rigorous testing

to ensure outstanding precision, durability, and ergonomic performance. We proudly uphold Supreme German Quality Standards. At our office in Germany, experienced technicians conduct thorough inspections of our instruments.

Every detail is carefully evaluated – from tip sharpness and cutting edges to springs, joints, and overall construction.



SCISSORS TEST

Does paying more for a pair of scissors really buy more value and a longer cutting life?

The picture shows our cutting test for ring scissors based on the standards and specifications of surgical instruments in our office in Heidelberg. Each pair of scissors must perform a smooth cut without tearing or fraying the material, specifically at the fine tips. In addition, a specialized long-term test is done to identify the longevity of other featured alloys and cutting edges, Tungsten Carbide

and ToughCut®. In this test the scissors will repeatedly cut through a continuous feed of cotton cloth and a counter keeps track of the number of cuts made to evaluate when the scissors begin to show a decrease in cutting quality.

The results showcase the addition of added features dramatically increases the cutting life of the scissors. Most notably, the cutting life is more than doubled with the addition of ToughCut® blades and over six times longer with our CeramaCut® feature.

OUR RANGE OF SERVICES



50 YEARS OF EXPERIENCE

Leading distributor of of surgical and microsurgical instruments



100% SATISFACTION GUARANTEE

Full refund, if you're not satisfied



PRODUCT AVAILABILITY

Extensive stock ensures fast delivery times



FAST DELIVERY TIMES

2-3 days in Europe & America, 5-7 days worldwide



TECHNICAL PRODUCT CONSULTATION

Phone- or video-calls for app-based-solutions with our experts



CUSTOM DESIGN

Personalized & unique tailored instruments



REPAIR AND MAINTENANCE SERVICE

Contact us or your designated representative for your personal offer



PERSONALIZED CUSTOMER SUPPORT

Available from Monday to Friday (8 am to 5 pm)



SUPREME GERMAN QUALITY STANDARDS

Our instruments are inspected, refined and optimized by hand



TRADE SHOW PRESENCE

Meet us for hands-on-experience & on-site-advice; check our webshop for upcoming events

“ IF YOU ARE NOT COMPLETELY SATISFIED WITH YOUR PURCHASE, YOU MAY RETURN IT FOR A FULL REFUND. ”

Hans Gawenda, Founder
Fine Science Tools Inc.

SHARPENING & REPAIR

In our very own workshop in Heidelberg, Germany we not only manufacture and customize specific instruments according to customer requirements, but also offer a repair service.

- General repairs
- Sharpening
- Adjustments & corrections
- Cleaning & reconditioning
- Replacements
- Special requests & custom corrections



Our specialized sharpening service offers the highest quality and reliability to restore the original sharpness and functionality of the instrument.

Each blade undergoes a thorough inspection for wear, cracks, and other irregularities before sharpening. It is then precisely ground to the optimal angle to ensure superior cutting performance.

With our extensive expertise, we ensure your instruments are repaired with the highest precision, maximizing their longevity and efficiency.

Each instrument is carefully checked for damage, wear and functionality, followed by a quality check after repair. Our team is also available for repairs of your instruments which have not been purchased from FST®.

For do-it-yourself sharpening, we offer a kit (page 171), which includes a sharpening stone, O-rings, a bottle of instrument oil (50 ml) and a pair of flat nose pliers.



ALLOYS & MATERIALS

There are various special alloys and materials with advanced features, that are used to produce surgical and microsurgical instruments with each having certain properties that would be advantageous in particular

environments or applications. We will introduce these alloys and materials, describe their benefits and highlight unique tools that may be ergonomic and overall helpful for your studies and/or protocols.



ToughCut® Scissors

- Identified by black finger rings
- Last approx. 2.3x longer than Surgical Stainless Steel
- One cutting edge has micro serrations to minimize tissue slippage
- The other cutting edge has increased sharpness
- Available as ring and spring scissors



Tungsten Carbide Instruments

- Identified by short gold-plated handles
- Last approx. 1.9x longer than Surgical Stainless Steel
- Reinforced with tungsten carbide for enhanced durability
- One of the hardest alloys available
- Available instruments: scissors, forceps, needles, needle holders and burrs

Surgical Stainless Steel

- Used for most of our instruments
- High alloyed Surgical Stainless Steel (min. 12% chromium)
- Corrosion resistance
- Sterilizable in various ways





CeramaCut® Scissors

- Identified by long gold-plated finger rings and a black coating
- Combine Tungsten Carbide and ToughCut® cutting edges with a ceramic coating
- Last approx. 6.6x longer than Surgical Stainless Steel
- Reduced glare
- Reduced surface tension for cleaner cuts
- Increased corrosion resistance



Tungsten Carbide & ToughCut® Scissors

- Identified by long gold-plated finger rings
- Last approx. 4.1x longer than Surgical Stainless Steel
- Cutting edges reinforced with tungsten carbide for enhanced durability
- One cutting edge has micro serrations to minimize tissue slippage
- The other cutting edge has increased sharpness



Titanium Instruments

- Approx. 40% lighter than Surgical Stainless Steel
- Softer alloy than Surgical Stainless Steel
- Corrosion resistance (cannot rust)
- 100% non-magnetic
- Available instruments: spring scissors, forceps, probes, hooks, spatula and vascular clamps



Ceramic coated Instruments

- Identified by full black colour
- Last approx. 2.3x longer than Surgical Stainless Steel
- Increased corrosion resistance
- Reduced glare
- High slide capacity of ceramic reduces surface tension for cleaner cuts
- Available instruments: Dumont forceps, scissors



Learn more about
our Alloys & Materials



MAINTENANCE & CARE

Proper care of your surgical instruments will improve their longevity and function. Below are different cleaning, sterilization, and maintenance processes to guide you through your techniques.

- Clean and thoroughly dry your instruments as soon as possible after each use, paying special attention to joints, hinges, and anywhere there is metal to metal contact.
- Ensure that all organic material residues are completely removed.
- Handle your instruments delicately and with care.
- Use your instruments for their intended purpose.
- Store your instruments with tip protectors, and always place them so that they do not touch each other.



CLEANING

Fine surgical instruments should be cleaned immediately after use. Blood or saline solutions left on instruments for any length of time can quickly start corrosive action. Time, temperature, and agitation play important roles in the cleaning process. Time affects the efficiency of cleaning solutions as most are effective after a certain time period. Higher temperature cleaning solutions result in better cleaning. During manual or ultrasonic cleaning it is helpful to loosen any surgical residue. Before any of the procedures below, rinse your instruments under warm running water to remove all blood and tissue. Instruments can be cleaned manually or ultrasonically, but always:

- Use a neutral pH (pH7) cleaning solution.
- Clean instruments in the open position to ensure a thorough and effective cleaning process.
- Use soft textile or paper cloths, soft plastic brushes made of nylon, or water spray bottle.
- ⚠ • Do NOT use steel wool, wire brushes, or scouring pads as these are abrasive to the instruments.



MANUAL CLEANING


- Make sure all instruments are visibly clean and free from stains, wiping them carefully to remove all blood and tissue matter.
- Rinse instruments thoroughly with distilled water, paying close attention to joints and hinges as these areas can accumulate unwanted material.
- Air dry your instruments completely and use a can of compressed air to blow out any water at the joints and hinges. Then store them only in clean and dry environments.



ULTRASONIC CLEANING

Ultrasonic cleaning is the most effective cleaning method. The vibrating sound waves create micron-sized bubbles in the solution that grow with the alternating pressure. When the bubbles reach a particular size, they collapse creating a force that dislodges dirt and particles, even in the smallest of crevices.

- ⚠ • NOT recommended for delicate and micro instruments.
- Follow the manufacturer's guidelines for specific instructions and cleaning cycle times.
- Instruments should be processed for the full recommended cycle time.
- Place instruments in the open position in the ultrasonic cleaner.
- ⚠ • Do NOT allow instruments with sharp blades to touch other instruments.
- ⚠ • Do NOT place dissimilar metals (stainless, copper, chrome plated) in the same cleaning cycle.
- Make sure all instruments are completely submerged.
- After the ultrasonic cleaning cycle is complete, rinse instruments thoroughly to remove all ultrasonic cleaning solution.
- Dry instruments thoroughly with a clean towel.
- Use a spray lubricant in the hinges to minimize the risk of corrosion and maintain functionality.



STEAM STERILIZATION/AUTOCCLAVING

The autoclave process utilizes moist heat (or steam) under pressure for sterilization. The steam used must be from distilled water and free of all impurities.

- ⚠ • Lubricate all instruments that have any metal to metal interaction such as; scissors, rongeurs, needle holders, hemostats, and retractors. Do NOT use WD-40 or other industrial lubricants.
- Instruments may be autoclaved individually or in sets.
 - Individual instruments: Disposable wraps or sterilization pouches are ideal. Make sure the pouch size is sufficient for the instrument to be in an open (unlocked) position.
 - Instrument sets: Open and unlock all instruments. Place the heavier instruments on the bottom of the set when two layers are needed.
- ⚠ • Do NOT lock instruments during autoclaving. This will prevent the steam from reaching and sterilizing the metal to metal surfaces, and heat expansion during autoclaving can cause cracks in the hinge areas.
- ⚠ • Do NOT over load the autoclave chamber as this may hinder steam penetration.
- Place a towel on the bottom of the pan to absorb excess moisture during autoclaving. Make sure the towel has no detergent residue and is pH neutral if immersed in water.
- At the end of the autoclave cycle (before the drying cycle) unlock the autoclave door and open it slightly. Run the dry cycle for the recommended time period by the autoclave manufacturer.

Please note: If the autoclave door is fully opened before the drying cycle, cold air will rush into the chamber, which can cause condensation on the instruments. This will result in water stains on the instruments.



HOT BEAD STERILIZATION

Recommended for speed and convenience when instrument tips or blade sterilization is required. The Hot Bead Sterilizer does not use dangerous gases, flames, or chemicals. Highlights:

- Bench top set up.
- Only 20 seconds of contact required to ensure your instruments are free of pathogens and microbial contaminants.
- Beads reach temperature of 240–270 °C (464–518 °F) within 15–20 minutes heating time.

Please see page 174–175 for more information on the FST® Hot Bead Sterilizers.



ETHYLENE OXIDE (ETO) STERILIZATION

This method is recommended for instruments that will not tolerate high temperatures or moisture (e.g., catheters, cannulae, etc.). This is a process consisting of 4 primary variables; gas concentration, humidity, temperature and time.

Wraps available, see page 176




STORAGE

Surgical instruments should be properly stored in a clean and dry environment. It is highly recommended to use tip protectors and instrument cases to avoid possible damage to your instruments.

Instrument tip protectors are available, see page 182

Instrument cases are available, see pages 178–181



OXIDATION (RUST)

All FST® Surgical Stainless Steel instruments are manufactured from medical grade Stainless Steel under strict European standards. It is very important to properly take care of your instruments to extend their lifespan.

Although Surgical Stainless Steel is corrosive resistant, it can still rust or stain if handled improperly. Under unfavorable conditions instruments may oxidize because Surgical Stainless Steel that is exposed to physical, thermal, or chemical manipulations may lose some of its stainless properties.

SCISSORS, BONE INSTRUMENTS, KNIVES & SCALPELS

Spring Scissors	23 – 34
-----------------	---------

Fine Scissors	35 – 48
---------------	---------

Surgical Scissors	49 – 55
-------------------	---------

Bone Instruments	56 – 69
------------------	---------

Knives & Scalpels	70 – 81
-------------------	---------



Vannas

These Vannas-style spring scissors have the smallest blades ever produced. They are ideal where space is restricted and where absolute precision is demanded.



Vannas

The short taper is ideal for small, precise cuts.



Vannas

The long taper is ideal for cutting vessel walls or when a longer cutting edge is needed.



Straight Sharp/Sharp

8 cm
Cutting edge: 2.5 mm
Tip Ø: 0.05 mm

No. 15000-08



Straight Sharp/Sharp

8 cm
Cutting edge: 2 mm
Tip Ø: 0.05 mm

No. 15000-03



Curved Sharp/Sharp

8 cm
Cutting edge: 2 mm
Tip Ø: 0.05 mm

No. 15000-04



Curved Sharp/Sharp

8 cm
Cutting edge: 2.5 mm
Tip Ø: 0.05 mm

No. 15001-08



Angled to side Sharp/Sharp

8 cm
Cutting edge: 2.5 mm
Tip Ø: 0.05 mm

No. 15002-08



Straight Sharp/Sharp

8 cm
Cutting edge: 3 mm
Tip Ø: 0.05 mm

No. 15000-00



Curved Sharp/Sharp

8 cm
Cutting edge: 3 mm
Tip Ø: 0.05 mm

No. 15000-10

Vannas-Tübingen



**Straight
Sharp/Sharp**

8.5 cm
Cutting edge: 5 mm
Tip Ø: 0.05 mm

No. 15003-08



**Angled up
Sharp/Sharp**

8.5 cm
Cutting edge: 5 mm
Tip Ø: 0.05 mm

No. 15005-08



**Curved
Sharp/Sharp**

8.5 cm
Cutting edge: 5 mm
Tip Ø: 0.05 mm

No. 15004-08



**Angled to side
Sharp/Sharp**

8.5 cm
Cutting edge: 5 mm
Tip Ø: 0.05 mm

No. 15008-08

Vannas Highly Polished

The highly polished surface makes the scissors more resistant to corrosion and easier to clean. It also prevents tissue from sticking on it while operating, it's also called non-sticky surface.



**Straight
Sharp/Sharp**

8.5 cm
Cutting edge: 5 mm
Tip Ø: 0.05 mm

No. 15903-08




**Curved
Sharp/Sharp**

8.5 cm
Cutting edge: 5 mm
Tip Ø: 0.05 mm

No. 15904-08

Vannas Round Handled

The round handle allows an easy finger adjustment during the application. The hollow grind in the handle reduces the weight. The fine blades are tapered to give a better overview.



**Straight
Sharp/Sharp**

9 cm
Cutting edge: 5 mm
Tip Ø: 0.05 mm

No. 15403-08



**Curved
Sharp/Sharp**

9 cm
Cutting edge: 5 mm
Tip Ø: 0.05 mm

No. 15404-08

Vannas with Microserrations

Microserrated to minimize slippage.



Straight Sharp/Sharp

9 cm
Cutting edge: 8 mm
Tip Ø: 0.1 mm

No. 15007-08



Straight Sharp/Sharp

8.5 cm
Cutting edge: 5 mm
Tip Ø: 0.1 mm

No. 15070-08



Curved Sharp/Sharp

8.5 cm
Cutting edge: 5 mm
Tip Ø: 0.1 mm

No. 15071-08



Straight Sharp/Sharp

8 cm
Cutting edge: 5 mm
Tip Ø: 0.1 mm


No. 15044-08



Curved Sharp/Sharp

8 cm
Cutting edge: 5 mm
Tip Ø: 0.1 mm

No. 15043-08



Vannas

Vannas

Ultra long cutting edge without sacrificing tip width.



Straight Sharp/Sharp

9 cm
Cutting edge: 8 mm
Tip Ø: 0.1 mm

No. 15009-08

SPRING SCISSORS

Vannas

Finished under high magnification, these tips are especially useful when incising vessel walls for catheter insertion.

Moria



Moria 9600



**Straight
Sharp/Sharp**

8 cm
Cutting edge: 5 mm
Tip Ø: 0.15 mm

No. 15396-00



**Curved
Sharp/Sharp**

8 cm
Cutting edge: 5 mm
Tip Ø: 0.15 mm

No. 15396-01

Vannas Titanium



**Straight
Sharp/Sharp**

9.5 cm
Cutting edge: 5 mm
Tip Ø: 0.3 mm

No. 15610-08



**Curved
Sharp/Sharp**

9.5 cm
Cutting edge: 5 mm
Tip Ø: 0.3 mm

No. 15615-08



**Angled up
Sharp/Sharp**

9.5 cm
Cutting edge: 5 mm
Tip Ø: 0.3 mm

No. 15617-08

Cohan-Vannas

Long cutting blades for a more controlled cut.



**Straight
Sharp/Sharp**

6 cm
Cutting edge: 6 mm
Tip Ø: 0.1 mm

No. 15000-02



**Curved
Sharp/Sharp**

6 cm
Cutting edge: 6 mm
Tip Ø: 0.1 mm

No. 15000-01



**Straight
Blunt/Blunt**

6 cm
Cutting edge: 6 mm
Tip Ø: 0.3 mm

No. 15000-12



**Curved
Blunt/Blunt**

6 cm
Cutting edge: 6 mm
Tip Ø: 0.3 mm

No. 15000-11

Micro

Ceramic Coated

Ceramic Coated Titanium



**Straight
Sharp/Sharp**

10 cm
Cutting edge: 7 mm
Tip Ø: 0.1 mm

No. 15024-10



**Straight
Sharp/Sharp**

10 cm
Cutting edge: 7 mm
Tip Ø: 0.1 mm


No. 15750-11



**Curved
Sharp/Sharp**

10 cm
Cutting edge: 7 mm
Tip Ø: 0.1 mm

No. 15751-11



**Straight
Sharp/Sharp**

11 cm
Cutting edge: 5 mm
Tip Ø: 0.2 mm

No. 15650-11



**Curved
Sharp/Sharp**

11 cm
Cutting edge: 5 mm
Tip Ø: 0.2 mm

No. 15651-11



**Straight
Blunt/Blunt**

10 cm
Cutting edge: 7 mm
Tip Ø: 0.3 mm

No. 15025-10




**Curved
Sharp/Sharp**

10 cm
Cutting edge: 7 mm
Tip Ø: 0.1 mm

No. 15023-10

Castroviejo



**Angled to side
Sharp/Sharp**

10 cm
Cutting edge: 10 mm
Tip Ø: 0.1 mm

No. 15006-09

Castroviejo with Ball Tip

Same as No. 15006-09 but with a ball tip (Ø 1.3 mm) to prevent piercing of underlying tissue.



**Angled to side
Sharp/Ball tip**

10 cm
Cutting edge: 8 mm
Tip Ø: 1.3 mm

No. 15033-09

Castroviejo



**Curved
Sharp/Sharp**

11 cm
Cutting edge: 10 mm
Tip Ø: 0.2 mm

No. 15017-10

Vannas

Angled Up

Dowell

These spring scissors aid in cutting tissues from various angles.

Moria



Moria MC52

Moria MC50



**Straight
Sharp/Sharp**

10 cm
Cutting edge: 7 mm
Tip Ø: 0.15 mm

No. 15370-52



**Curved
Sharp/Sharp**

10 cm
Cutting edge: 7 mm
Tip Ø: 0.15 mm

No. 15370-50



**Angled up
Sharp/Sharp**

9.5 cm
Cutting edge: 2 mm
Tip Ø: 0.1 mm

No. 15010-09



**Angled up
Sharp/Sharp**

10 cm
Cutting edge: 4 mm
Tip Ø: 0.1 mm

No. 15010-10



**Straight
Sharp/Sharp**

11.5 cm
Cutting edge: 10 mm
Tip Ø: 0.1 mm

No. 15040-11



**Angled up
Sharp/Sharp**

11.5 cm
Cutting edge: 10 mm
Tip Ø: 0.1 mm

No. 15042-11

Vannas Long Handle



**Straight
Sharp/Sharp**

10 cm
Cutting edge: 4 mm
Tip Ø: 0.1 mm

No. 15018-10



**Curved
Sharp/Sharp**

10 cm
Cutting edge: 4 mm
Tip Ø: 0.1 mm

No. 15019-10

Westcott



**Curved
Sharp/Sharp**

11 cm
Cutting edge: 15 mm
Tip Ø: 0.2 mm

No. 15015-11

Pascheff-Wolff

Very delicate blades.

Moria



**Angled up
Sharp/Sharp**

10.5 cm
Cutting edge: 3 mm
Tip Ø: 0.15 mm

No. 15371-92

Moria MC19/B

Noyes



**Straight
Sharp/Sharp**

12 cm
Cutting edge: 14 mm
Tip Ø: 0.2 mm


No. 15012-12



**Curved
Sharp/Sharp**

12 cm
Cutting edge: 14 mm
Tip Ø: 0.2 mm

No. 15011-12



**Angled up
Sharp/Sharp**

12 cm
Cutting edge: 14 mm
Tip Ø: 0.2 mm

No. 15013-12

Noyes Tungsten Carbide

Tungsten carbide cutting edges provide long lasting sharpness.




**Straight
Sharp/Sharp**

12 cm
Cutting edge: 14 mm
Tip Ø: 0.2 mm

No. 15514-12

Micro 2000 ToughCut®



**Straight
Sharp/Sharp**

12.5 cm
Cutting edge: 6 mm
Tip Ø: 0.3 mm

No. 15124-12




**Curved
Sharp/Sharp**

12.5 cm
Cutting edge: 6 mm
Tip Ø: 0.3 mm

No. 15123-12

Vannas Round Handled

Round handles allow easy fingertip adjustments.



**Straight
Sharp/Sharp**

12.5 cm
Cutting edge: 6 mm
Tip Ø: 0.05 mm

No. 15400-12



**Curved
Sharp/Sharp**

12.5 cm
Cutting edge: 6 mm
Tip Ø: 0.05 mm

No. 15401-12

Micro



**Straight
Sharp/Sharp**

14 cm
Cutting edge: 6 mm
Tip Ø: 0.1 mm

No. 15020-15



**Curved
Sharp/Sharp**

14 cm
Cutting edge: 6 mm
Tip Ø: 0.1 mm

No. 15021-15

Clipper

For microscopic dissections of soft and mucous tissue. The minute fineness of the blades allows clear visualization of the tissue being dissected.



Uses:

- Removing sheath of ganglia to access neurons in aplysia.
- Cutting single nerve axons in aplysia, mollusk and snail.
- Stripping fascia off arteries and muscles.
- Ultra fine brain tissue dissection.
- Cutting of minute fiber optic strands.




Straight Sharp/Sharp

8 cm
Cutting edge: 3 mm
Tip Ø: 0.05 mm
Blade shape: Triangular

No. 15200-00

Trident II

Special design with short handle and inner spring.



Straight Sharp/Sharp

8 cm
Cutting edge: 8 mm
Tip Ø: 0.2 mm

No. 15110-08



Angled to side Sharp/Sharp

8 cm
Cutting edge: 8 mm
Tip Ø: 0.2 mm

No. 15111-08

Micro with Pen-Type Handle

With microserrations to minimize slippage.



**Straight
Sharp/Sharp**

14.5 cm
Cutting edge: 2.5 mm
Tip Ø: 0.3 mm

No. 15030-14



**Angled to side
Sharp/Sharp**

14.5 cm
Cutting edge: 2.5 mm
Tip Ø: 0.3 mm

No. 15031-14

Micro with Pen-Type Handle

The finest blades on spring scissors. Designed for ophthalmic surgery (vitrectomy). The spring handles are made of ribbed plastic to ensure a solid grip. **Autoclavable.**



**Straight
Sharp/Sharp**

14 cm
Cutting edge: 2.2 mm
Tip Ø: 0.05 mm

No. 15036-14



**Angled to side 90°
Sharp/Sharp**

14 cm
Cutting edge: 1 mm
Tip Ø: 0.05 mm

No. 15037-14

Bonn-Gawenda

The innovative Bonn-Gawenda Scissors from our Exclusive Line combine a precise cutting edge, similar to our spring scissors and our ToughCut® feature which ensures an exact cut without slipping. These scissors have perfect tips for precision work under a microscope. Designed with comfort and ergonomics in mind, the large finger loops and specially engineered handle ensure exceptional control throughout each use.



**Straight
Sharp/Sharp**

10.5 cm
Cutting edge: 10 mm

No. 14854-10



**Curved
Sharp/Sharp**

10.5 cm
Cutting edge: 10 mm

No. 14855-10

Bonn

Our finest iris scissors, best suited for microdissection under high magnification.



**Straight
Sharp/Sharp**

9 cm
Cutting edge: 10 mm

No. 14084-08



**Curved
Sharp/Sharp**

9 cm
Cutting edge: 10 mm

No. 14085-08



**Straight
Sharp/Blunt**

9 cm
Cutting edge: 10 mm

No. 14083-08

FINE SCISSORS

Bonn Highly Polished

Highly polished.



**Straight
Sharp/Sharp**

9 cm
Cutting edge: 10 mm

No. 14184-09



**Curved
Sharp/Sharp**

9 cm
Cutting edge: 10 mm

No. 14185-09

Bonn-Strabismus ToughCut®

A fusion of two light and delicate iris scissors with ToughCut cutting edges.



**Straight
Blunt/Blunt**

8.5 cm
Cutting edge: 10 mm

No. 14084-09



**Curved
Blunt/Blunt**

8.5 cm
Cutting edge: 10 mm

No. 14085-09

Iris Partly Polished

These scissors have an anti-reflective finish to reduce glare.



**Straight
Sharp/Sharp**

9 cm
Cutting edge: 16 mm

No. 14090-09

11 cm
Cutting edge: 16 mm

No. 14090-11



**Curved
Sharp/Sharp**

9 cm
Cutting edge: 16 mm

No. 14091-09

11 cm
Cutting edge: 16 mm

No. 14091-11

Iris Sandblasted

Made from Martensitic Surgical Stainless Steel, combined with Molybdenum and Vanadium.

**Iris**

Delicate pattern.

**Straight
Sharp/Sharp**

9 cm
Cutting edge: 16 mm

No. 14060-09

**Curved
Sharp/Sharp**

9 cm
Cutting edge: 16 mm

No. 14061-09

**Curved to side
Sharp/Sharp**

9 cm
Cutting edge: 16 mm

No. 14062-09

**Angled to side
Sharp/Sharp**

9 cm
Cutting edge: 16 mm

No. 14063-09

**Straight
Sharp/Sharp**

10.5 cm
Cutting edge: 16 mm

No. 14094-11

**Curved
Sharp/Sharp**

10.5 cm
Cutting edge: 16 mm

No. 14095-11

10.5 cm

Cutting edge: 16 mm

No. 14060-10

10.5 cm

Cutting edge: 16 mm

No. 14061-10

10.5 cm

Cutting edge: 16 mm

No. 14062-10

11.5 cm

Cutting edge: 16 mm

No. 14060-11

11.5 cm

Cutting edge: 16 mm

No. 14061-11

Iris Left Handed



Moria Iris

Moria

Iris Extra Narrow

Extra narrow, delicate pattern. Very slim blades with gentle cutting action.



**Straight
Sharp/Sharp**

11.5 cm
Cutting edge: 18 mm

No. 14160-10



**Curved
Sharp/Sharp**

11.5 cm
Cutting edge: 18 mm

No. 14161-10



**Straight
Sharp/Sharp**

10 cm
Cutting edge: 16 mm

No. 14370-22



**Straight
Sharp/Sharp**

10.5 cm
Cutting edge: 16 mm

No. 14088-10

Moria 4877A

Iris Large Loops



**Straight
Sharp/Sharp**

10 cm
Cutting edge: 16 mm

No. 14040-10



**Curved
Sharp/Sharp**

10 cm
Cutting edge: 16 mm

No. 14041-10

Wagner



14070-12
14071-12



**Straight
Sharp/Sharp**

12 cm
Cutting edge: 20 mm

No. 14068-12



**Curved
Sharp/Sharp**

12 cm
Cutting edge: 20 mm

No. 14069-12



**Straight
Sharp/Sharp**

12 cm
Cutting edge: 20 mm

No. 14070-12



**Curved
Sharp/Sharp**

12 cm
Cutting edge: 20 mm

No. 14071-12

Iris ToughCut®



**Straight
Sharp/Sharp**

9 cm
Cutting edge: 16 mm

No. 14058-09

11.5 cm
Cutting edge: 16 mm

No. 14058-11



**Curved
Sharp/Sharp**

9 cm
Cutting edge: 16 mm

No. 14059-09

11.5 cm
Cutting edge: 16 mm

No. 14059-11

Iris Tungsten Carbide



**Straight
Sharp/Sharp**

9 cm
Cutting edge: 16 mm

No. 14568-09

11.5 cm
Cutting edge: 16 mm

No. 14568-12



**Curved
Sharp/Sharp**

9 cm
Cutting edge: 16 mm

No. 14569-09

11.5 cm
Cutting edge: 16 mm

No. 14569-12

Iris ToughCut® and Tungsten Carbide



**Straight
Sharp/Sharp**

9 cm
Cutting edge: 16 mm

No. 14558-09



**Curved
Sharp/Sharp**

9 cm
Cutting edge: 16 mm

No. 14559-09

11.5 cm

Cutting edge: 16 mm

No. 14558-11

11.5 cm

Cutting edge: 16 mm

No. 14559-11

Iris CeramaCut®

These ceramic-coated scissors are the cleanest cutting, longest lasting scissors ever produced. Utilizing the unique properties of a ceramic coating, they will last 6x longer than Tungsten Carbide instruments and cut even better than ToughCut® scissors. The black, corrosion-resistant coating has a non-glare finish.



**Straight
Sharp/Sharp**

9 cm
Cutting edge: 16 mm

No. 14958-09



**Curved
Sharp/Sharp**

9 cm
Cutting edge: 16 mm

No. 14959-09

11.5 cm

Cutting edge: 16 mm

No. 14958-11

11.5 cm

Cutting edge: 16 mm

No. 14959-11

Iris



**Straight
Sharp/Blunt**

10 cm
Cutting edge: 17 mm

No. 14028-10



**Curved
Sharp/Blunt**

10 cm
Cutting edge: 17 mm

No. 14029-10

Lexer-Baby



**Straight
Blunt/Blunt**

10 cm
Cutting edge: 16 mm

No. 14078-10



**Curved
Blunt/Blunt**

10 cm
Cutting edge: 16 mm

No. 14079-10

Metzenbaum Mini



14574-09
14575-09



**Straight
Blunt/Blunt**

9 cm
Cutting edge: 12 mm

No. 14074-09



**Curved
Blunt/Blunt**

9 cm
Cutting edge: 12 mm

No. 14075-09

9 cm

Cutting edge: 12 mm

No. 14574-09

9 cm

Cutting edge: 12 mm

No. 14575-09

Metzenbaum Baby Tungsten Carbide



**Straight
Blunt/Blunt**

11 cm
Cutting edge: 20 mm

No. 14574-11



**Curved
Blunt/Blunt**

11 cm
Cutting edge: 20 mm

No. 14575-11

Strabismus

Walton

Stevens



**Straight
Blunt/Blunt**

11.5 cm
Cutting edge: 20 mm

No. 14074-11



**Curved
Blunt/Blunt**

11.5 cm
Cutting edge: 20 mm

No. 14075-11



**Curved
Sharp/Sharp**

10 cm
Cutting edge: 10 mm

No. 14077-09



**Curved
Sharp/Sharp**

10 cm
Cutting edge: 10 mm

No. 14077-10



**Straight
Sharp/Sharp**

11.5 cm
Cutting edge: 13 mm

No. 14064-11



**Curved
Sharp/Sharp**

11.5 cm
Cutting edge: 13 mm

No. 14065-11

11.5 cm
Cutting edge: 13 mm

No. 14066-11

11.5 cm
Cutting edge: 13 mm

No. 14067-11

LaGrange

One edge is serrated to minimize slippage of tissue during cutting.
Curved handle helps when cutting from an awkward angle.



**Curved
Sharp/Sharp**

11.5 cm
Cutting edge: 12 mm

No. 14173-12

Shea

Transplant scissors with light and delicate pattern.



**Curved
Blunt/Blunt**

12 cm
Cutting edge: 16 mm

No. 14105-12

FINE SCISSORS

Dissecting

Slim blades for cutting tissue.



**Angled to side
Sharp/Sharp**

10 cm
Cutting edge: 6 mm

No. 14081-09

Dissecting

Similar to 14081-09, but with stronger blades for cutting fine bone.



**Angled to side
Sharp/Sharp**

10 cm
Cutting edge: 8 mm

No. 14082-09

Spencer Ligature

Used for cutting stitches or suture.



**Straight
Blunt/Blunt**

9 cm
Cutting edge: 16 mm

No. 14076-09

Bonn Vascular

Iris scissors with one ball tip to prevent piercing of underlying tissue.



**Straight
Sharp/Ball tip**

9 cm
Cutting edge: 10 mm
1.5 mm Ball Diameter

No. 14086-09



**Straight
Sharp/Ball tip**

11.5 cm
Cutting edge: 16 mm
1.5 mm Ball Diameter


No. 14080-11

Tissue Separating

**Straight
Blunt/Blunt**

11.5 cm
Cutting edge: 16 mm

No. 14072-10

Wilmer

**Angled up
Sharp/Sharp**

10 cm
Cutting edge: 12 mm

No. 14037-10

FINE SCISSORS

Stevens with Adjustable Loops

**Straight
Blunt/Blunt**

10 cm
Cutting edge: 8 mm

No. 14108-09

Iris with Adjustable Loops

The finger loops can be enlarged to fit almost any size.



**Straight
Sharp/Sharp**

9.5 cm
Cutting edge: 8 mm

No. 14106-09

Kaye with Adjustable Loops

These scissors have semi-sharp outer edges to better facilitate dissection.



**Curved
Blunt/Blunt**

10.5 cm
Cutting edge: 14 mm

No. 14171-10

Standard Surgical

Our standard surgical scissors are recognized for these important features:

- Excellent feel and handling capability.
- Overall execution that marks them as fine examples of German craftsmanship.






**MOST
POPULAR**






LEFT-HANDED

14008-14



Length (cm)	Cutting edge (mm)	 Straight Sharp / Sharp	 Straight Sharp / Blunt	 Straight Blunt / Blunt
12	26	No. 14002-12	No. 14001-12	No. 14000-12
13	28	No. 14002-13	No. 14001-13	No. 14000-13
14.5	30	No. 14002-14	No. 14001-14	No. 14000-14
16.5	36	No. 14002-16	No. 14001-16	No. 14000-16
18.5	40		No. 14001-18	No. 14000-18
20	44			No. 14000-20

Length (cm)	Cutting edge (mm)	Straight Sharp / Blunt
14.5	30	No. 14008-14

Length (cm)	Cutting edge (mm)	 Curved Sharp / Sharp	 Curved Sharp / Blunt	 Curved Blunt / Blunt
12	26	No. 14005-12	No. 14004-12	No. 14003-12
13	28	No. 14005-13	No. 14004-13	No. 14003-13
14.5	30	No. 14005-14	No. 14004-14	No. 14003-14
16.5	36	No. 14005-16	No. 14004-16	No. 14003-16
18.5	40		No. 14004-18	No. 14003-18
20	44			No. 14003-20

Standard Surgical ToughCut®



75% of
actual size



**Straight
Sharp/Blunt**

13 cm
Cutting edge: 28 mm

No. 14054-13



**Straight
Sharp/Blunt**

17.5 cm
Cutting edge: 42 mm

No. 14130-17



**Straight
Sharp/Sharp**

14.5 cm
Cutting edge: 34 mm

No. 14502-14



**Straight
Sharp/Blunt**

14.5 cm
Cutting edge: 34 mm

No. 14501-14



**Curved
Sharp/Sharp**

14.5 cm
Cutting edge: 34 mm

No. 14505-14



**Curved
Sharp/Blunt**

14.5 cm
Cutting edge: 34 mm

No. 14504-14

Standard Surgical Tungsten Carbide



75% of
actual size

**Standard Surgical
with Serrations**



75% of
actual size



14 cm
Cutting edge: 30 mm

No. 14007-14

Standard Surgical with Large Finger Loops

These finger loops are approximately 1.5 x larger
than our standard surgical scissors.



80% of
actual size



14.5 cm
Cutting edge: 30 mm


No. 14101-14

Lister

Excellent skin cutting scissors. Longer, blunt
blade prevents damaging tissue underneath
skin without losing the cutting line.



80% of
actual size




14 cm
Cutting edge: 26 mm

No. 14131-14

Metzenbaum Fino

Metzenbaum Fino Tungsten Carbide



70% of
actual size



**Straight
Blunt/Blunt**

13 cm
Cutting edge: 20 mm

No. 14018-13



**Curved
Blunt/Blunt**

13 cm
Cutting edge: 20 mm

No. 14019-13

14.5 cm
Cutting edge: 22 mm

No. 14018-14

14.5 cm
Cutting edge: 22 mm

No. 14019-14

18 cm
Cutting edge: 24 mm

No. 14018-18

18 cm
Cutting edge: 24 mm

No. 14019-18



80% of
actual size



**Straight
Ultra fine Blunt/
Blunt**

14.5 cm
Cutting edge: 22 mm

No. 14508-15



**Straight
Blunt/Blunt**

14.5 cm
Cutting edge: 22 mm

No. 14518-14



**Curved
Ultra fine Blunt/
Blunt**

14.5 cm
Cutting edge: 22 mm

No. 14509-15



**Curved
Blunt/Blunt**

14.5 cm
Cutting edge: 22 mm

No. 14519-14

18 cm
Cutting edge: 24 mm


No. 14518-18

18 cm
Cutting edge: 24 mm

No. 14519-18

Metzenbaum

Metzenbaum ToughCut®



80% of
actual size



80% of
actual size



**Straight
Sharp/Blunt**

14.5 cm
Cutting edge: 22 mm

No. 14024-14



**Straight
Blunt/Blunt**

14.5 cm
Cutting edge: 22 mm

No. 14016-14



**Curved
Blunt/Blunt**

14.5 cm
Cutting edge: 22 mm

No. 14017-14

18 cm
Cutting edge: 24 mm

No. 14016-18

18 cm
Cutting edge: 24 mm

No. 14017-18



**Straight
Blunt/Blunt**

14.5 cm
Cutting edge: 22 mm

No. 14116-14



**Curved
Blunt/Blunt**

14.5 cm
Cutting edge: 22 mm

No. 14117-14

18 cm
Cutting edge: 24 mm

No. 14116-18

18 cm
Cutting edge: 24 mm

No. 14117-18

Mayo

Mayo ToughCut®

Mayo Tungsten Carbide



14512-15 & 14512-17



80% of
actual size



80% of
actual size



80% of
actual size




**Straight
Blunt/Blunt**

15 cm

Cutting edge: 28 mm

No. 14010-15




**Curved
Blunt/Blunt**

15 cm

Cutting edge: 28 mm

No. 14011-15




**Straight
Blunt/Blunt**

14.5 cm

Cutting edge: 28 mm

No. 14110-15



**Curved
Blunt/Blunt**

14.5 cm

Cutting edge: 28 mm

No. 14111-15



**Straight
Blunt/Blunt**

15 cm

Cutting edge: 28 mm

No. 14510-15




**Curved
Blunt/Blunt**

15 cm

Cutting edge: 28 mm

No. 14511-15



**Straight
Blunt/Blunt**

15 cm

Cutting edge: 28 mm

No. 14512-15

17 cm

Cutting edge: 32 mm

No. 14010-17

17 cm

Cutting edge: 32 mm

No. 14011-17

17 cm

Cutting edge: 32 mm

No. 14110-17

17 cm

Cutting edge: 32 mm

No. 14111-17

17 cm

Cutting edge: 32 mm

No. 14510-17

17 cm

Cutting edge: 32 mm

No. 14511-17

17 cm

Cutting edge: 32 mm

No. 14512-17


Mayo-Stille



**Straight
Blunt/Blunt**

15 cm
Cutting edge: 28 mm

No. 14012-15



**Curved
Blunt/Blunt**

15 cm
Cutting edge: 28 mm

No. 14013-15


17 cm
Cutting edge: 32 mm

No. 14012-17

17 cm
Cutting edge: 32 mm

No. 14013-17


Mayo-Noble



**Straight
Blunt/Blunt**

17 cm
Cutting edge: 30 mm

No. 14014-17



**Curved
Blunt/Blunt**

17 cm
Cutting edge: 30 mm

No. 14015-17

Standard Surgical with Stop

Stop guard at tips to prevent slippage.



**Straight
Blunt/Blunt**

21 cm
Cutting edge: 50 mm

No. 14200-21


RONGEURS

Friedmann-Pearson




Experience the unparalleled precision of our flagship rongeur which features a specialized 0.5 mm cup diameter, tailored for the finest research techniques. These rongeurs guarantee effortless cutting while ensuring captured tissue remains secure and intact.



The fine rongeur tips shown on this page are extremely fragile. Removal of material with a twisting motion can damage the tips.




Magnified View



Straight

14 cm
Cup size: 0.5 mm

No. 16220-14



Curved

14 cm
Cup size: 0.5 mm



No. 16221-14

Friedmann-Pearson

Best suited for delicate work, this is one of our finest tip rongeurs in our product line. The fine-cupped jaws have been designed with a longer and slimmer approach for better visibility.




The fine rongeur tips shown on this page are extremely fragile. Removal of material with a twisting motion can damage the tips.



Straight

14 cm
Cup size: 0.7 mm

No. 16120-14



Curved

14 cm
Cup size: 0.7 mm


No. 16121-14



Straight

14 cm
Cup size: 1 mm

No. 16020-14



Curved

14 cm
Cup size: 1 mm

No. 16021-14

RONGEURS



Pearson

Provides excellent visibility at dissection site due to its extra long and narrow approach to the fine cutting jaws. Especially suitable for larger hands.



**CAUTIONARY
NOTE**


The fine rongeur tips shown on this page are extremely fragile. Removal of material with a twisting motion can damage the tips.



Shallow bend

17 cm
Cup size: 1 mm

No. 16015-17




Sharp bend

17 cm
Cup size: 1.2 mm

No. 16016-17

Luer



Curved

15 cm
Cup size: 4 mm

No. 16001-15

Mini-Friedmann

Strong and large jaws are ideal for use on the harder, outer regions of the spinal cord. Also can be used to gain access to delicate structures encased in bone.



Curved
12.5 cm
Cup size: 2.5 mm
No. 16000-14


Lempert

Extra fine jaws.



Straight
16 cm
Cup size: 2.5 mm
No. 16004-16

Curved
16 cm
Cup size: 2.5 mm
No. 16005-16



CUTTERS

Fine

**Curved**

14 cm
Cutting edge: 8 mm

No. 16109-14

Illic

Round cutting blades for tissue, cartilage
and soft bone.

**Curved**


14 cm
Cutting edge: 9 mm

No. 16107-14

Dumont #15A Cutter

Cutting edge on both outside and inside bevel.
Cuts suture, cartilage, bone and steel wire to 0.06 mm, and copper wire to 0.15 mm.

F · S · T
by DUMONT®



Angled Cutting

11.5 cm
Cutting edge: 10 mm
Jaw Opening: 2.5 mm


Carbon steel

No. 11215-01

Dumont #15ARW Cutter

Same structure and functionality as Item No. 11215-01 (left), but with an epoxy coating up to the cutting edge for easier care and maintenance.

F · S · T
by DUMONT®



Angled Cutting


11.5 cm
Cutting edge: 7 mm
Jaw Opening: 2.5 mm

Epoxy coated carbon steel

No. 11215-02

Tungsten Carbide #15AGHM Cutter

High precision cutting tweezers are suitable for applications which require cutting small material or performing small cuts. The extreme hard Tungsten Carbide blade insert is designed to cut the hardest metals.



Angled Cutting

11.5 cm
Cutting edge: 10 mm
Jaw Opening: 4 mm
Anti-magnetic anti-acid Surgical
Stainless Steel (Inox) (sa), Tungsten
Carbide, sandblasted

No. 11515-02

Bone Nipper**Angled up**

11 cm
Cutting edge: 5 mm


No. 16102-11**Cohen**

Strong jaws for cutting tough cartilage.

**Angled up**

10 cm
Cutting edge: 7 mm

No. 16101-10

Lempert**SERRATED****Straight**


11 cm
Cutting edge: 9 mm

No. 16140-11**Spring Scissors Style****Straight
Blunt/Blunt**

13 cm
Cutting edge: 12 mm

No. 16144-13**Spring Scissors Style with
Strong Handle**

Slim, strong blades for cutting
fine bones and tissues.

**Curved
Blunt/Blunt**

12 cm
Cutting edge: 12 mm

No. 16143-12

CUTTERS

Littauer



Straight

11 cm
Cutting edge: 15 mm

No. 16152-11



Straight

12.5 cm
Cutting edge: 17 mm

No. 16152-12




Straight

15 cm
Cutting edge: 19 mm

No. 16152-15

Beebee

Very strong jaws with sharp points.

MOST
POPULAR

Straight

10 cm
Cutting edge: 15 mm

No. 16044-10

Scissors Tungsten Carbide

Strong heavy blades for cutting bone.

TUNGSTEN
CARBIDE

SERRATED



Straight

12.5 cm
Cutting edge: 15 mm

No. 16030-12



Straight

16 cm
Cutting edge: 15 mm

No. 16030-16

Boehler

Bone splitting cutter with very fine tips and double action joint to relieve strain on your hand.



Angled up

15 cm
Cutting edge: 18 mm

No. 16130-15

Skull Flap Cutter

One tip has a flat and narrow platform which fits between dura and skull. Other tip has sharp cutting edge. The double action joint relieves strain on your hand.



Angled up

14 cm
Cutting edge: 10 mm

No. 16050-15

CUTTERS

Cleveland



Angled up

15 cm
Cutting edge: 15 mm

No. 16106-14

17 cm
Cutting edge: 15 mm

No. 16105-16

Liston

Gross anatomy bone cutter.



Straight

14 cm
Cutting edge: 20 mm


No. 16104-14

20 cm
Cutting edge: 30 mm

No. 16104-19

Bone Pliers

To peel back skull flaps.



Straight

15.5 cm

No. 16025-14

Bone Shears

60% of
actual size

Curved

24 cm

Cutting edge: 65 mm

No. 16150-24

ACCESSORIES

Bone Forceps

Strong cross-serrated tips for bone crushing and removal.



Angled

11.5 cm
Tip Ø: 1 mm

No. 16060-11

Mini Self-Tapping Bone Screws

Used extensively to anchor dental cement to bone, these self-tapping screws have superior holding strength over ordinary machine screws. Surgical Stainless Steel with fillister flat head.



4 mm
Shaft diameter: 0.86 mm
Pkg. of 100 screws

No. 19010-10

4.8 mm
Shaft diameter: 1.19 mm
Pkg. of 100 screws

No. 19010-00

Pkg. of 10 screws

No. 19010-11

Pkg. of 10 screws

No. 19010-01

For pre-drilling use our 0.7 mm
burrs, see page 183.

For pre-drilling use our 0.9 mm
burrs, see page 183.

Bone Wax

A beeswax-based compound for bone hemostasis.
Soft, kneadable and ready to use. **Sterile.**



Pkg. of 12 foil packs (2.5 g each)


No. 19009-00

Micro Curette

Curette tips consist of a scoop with sharp edges and are used for scraping or cleaning. They can also be used for separating and transporting, inoculating plates or transferring small amounts of chemicals.




Serrations on cutting edge




13 cm

No. 10080-05




13 cm

No. 10081-10



13 cm

No. 10082-15




13 cm

No. 10083-20

Delicate Bone Scraper


For scraping tissue without cutting into bone.



16.5 cm

No. 10075-16


Austin Chisel



16 cm

No. 10096-16

Dissecting Chisel




12.5 cm

No. 10095-12

MICRO KNIVES

Graefe Knife

Used for cutting dura.




Angled 90°

13 cm
Cutting edge: 1.5 mm

No. 10059-13

Cataract Knife


One of the most popular dissecting knives with a microfine point. The cutting edge is lance shaped to provide the ideal cutting angle.



Straight

12.5 cm
Cutting edge: 4 mm


No. 10055-12



Angled 30°

12.5 cm
Cutting edge: 4 mm

No. 10056-12


Sichel Knife

Curved

12 cm
Cutting edge: 9 mm

No. 10073-14


Graefe Iris Knife



13 cm
Cutting edge: 28 mm

No. 10370-13

Micro Knife Side Cut




Side cut

15 cm
Cutting edge: 3 mm

No. 10058-15

Circle Knife

Sharp cutting edge around tip.




Round

16 cm
Cutting edge: 2 mm

No. 10059-15

Handles are made of fiberglass reinforced yellow nylon with a slip resistant surface that allows little chance of bacterial accumulation. The blades are made of German Molybdenum Stainless Steel.



Dissection knives

26 cm
Cutting edge: 13 cm

No. 10157-13

28 cm
Cutting edge: 15 cm

No. 10157-15

31 cm
Cutting edge: 18 cm

No. 10157-18



Brain sectioning knife

44 cm
Cutting edge: 30 cm

No. 10152-30

Obsidian Stone Age Scalpels

For applications where extremely fine cuts are required or for studies where trace metals from ordinary scalpel blades cannot be tolerated. These ultra fine cutting edges have been used in human surgical procedures where objectionable scar tissue results from the use of standard scalpels. The blade is made from obsidian — a type of volcanic glass — which allows a much finer blade than is possible with the conventional steel blade. In some cases this makes the relatively inexpensive obsidian scalpel a suitable substitute for an expensive diamond knife. Patterned after “stone age” knives which first made their appearance about 18,000 years ago, these modern versions utilize hard wood and plastic dowels for handles. Plastic dowels are made of polyoxymethylene.



Obsidian is a very fragile material. Great care should be taken to not exert any lateral pressure on the blade during cutting. Each blade is hand-fashioned, so sizes, shapes and points will vary. While all the blades will have at least one sharp edge, some will have two.



Magnified View

Wood Dowel
Not autoclavable

Straight

13 cm
Cutting edge: 6 mm

No. 10110-01



Magnified View

Plastic Dowel
Autoclavable

Straight

12.5 cm
Cutting edge: 6 mm

No. 10110-05



Magnified View

Plastic Dowel
Autoclavable

Angled

12.5 cm
Cutting edge: 6 mm

No. 10110-07

CERAMIC & DIAMOND KNIVES

Ceramic Blades and Handle

Advantages:

- Ceramic edge stays sharp 100 times longer than steel edge
- Rust and corrosion free
- Chemical and acid resistant
- Withstands up to 2400 °C (4352 °F)
- No electrostatic discharge concerns
- No trace metal contamination
- Fully nonmagnetic

**Angled 45°**

33 x 6 x 0.5 mm
Cutting edge: 4.5 mm
Pkg. of 5 blades

No. 10025-44

Angled 45°

33 x 6 x 0.5 mm
Cutting edge: 2.5 mm
Pkg. of 5 blades

No. 10025-43

Angled 23°

33 x 6 x 0.5 mm
Cutting edge: 14 mm
Pkg. of 5 blades

No. 10025-23

Angled 45°

33 x 6 x 0.5 mm
Cutting edge: 8 mm
Pkg. of 5 blades

No. 10025-45

Aluminum Alloyed
Handle
12.5 cm

No. 10025-50

Diamond Knives

This knife has a gem-quality, neutral diamond blade which is honed to the finest cutting edge possible. The blade is made to an ophthalmic surgical standard and is inspected under 400 x magnification. The retractable handle aids in care and storage.



This blade is extremely fragile and vulnerable to lateral pressure.



Lancet
Cutting angle: 30°

12 cm
Cutting edge: 1 mm
Tip thickness: 0.15 mm

No. 10100-30



Angled
Cutting angle: 45°


12 cm
Cutting edge: 1 mm
Tip thickness: 0.15 mm

No. 10100-45





Grip slides up the handle to protect the tip for safe storage and packing.


Blade Breakers and Holders



No. 10052-11



No. 10053-09



No. 10053-13

Breakable Blades

These special, high carbon content blades are the only blades that will break cleanly.




Blade thickness: 0.1 mm
Pkg. of 10 blades

No. 10050-00

Create Your Own Blade


With these blade holders/breakers and our special carbon steel blades, No. 10050-00, you can produce microblades in sizes that meet your own individual needs.



SCALPELS


Sterile Scalpels

Cold forged from carbon steel and sharpened to eliminate tissue distortion and blade drag. 12.5 cm plastic handle with slip-proof grip. **Sterile.**

**22.5° Cutting angle**


13.5 cm
Cutting edge: 4.5 mm
Tip thickness: 0.15 mm

No. 10316-14

**15° Cutting Angle**


13 cm
Cutting edge: 5 mm
Tip thickness: 0.15 mm

No. 10315-12

**Crescent blade**

14 cm
Cutting edge: 11 mm
Tip thickness: 0.2 mm

No. 10317-14

**Needle blade**

14.5 cm
Cutting edge: 4 mm
Tip thickness: 0.2 mm

No. 10318-14

Interchangeable Blades and Handles

**Angled Carbon steel**

Cutting edge: 10 mm
Pkg. of 5 blades

No. 10035-15

**Curved Carbon steel**

Cutting edge: 10 mm
Pkg. of 5 blades

No. 10035-20

**Small / Flat Carbon steel**

Cutting edge: 1.5 mm
Pkg. of 5 blades

No. 10035-05

**Large / flat Carbon steel**

Cutting edge: 2.75 mm
Pkg. of 5 blades

No. 10035-10

Handle for Inter-
changeable Blades
9.5 cm

No. 10035-00

12.5 cm

No. 10035-12

**Cane Carbon steel**

Cutting edge: 12 mm
Pkg. of 5 blades

No. 10035-25

**Arc Carbon steel**

Cutting edge: 12 mm
Pkg. of 5 blades

No. 10035-30

Standard Scalpel Handle #4 with Silicone

For heavy, gross anatomy work. Molded to fit hand.



16 cm

No. 10009-13

Standard Scalpel Handle #4 Solid

Especially suitable for large dissections.



13 cm

No. 10004-13

Blades for #4 Scalpel Handles

The alloy used has a high carbon content which provides a longer lasting edge. Blades come individually wrapped. **Non-sterile.**

**#20 blades**

Box of 100 blades

No. 10020-00

**#21 blades**

Box of 100 blades

No. 10021-00

**#22 blades**

Box of 100 blades

No. 10022-00

**#23 blades**

Box of 100 blades

No. 10023-00

SCALPELS

Standard Scalpel Handle #3



12 cm

No. 10003-12

Secure Scalpel Handle #3


A safety lock holds the blade securely, and allows simple and safe blade attachment and removal.




12 cm

No. 10003-13


- 1 Slide blade onto front pin of the handle.



- 2 Then slide pin to front slot of blade. Rotate blade clockwise and secure blade to back pin on handle.



- 3 Scalpel is ready to use.



Blades for #3 and #7 Scalpel Handles

The alloy used has a high carbon content which provides a longer lasting edge. Blades come individually wrapped. **Non-sterile.**



#10 blades

Box of 100 blades

No. 10010-00



#11 blades

Box of 100 blades

No. 10011-00



#12 blades

Box of 100 blades

No. 10012-00



#15 blades

Box of 100 blades

No. 10015-00

**Short Scalpel
Handle #7**


12 cm

No. 10007-12**Standard Scalpel
Handle #7**

16.5 cm

No. 10007-16**Scalpel Blade Remover**

For safe removal of scalpel blades, simply insert scalpel with blade into the Scalpel Blade Remover and press the sides together. This will dislodge the blade from handle and hold the blade securely for release.



6.5 cm


No. 10002-00**Scalpel Blade Remover and Disposal Box**

This plastic device will remove used scalpel blades safely and retain them for safe disposal. Can be used for blades that fit the #3, #4, #7 and Gross Anatomy handles.

7.5 x 5 x 2.5 cm
Capacity approximately: 80 Blade
Carton of 10 boxes

**No. 10002-50**

Your fingers will never come in contact with the blade.



SCALPELS

Gross Anatomy Blade and Handle




13 cm

No. 10060-13



#60 blades
7.5 cm
Box of 100 blades

No. 10060-00



#10 scalpels
14 cm
Pkg. of 10 blades

No. 10000-10



#11 scalpels
14 cm
Pkg. of 10 blades

No. 10000-11



#15 scalpels
14 cm
Pkg. of 10 blades


No. 10000-15



Scalpel shown with safety cartridge closed and locked into place.

Safety Scalpel Blade Cartridges

The Safety Scalpel Handle #3 is compatible with all Safety Scalpel Blades. The handle is reusable and made of Teflon coated stainless steel which provides a non-stick surface. The Blade Cartridges are color-coded with clear windows for easy identification. The protective cartridge completely covers the blade for safe, fast, and easy disposal. **Handle is reusable and autoclavable. Blades are single-use and non-sterile.**



Safety Scalpel Handle #3



12.5 cm
Teflon coated Surgical Stainless Steel (Inox)

No. 10006-12

Safety Scalpel Blade Cartridges

Safety Scalpel Blade Cartridges shown open and attached to handle.
Handle and cartridges sold separately.



#10 blades
Pkg. of 10 blades
No. 10010-10



#11 blades
Pkg. of 10 blades
No. 10011-10



#15 blades
Pkg. of 10 blades
No. 10015-10

FORCEPS, TWEEZERS, HEMOSTATS & VASCULAR INSTRUMENTS

FST® by Dumont

83 – 92

Fine

93 – 96, 99 – 103

Moria

97 – 98

S&T®

98, 100

Standard

104 – 115

Hemostats

116 – 121


Vascular Instruments

122 – 131



Dumont #5SF

The finest tips ever produced by Dumont.




Super fine

11 cm
0.025 x 0.005 mm
Surgical Stainless
Steel (Inox)

No. 11252-00

Dumont #5 Medical Biology

Finished under magnification and polished on the inside, the tips close flat to 3 mm and are less likely to open under excess pressure.




Biology

11 cm
0.05 x 0.02 mm
Surgical Stainless
Steel (Inox)

No. 11254-20

Dumont #5 Ceramic Coated

These forceps are non-reflective. The scratch and corrosion resistant coating guarantees durability.




Biology

11 cm
0.05 x 0.02 mm
Ceramic coated
Surgical Stainless
Steel (Inox)

No. 11252-50

Dumont #5CO

These forceps have been honed down to make this the lightest and most precise Dumont forceps available.



Biology

11 cm
0.05 x 0.02 mm
Dumostar

No. 11295-20


Dumont Medical Standard

The sides of these forceps are distinctively ribbed to provide a better holding surface for maximum control of the instrument. The shanks are arched toward each other to transmit more holding strength to the points. The smooth inside surfaces at the tips will close flat to 5 mm with gentle pressure, increasing the total holding area considerably. The microscopically matched tips are gently blunted to prevent tissue puncture and are recommended as micro needle holders.



FORCEPS/TWEEZERS

Medical #5




**Standard
Straight**

11 cm
0.1 x 0.06 mm
Surgical Stainless
Steel (Inox)

No. 11253-20

Medical #5A




**Standard
Off-Center**

11.5 cm
0.13 x 0.08 mm
Surgical Stainless
Steel (Inox)

No. 11253-21

Medical #7S




**Standard
Curved**

11.5 cm
0.17 x 0.1 mm
Surgical Stainless
Steel (Inox)

No. 11273-22

Medical #7




**Standard
Curved**

11.5 cm
0.17 x 0.1 mm
Surgical Stainless
Steel (Inox)

No. 11273-20

Medical #5/45



**Standard
Angled 45°**

11 cm
0.1 x 0.06 mm
Surgical Stainless
Steel (Inox)

No. 11253-25

Medical #5/90



**Standard
Angled 90°**

11 cm
0.1 x 0.06 mm
Surgical Stainless
Steel (Inox)

No. 11253-29

Dumont #55

Bevelled, like #5 but with extra light and fine shanks.



0.05 mm



Biology

11 cm
0.05 x 0.02 mm
Surgical Stainless Steel (Inox)

No. 11255-20

11 cm
0.05 x 0.02 mm
Dumostar

No. 11295-51

Dumont #5 Mirror Finish

The last 5 mm on the inside of the tips are highly polished to help prevent tissue from sticking. Ideal for embryos, nerves or any other adhesive tissue.



0.10 mm



Standard

11 cm
0.1 x 0.06 mm
Surgical Stainless Steel (Inox)

No. 11251-23

0.05 mm



Biology

11 cm
0.05 x 0.02 mm
Surgical Stainless Steel (Inox)

No. 11252-23

Dumont #5

These are the most widely used Dumont forceps.
Bevelled, very fine shanks for best visibility.



MOST POPULAR



11252-40



NOT AUTOCLAVABLE

11251-10



0.10 mm



Standard

11 cm
0.1 x 0.06 mm
Surgical Stainless Steel (Inox)

No. 11251-20

Dumoxel

No. 11251-30

Dumostar

No. 11295-00

0.08 mm



Standard

11 cm
0.08 x 0.04 mm
Carbon steel

No. 11251-10

0.05 mm



Biology

11 cm
0.05 x 0.02 mm
Surgical Stainless Steel (Inox)

No. 11252-20

Dumoxel

No. 11252-30

Dumostar

No. 11295-10

Titanium


No. 11252-40

Dumont #5 WA

These specially designed forceps offer improved stability with an ergonomic body that allows the forceps to fit more comfortably in your hand. A domed end with no soldering grooves allows the forceps to be thoroughly and easily cleaned, preventing biofilm residues.




Side View

**Standard**

12 cm
0.10 x 0.06 mm

Surgical Stainless
Steel (Inox)

No. 11251-21


**Biology**

12 cm
0.05 x 0.02 mm

Surgical Stainless
Steel (Inox)

No. 11252-21

Dumont #5XL

**Standard**


15 cm
0.1 x 0.06 mm

Surgical Stainless
Steel (Inox)

No. 11253-10

Dumont #L5

Slide sleeve keeps tips together so specimens may be securely held and retained. Slide may be locked in place so that forceps can be used in regular fashion.



Standard


11 cm
0.1 x 0.06 mm

Surgical Stainless Steel (Inox)

No. 11253-27

Dumont #5 Teflon® Coated

These antimagnetic forceps are ideal for use in cryogenic environments and for EM samples. Teflon® coating provides a non-stick surface.



Standard


11 cm
0.1 x 0.06 mm

Teflon coated Surgical Stainless Steel (Inox)

No. 11626-11

Dumont #5/45

45° tips for improved visibility and control.



Standard

11 cm
0.1 x 0.06 mm

Dumoxel


No. 11251-35

Dumont #5/45 Cover Slip

Designed to pick up cover slips out of multi-well plates. The tip width is squared for a better grip.



Magnified View






1 mm from tip to bend

11.5 cm
Upper tip: 0.1 x 0.08 mm,
Lower tip: 0.1 x 0.02 mm
Dumoxel

No. 11251-33

Dumont #3

Tapered and sturdy shanks.

**Standard**12 cm
0.17 x 0.1 mm
Dumoxel**No. 11231-30****Standard**12 cm
0.17 x 0.1 mm
Dumostar**No. 11293-00****Dumont #3C****Standard**11 cm
0.17 x 0.1 mm
Surgical Stainless
Steel (Inox)**No. 11231-20****Standard**11.5 cm
0.17 x 0.1 mm
Surgical Stainless
Steel (Inox)**No. 11260-20**

Dumont #7 Medical Biology

Finished under magnification, the tips close flat to 3 mm and therefore less likely to open under excess pressure.



0.07 mm

Biology

11.5 cm
0.07 x 0.03 mm
Surgical Stainless Steel (Inox)

No. 11274-20

Dumont #7



0.07 mm

Biology

11.5 cm
0.07 x 0.04 mm
Dumoxel

No. 11272-30

0.17 mm

Standard

11.5 cm
0.17 x 0.1 mm
Dumoxel

No. 11271-30

Dumostar

No. 11297-00

Dumostar

No. 11297-10

Titanium

No. 11272-40

Dumont #7 Ceramic Coated



0.07 mm

Biology

11.5 cm
0.07 x 0.04 mm
Ceramic coated
Surgical Stainless Steel (Inox)

No. 11272-50

Dumont #7B



0.17 mm

Standard


11.5 cm
0.17 x 0.1 mm
Surgical Stainless Steel (Inox)

No. 11270-20

FORCEPS/TWEEZERS

Dumont #4

Similar to #5, but with broader shanks.

**Standard**


11 cm
0.13 x 0.08 mm
Dumoxel

No. 11241-30

Dumostar

No. 11294-00**Dumont #2**


These forceps are ideal for breaking off delicate bones.

**Standard**

12 cm
0.4 x 0.02 mm
Surgical Stainless
Steel (Inox)

No. 11223-20**Dumont #2AP Epoxy Coated**


Provides good insulation for up to 220 AC voltage work and highly impervious to chemical solutions. Frozen or super cold sections will not adhere to the gripping surfaces.

**Standard**

12 cm
1.5 x 0.7 mm
Epoxy coated Surgical
Stainless Steel (Inox)

No. 11220-21

Dumont AA




Standard

12.5 cm
0.4 x 0.2 mm
Surgical Stainless
Steel (Inox)

No. 11210-20

Dumont AA Epoxy Coated

Slip-proof acid and electric shock resistant epoxy coating covers the forceps 17.5 mm from the tips.




Standard

12.5 cm
0.4 x 0.2 mm
Epoxy coated Surgical
Stainless Steel (Inox)

No. 11210-10

Dumont SS


The tips are smooth on the inside for a gentle grip. Applying full strength will not separate tips and a strong hold on the smallest specimen is ensured.



Standard

Straight
13.5 cm
0.2 x 0.12 mm
Surgical Stainless
Steel (Inox)


No. 11203-23



Standard

Angled 45°
13.5 cm
0.2 x 0.12 mm
Surgical Stainless
Steel (Inox)

No. 11203-25



Biology

Straight
13.5 cm
0.1 x 0.06 mm
Dumoxel

No. 11200-33

FORCEPS/TWEEZERS


Dumont Mini Forceps

Dumont #5AC

FORCEPS/TWEEZERS



Mini #3



Standard


7 cm
0.12 x 0.07 mm

Surgical Stainless
Steel (Inox)

No. 11200-10



Mini #4



Standard


7 cm
0.14 x 0.06 mm

Surgical Stainless
Steel (Inox)

No. 11200-12



Mini #5



Standard

8.2 cm
0.1 x 0.05 mm


Surgical Stainless
Steel (Inox)

No. 11200-14



Magnified View

Type #5 Anti-Capillary



Biology



11.5 cm
0.07 x 0.02 mm

Surgical Stainless
Steel (Inox)

No. 11258-20

Balanced #5

These forceps feature an ergonomic design and ultra fine tips for optimal comfort and accuracy. The balanced action of the forceps ensures seamless efficiency during prolonged tasks, providing ease in rotational pivoting with the rounded handle and a counterweight technology providing enhanced control and stability.




Standard

15 cm
0.1 x 0.06 mm

Surgical Stainless Steel (Inox)

No. 11851-20



Biology


15 cm
0.05 x 0.02 mm

Surgical Stainless Steel (Inox)

No. 11852-20

Gold Plated


Gold-plating gives corrosion resistance to most chemicals, salts and acids. These forceps are perfect for any application where corrosion resistance and toughness are primary requirements.



Straight

11 cm
0.1 x 0.06 mm
Gold plated
Surgical Stainless Steel (Inox)


No. 11915-11



Curved

12 cm
0.2 x 0.1 mm
Gold plated
Surgical Stainless Steel (Inox)

No. 11917-12



Angled 30°

11 cm
0.1 x 0.06 mm
Gold plated
Surgical Stainless Steel (Inox)

No. 11911-11

FORCEPS/TWEEZERS

Diamond Coated

Diamond coating provides increased corrosion resistance and greater protection from wear and tear, which extends the operational life of the forceps, as well as providing a stronger grip at the tips.

#27 Mirror Finish

These forceps have long and narrow shanks with thin, highly polished tips to prevent tissue from sticking. Ideal for embryos, nerves, or other adhesive tissues.



0.15 mm

Straight

14 cm
0.15 x 0.1 mm
Diamond coated
Surgical Stainless
Steel (Inox)

No. 11990-14



0.15 mm

Angled 30°

14 cm
0.15 x 0.1 mm
Diamond coated
Surgical Stainless
Steel (Inox)

No. 11991-14



1.65 mm

Straight

12 cm
1.65 x 0.05 mm
Diamond coated
Surgical Stainless
Steel (Inox)

No. 11992-12



0.3 mm

Straight

13 cm
0.3 x 0.15 mm
Surgical Stainless
Steel (Inox)

No. 11923-13

#259 Replaceable Tips

Surgical Stainless Steel body with replaceable plastic tips. Tips are made of polyvinylidene fluoride (PVDF) and are electrostatic discharge (ESD) safe. Body and plastic tips are corrosion and abrasion resistant.




Pkg. of 2 tips and 3 screws
Replacement plastic tips

Straight / Fine

4 cm
0.6 x 0.6 mm

No. 11988-01



Pkg. of 2 tips and 3 screws
Replacement plastic tips

Straight / Very fine

4 cm
0.6 x 0.45 mm

No. 11988-02




Pkg. of 2 tips and 3 screws
Replacement plastic tips

Curved / Very fine

4 cm
0.5 x 0.5 mm

No. 11988-03




Straight

13 cm
0.5 x 0.6 mm
Surgical Stainless
Steel (Inox) body
with plastic tips

No. 11980-13

#5 Mirror Finish


The last 5 mm on the inside of the tips are highly polished to help prevent tissue from sticking. Ideal for embryos, nerves or other adhesive tissue.



Straight

11 cm
0.1 x 0.06 mm
Surgical Stainless
Steel (Inox)

No. 11412-11




Straight

11 cm
0.05 x 0.02 mm
Surgical Stainless
Steel (Inox)

No. 11413-11

#3

Straight forceps with sturdy coarse tips.




Straight

12 cm
0.2 x 0.12 mm
Surgical Stainless
Steel (Inox)

No. 11445-12


#2A



Straight

12 cm
1.5 x 0.1 mm

No. 11992-20




Curved

12 cm
1.5 x 0.1 mm

No. 11972-20

Self-Closing


Ideal for lifting and holding EM grids. Consistent pressure at tips. Correctly tensioned "cross-over" shanks come to a microscopically matched point.



Straight

11.5 cm
0.1 x 0.05 mm


No. 11480-11



Straight

11 cm
0.1 x 0.06 mm

No. 11485-11




Curved

11.5 cm
0.2 x 0.12 mm


No. 11487-11

Moria #5


These forceps have the most finely executed points available. They are extremely light, superbly balanced and have a gentle spring action. The shanks are specially designed with an arch which ensures maximum force to the tips. The tips close flat for 6 mm from the points to give a large holding area. The tips have been expertly finished under magnification.

Moria*Moria MC40***Straight**

11 cm
0.05 x 0.01 mm

No. 11370-40*Moria MC40/B***Curved**

11 cm
0.05 x 0.01 mm

No. 11370-42**Moria***Moria 9980***Straight**


13 cm
0.1 x 0.06 mm

No. 11399-80*Moria 9987***Curved**


13 cm
0.1 x 0.06 mm

No. 11399-87**Moria****Moria Iris**



Balanced with gentle spring action and tips that are perfectly matched.

*Moria MC32/B***Straight**
Smooth

10 cm
0.5 x 0.3 mm


No. 11373-22*Moria MC31/B***Curved**
Smooth

10 cm
0.5 x 0.3 mm

No. 11373-12*Moria MC32***Serrated****No. 11370-32***Moria MC31***Serrated****No. 11370-31**


Moria Paufigue

Moria



Magnified View

Moria 3225




Straight
Tying platform with
1x2 teeth

8.5 cm
0.6 x 1 mm

No. 11390-25

#5 Fine Forceps


S&T®



Straight
Standard

11 cm
0.3 x 0.25 mm

No. 00108-11



Angled 45°
Standard

11 cm
0.3 x 0.25 mm


No. 00109-11

#5 SuperGrip Forceps

The tips are processed with MicroCrystals®, a method developed by S&T® to infuse Tungsten Carbide on Surgical Stainless Steel. The formation of this ultra-fine coating guarantees atraumatic handling of tissue while improving the grip dramatically. The recommended use is where forceps are utilized as needle holders or when slippery tissues might be encountered.




Magnified View
The gripping surface is
similar to a match head.



Straight
SuperGrip

11 cm
0.3 x 0.25 mm

No. 00632-11




Angled 45°
SuperGrip

11 cm
0.3 x 0.25 mm

No. 00649-11

Bonn


The 1x2 teeth forceps No. 11084-07 are the finest of their kind with 0.1 mm wide teeth. The smooth forceps No. 11083-07 have a narrow 5 mm long platform. Both forceps have a pin inside the shanks to limit the applied pressure.



Magnified View

Castroviejo Suture Tying


The fine Bonn forceps features a tying platform and is also available with additional 1x2 teeth. It's designed for tissue manipulation and suturing. The wide handle ensures safe handling. The fine and precise tips make it suitable for work under a high magnification.




Magnified View

Mirror Finish Suture Tying Forceps with Teeth

A unique tip style fusing a suture tying platform and a 1x2 teeth tip for tissue manipulation.




Magnified View



Straight
Smooth with platform

7 cm
Tip width: 0.3 mm
Tying platform: 5 mm


No. 11083-07



Straight
1x2 Teeth

7 cm
Tip width: 0.3 mm
Teeth width: 0.1 mm


No. 11084-07



Straight
Tying platform with
1x2 teeth

10.5 cm
Tip width: 0.12 mm
Tying platform: 5 mm


No. 11090-10



Straight
Smooth with platform

10.5 cm
Tip width: 0.3 mm
Tying platform: 5 mm

No. 11093-10




Straight
Tying platform with
1x2 teeth

9 cm
Tip width: 0.3 mm
Tying platform: 6 mm

No. 11090-09


Moria Troutman Suture Tying

Used to suture after surgery is complete. This requires the manipulation of a calibrated nylon thread and the use of a specific instrument: a tying forceps, straight or curved, without teeth.

Moria*Moria 9604*


**Straight
Smooth with
platform**

9.5 cm
Tip Ø: 0.3 mm
Tying platform: 8 mm

No. 11393-04*Moria 9605*

**Curved
Smooth with
platform**

8.5 cm
Tip Ø: 0.3 mm
Tying platform: 7.5 mm


No. 11393-05**McPherson**

**Angled 45°
Smooth with
platform**


9 cm
Tip Ø: 0.4 mm
Tying platform: 6 mm

No. 11063-07**#3 Suture Tying Forceps**

The platform tips close flat. This ensures a reliable grip on sutures.

S&T®

Magnified View




**Straight
Smooth with
platform**

13.5 cm
Tip Ø: 0.3 mm
Tying platform: 6 mm

No. 00272-13**Tuebingen Suture Tying**

The platform tips close flat. This ensures a reliable grip on sutures.




**Straight
Smooth with
platform**

10 cm
Tying platform: 5 mm

No. 18025-10

Round Handled Suture Tying

Round handles allow easy fingertip adjustments.



Curved
Smooth with platform

10.5 cm

Tying platform: 5.5 mm

No. 18026-10

Vial Forceps

Tips taper for 6 cm allowing easy access to specimens in vials.




Straight

15 cm

Tip Ø: 0.5 mm

No. 11006-15


Graefe Forceps



**Straight
Serrated**

7 cm
0.6 x 0.5 mm


No. 11064-07



**Curved
Serrated**

7 cm
0.6 x 0.5 mm


No. 11065-07



1x2 Teeth

7 cm
0.6 x 0.5 mm

No. 11066-07




1x2 Teeth

7 cm
0.6 x 0.5 mm


No. 11067-07

Bishop-Harman

Extra light, fenestrated handles ensure a good grip.




Magnified View



**Straight
Serrated**

8.5 cm
0.5 x 0.5 mm

No. 11069-08




**Straight
1x2 Teeth**

8.5 cm
0.5 x 0.5 mm

No. 11070-08

Foerster


The octagon shaped grip provides a particularly secure finger hold.



**Straight
Serrated**

9.5 cm
0.8 x 0.5 mm


No. 11040-08



**Curved
Serrated**

9.5 cm
0.8 x 0.5 mm


No. 11041-08



1x2 Teeth

9.5 cm
0.8 x 0.5 mm

No. 11042-08



1x2 Teeth


9.5 cm
0.8 x 0.5 mm

No. 11043-08

Fine Graefe




The length of all
forceps is 10 cm
The dimensions of all
tips are 0.5 x 0.5 mm



**Straight
Serrated**

No. 11150-10




**Slightly curved
Serrated**

No. 11151-10




**Curved
Serrated**

No. 11152-10



**Straight
Smooth**

No. 11158-10




**Slightly curved
Smooth**

No. 11159-10




**Curved
Smooth**

No. 11160-10




**Straight
1x2 Teeth**

No. 11153-10



**Slightly curved
1x2 Teeth**

No. 11154-10



**Curved
1x2 Teeth**


No. 11155-10

Graefe



11650-10 – 11652-10


The length of all forceps is 10 cm



**Straight
Serrated**

0.8 x 0.7 mm

No. 11050-10



**Slightly curved
Serrated**

0.8 x 0.7 mm


No. 11051-10



**Curved
Serrated**

0.8 x 0.7 mm


No. 11052-10



**Angled
Serrated**

0.8 x 0.7 mm


No. 11049-10



**Straight
1x2 Teeth**

0.8 x 0.7 mm

No. 11053-10



**Slightly curved
1x2 Teeth**

0.8 x 0.7 mm


No. 11054-10



**Curved
1x2 Teeth**

0.8 x 0.7 mm


No. 11055-10



**Straight
Serrated**

1.2 x 0.9 mm
Titanium


No. 11650-10



**Slightly curved
Serrated**

1.2 x 0.9 mm
Titanium

No. 11651-10



**Curved
Serrated**

1.2 x 0.9 mm
Titanium

No. 11652-10

Sliding Lock Forceps




**Straight
Smooth**

11 cm
1 x 0.75 mm

No. 11062-10

Episcleral Forceps

The tips of these forceps arch toward each other, closing flat. Exceptional gripping power is possible with minimal damage to tissue. A limit pin prevents excessive applied pressure.



Magnified View


**Straight
Arched**

10 cm
1.3 x 3 x 0.2 mm

No. 11071-10

Pierse Fixation

For exceptional gripping power with no damage to sclera, vascular sheath and epineurium.



Magnified View

Tissue retention
hole of 0.3 mm
behind tips.


**Straight
0.3 mm Hole**

13 cm
1 x 0.5 mm


No. 18155-13

Plastic


These forceps are non-magnetic, acid resistant and able to withstand temperatures up to 240 °C (464 °F). Tips do not spread under pressure. Plastic forceps are made of Acetyl and will be sold in packages of 10 pieces.

**Straight Sharp**


11.5 cm
0.4 x 0.25 mm

No. 11700-00**Straight Blunt**


11.5 cm
1.5 x 0.4 mm

No. 11700-03**Curved Sharp**

11.5 cm
0.3 x 0.2 mm

No. 11700-01**Angled 45° Sharp**


11.5 cm
0.3 x 0.2 mm

No. 11700-02**Curved Blunt**


11.5 cm
1.5 x 0.4 mm

No. 11700-04**Self-Closing Forceps**


These tissue transport forceps have a gentle action.

**Angled Cross serrated**

10 cm
4 x 8 mm

No. 11075-00**Straight Smooth**

10.5 cm
4 x 10 x 0.6 mm

No. 11074-02**Angled Smooth**

10.5 cm
4 x 10 x 0.6 mm

No. 11073-10

Ring Forceps

For transport of tissue and organs. With limit screw to prevent excessive applied pressure.



Straight
Ring

8.5 cm
ID: 1 mm OD: 1.5 mm
x 0.5 mm

No. 11101-09



Straight
Ring

9 cm
ID: 2.2 mm OD: 3 mm
x 1.3 mm

No. 11103-09



Straight
Ring

9 cm
ID: 4.8 mm OD: 6 mm x
1.5 mm

No. 11106-09



Straight
Circle

11.5 cm
7 x 0.5 mm

No. 11072-11

Live Insect Handling

Very delicate.



Straight
Narrow

10 cm
0.9 x 0.15 mm

No. 26029-10



Straight
Wide

10 cm
2.3 x 0.3 mm

No. 26030-10

Micro-Adson

Our most delicate version of the popular Adson forceps.

**Micro-Adson with Fenestrated Handle**

Our delicate Micro-Adson forceps, with five windows to aid in stability and easy finger adjustments.

**Adson**

Wide, strong grip with narrow tips.



11506-12



**Straight
Serrated**

12 cm
0.8 x 1 mm

No. 11020-12

**Straight
Serrated**

12 cm
1.5 x 1 mm

No. 11006-12

**Straight
Serrated**

12 cm
0.8 x 0.9 mm

No. 11018-12

**Straight
1x2 Teeth**

12 cm
0.8 x 1.3 mm

No. 11019-12

**Straight
1x2 Teeth**

12 cm
0.5 x 0.6 mm

No. 11032-12

**Straight
Tying platform with
1x2 teeth**

12 cm
0.8 x 2 mm
Tying platform: 6 mm

No. 11022-12

**Straight
1x2 Teeth**

12 cm
1.5 x 2 mm

No. 11027-12



**Straight
Cross Serrated
Tungsten Carbide**

12 cm
1.5 x 1.3 mm

No. 11506-12

Adson DeBakey

Ideal for gentle, atraumatic gripping of vessels, tissue and other delicate structures. Two rows of atraumatic teeth interfit with one opposite row of atraumatic teeth.

**Atraumatic DeBakey Serrations**

This tooth pattern, as shown, consists of one row of atraumatic teeth meshed with two opposite rows of atraumatic teeth.

These two forceps are ideal for gentle, atraumatic gripping of vessels, tissue and other delicate structures.

**Straight DeBakey serrations**

12.5 cm
1.75 x 1.5 mm

No. 11617-12

**Straight DeBakey serrations**

15 cm
1.75 x 1.5 mm

No. 11616-15

Adson-Graefe**Straight Fine teeth**

12.5 cm
4.5 x 1.25 mm

No. 11030-12

Adson-Brown**Straight Shark teeth**

12 cm
2 x 1.4 mm

No. 11627-12

Anatomical Standard Models

Broad pattern with strong spring action.

Anatomical Narrow Models

Lighter spring action than standard pattern for grasping more delicate tissue.



**MOST
POPULAR**




11602-14



**Straight
Serrated**

Length (cm)	Tip width (mm)	Item
12	2.5	No. 11000-12
13	2.8	No. 11000-13
14.5	3.25	No. 11000-14
16	3.3	No. 11000-16
18	3.7	No. 11000-18
20	3.75	No. 11000-20
25	3.9	No. 11000-25
30	4	No. 11000-30



**Curved
Serrated**


Length (cm)	Tip width (mm)	Item
12	2.5	No. 11001-12
13	2.8	No. 11001-13
14.5	3.25	No. 11001-14
16	3.3	No. 11001-16
18	3.7	No. 11001-18
20	3.75	No. 11001-20



**Straight
Serrated**

Length (cm)	Tip width (mm)	Item
12	2	No. 11002-12
13	2.15	No. 11002-13
14.5	2.25	No. 11002-14
14.5	2.25	No. 11602-14
16	2.35	No. 11002-16
18	2.4	No. 11002-18
20	2.75	No. 11002-20
25	3.2	No. 11002-25

TITANIUM



**Curved
Serrated**

Length (cm)	Tip width (mm)	Item
12	2	No. 11003-12
13	2.15	No. 11003-13
14.5	2.25	No. 11003-14
16	2.35	No. 11003-16
18	2.4	No. 11003-18
20	2.75	No. 11003-20

Semken

The Semken tweezers are characterized by their slim shape and fine tips. Their anatomical (toothed) or surgical (1x2 teeth) tips make them ideal for grasping tissue. The serrated grip surface ensures a secure hold during use.



11608-15



**Straight
Serrated**

13 cm
Tip width: 1.3 mm


No. 11008-13

15 cm
Tip width: 1.5 mm

No. 11008-15

15 cm
Tip width: 1.5 mm
Titanium

No. 11608-15



**Curved
Serrated**

13 cm
Tip width: 1.3 mm

No. 11009-13

15 cm
Tip width: 1.5 mm

No. 11009-15



**Straight
1x2 Teeth**

12.5 cm
Tip width: 1.3 mm

No. 11024-12

DeBakey Round Handled

Ideal for gentle, atraumatic gripping of vessels, tissue and other delicate structures. Two rows of atraumatic teeth interfit with one opposite row of atraumatic teeth. The round handles allow easy fingertip adjustments.



**Straight
DeBakey serrations**

15 cm
Tip width: 1.2 mm

No. 11076-15

Multipurpose Forceps

Balanced instruments are designed to put the center of gravity between the thumb and index finger. This is accomplished by adding a slight counter weight to the proximal end of the instruments. The design enhances tactile feel, aiding in better control and precision.

The tips of these multipurpose forceps are configured to enable their use as dilators at the front, as well as needle holders and tying forceps further in the back. The platform at the tips close parallel ensuring a reliable grip.



Straight
For Dilating and Suture tying

14.5 cm
Tip Ø: 0.1 mm

No. 18601-15



Straight
For Dilating and Suture tying

15 cm
Tip Ø: 0.3 mm

No. 18602-15



Angled
For Dilating

14.5 cm
Tip Ø: 0.2 mm

No. 18603-14

Surgical Models Straight



Straight
1x2 Teeth / Narrow

10 cm

No. 11023-10



Straight
1x2 Teeth / Standard

12 cm

No. 11021-12



Straight
2x3 Teeth / Standard

14.5 cm

No. 11022-14

14.5 cm

No. 11023-14

15.5 cm

No. 11023-15

14.5 cm

No. 11021-14

15.5 cm


No. 11021-15

15.5 cm

No. 11022-15

Surgical Models Curved


Used with rongeur No. 16021-14 in laminectomy to securely hold spinal column.



Curved
1x2 Teeth / Narrow

14 cm

No. 11029-14

Gillies


Straight
1x2 Teeth & cross serrated

15 cm
1.5 x 2 mm

No. 11028-15

Russian

Special cupped pattern for superior grip.




Straight
Cupped teeth

15 cm
6 x 11 mm

No. 11026-15

Transport Forceps

With limit screw to prevent excessive applied pressure.




Straight
Serrated

14.5 cm
8 x 11 mm

No. 11031-15

Flagg



**Angled
Serrated**

16 cm
1 x 0.9 mm

No. 11080-02

Anatomical Titanium



**Straight
Serrated**

16 cm
0.5 x 0.5 mm

No. 11602-16


Gerald



**Straight
Serrated**

18 cm
1.4 x 1 mm

No. 11014-18








**Curved
Serrated**

18 cm
1.4 x 1 mm

No. 11015-18

Taylor

Serrated and smooth versions available.

**Straight Serrated**17 cm
1.5 x 1 mm**No. 11010-17****Straight Smooth**17 cm
1.5 x 1 mm**No. 11016-17****Curved Serrated**17 cm
1.5 x 1 mm**No. 11011-17****Curved Smooth**17 cm
1.5 x 1 mm**No. 11017-17****Potts-Smith****Straight Serrated**18 cm
1.25 x 1 mm**No. 11012-18**21 cm
1.8 x 1.5 mm**No. 11012-21**25 cm
2 x 1.6 mm**No. 11012-25****Curved Serrated**18 cm
1.25 x 1 mm**No. 11013-18**21 cm
1.8 x 1.5 mm**No. 11013-21****Straight 1x2 Teeth**18 cm
1.25 x 1 mm**No. 11024-18****Curved 1x2 Teeth**18 cm
1.25 x 1 mm**No. 11025-18****Silicone Tipped Forceps**

Long handles make picking up small rodents easy and help prevent bites.

21 cm
Forceps with serrated
silicone tips
15 x 20 mm**No. 11036-20**Replacement silicone tips
Pkg. of 2 tips**No. 11036-90**

Ultra Fine Hemostat

These are the finest hemostats in our product line.



**Straight
Smooth**

12 cm
Tip width: 0.6 mm

No. 13020-12



**Curved
Smooth**

12 cm
Tip width: 0.6 mm

No. 13021-12

Fine Hemostat



**Straight
Smooth**

12 cm
Tip width: 1 mm

No. 13006-12



**Curved
Smooth**

12 cm
Tip width: 1 mm

No. 13007-12

Micro-Mosquito



**Straight
Serrated**

12.5 cm
Tip width: 1 mm


No. 13010-12



**Curved
Serrated**

12.5 cm
Tip width: 1 mm

No. 13011-12



**Angled 90°
Serrated**

12.5 cm
Tip width: 1 mm

No. 13012-12

Mosquito



**MOST
POPULAR**



LEFT-HANDED

13108-12
13109-12



**Straight
Serrated**

12.5 cm
Tip width: 1.1 mm

No. 13008-12

Left handed

No. 13108-12



**Curved
Serrated**

12.5 cm
Tip width: 1.1 mm

No. 13009-12

Left handed

No. 13109-12

Crile


Kelly



**Straight
Serrated**

14 cm
Tip width: 1.5 mm

No. 13004-14



**Curved
Serrated**

14 cm
Tip width: 1.5 mm

No. 13005-14



**Straight
Serrated**

14 cm
Tip width: 1.5 mm

No. 13018-14




**Curved
Serrated**

14 cm
Tip width: 1.5 mm

No. 13019-14

Adson-Baby

Providence-Hospital



**Curved
Serrated**

14 cm
Tip width: 1.3 mm

No. 13013-14



**Straight
Serrated**

14.5 cm
Tip width: 1.5 mm

No. 13014-14



**Curved
Serrated**

14.5 cm
Tip width: 1.5 mm

No. 13015-14

Hartmann



**Straight
Serrated**

10 cm
Tip width: 1 mm

No. 13002-10



**Curved
Serrated**

10 cm
Tip width: 1 mm

No. 13003-10

Backhaus Towel Clamp



**Curved
Round tips**

9 cm

No. 11095-09





**Curved
Round tips**

13 cm


No. 11095-13

Allis


Tissue and organ holding forceps.

**Straight
5x6 Teeth**

15 cm

No. 11091-15**Straight
4x5 Teeth**

12 cm

No. 11092-12**Curved
Serrated**10 cm
Tip width: 7 mm**No. 11096-10****Curved
Serrated**13 cm
Tip width: 7 mm**No. 11096-13**



MICRO CLAMPS

Clamp Size and Clamp Pressure

Clamp pressure is determined by the closing force of the clamp (in grams), divided by the area of the vessel wall that is compressed between the jaws (in square millimeters). Thus, the smaller the vessel, the higher the pressure exerted.

Despite the wide range of closing forces, the pressure exerted by each clamp, big or small, remains consistent throughout the series. Each size of clamp exerts a pressure of 5 g/mm² when used on the largest vessel in its range, and 15 g/mm² when used on the smallest vessel. Even at the higher range, S&T®'s micro clamps have the gentlest working pressure of any small vessel clamp available.

Clamp (ea)	L x W (mm)	Vessel Diameter Range (mm)
00396-01 & 18040-11	3.5 x 1.0	0.4 - 1.0
00398-02 & 18040-22	5.5 x 1.5	0.6 - 1.5
00400-03 & 18040-33	7.5 x 1.75	1.0 - 2.25
00325-00	10 x 2.15	2.0 - 5.0



Micro Clamps



S&T B-1

No. 00396-01



S&T B-2

No. 00398-02



S&T B-3

No. 00400-03



S&T HD-S

No. 00325-00

Micro Double

For vascular approximation at anastomosis. These clamps are mounted on a 10 mm sliding bar and can easily be moved by applying gentle force. The distance between the jaws of the clamps is adjustable from 3 to 16 mm.



No. 18040-11



No. 18040-22




No. 18040-33

Micro Clamp Applying Forceps

For use with S&T® vascular clamps.

S&T®



14 cm
Lock: Yes


No. 00071-14

Lock: No

No. 00072-14


Micro Clamps

Compatible with S&T® Clamps and Double Micro Clamps.
For clamp sizes B-1, B-2, B-3, and HD-S, as well as Item Nos. 18040-11, 18040-22, and 18040-33.




14.5 cm
Lock: No

No. 18040-14



Micro Clip Applicator with Lock



14 cm


For use with 18055-XX and 18555-XX series micro serrefines.

Lock: Yes

No. 18056-14

Micro Clip Applicator Forceps Style

This applicator features special U-shaped side supports for improved seating of the clips.



14 cm


For use with 18055-XX and 18555-XX series micro serrefines.

Lock: No

No. 18057-14

Biemer Clip Applicator Forceps Style

Application forceps for Biemer clamps made of Surgical Stainless Steel.



14 cm

For use with 18058-XX (Biemer Clip) series

Lock: No

No. 18059-14

Micro Clips Stainless Steel

Used to obtain a clear surgical field for extended arterial cross-clamping.



Micro Clips should never be compressed with fingers; use only the appropriate applicator No. 18056-14 or No. 18057-14.

Delicate atraumatic serration



Jaw dimensions (mm)	Total length (mm)	Jaw pressure (g)	Item	
10 x 2	19	60	No. 18055-01	
8 x 2	16	85	No. 18055-02	
6 x 1	15	100	No. 18055-03	
4 x 0.75	13	125	No. 18055-04	

Jaw dimensions (mm)	Total length (mm)	Jaw pressure (g)	Item	
6 x 1	17	70	No. 18055-05	
6 x 1	16	70	No. 18055-06	

Micro Clips Titanium

Lightweight with strong clamping pressure.

Delicate atraumatic serration



Jaw dimensions (mm)	Total length (mm)	Jaw pressure (g)	Item	
10 x 2	19	60	No. 18555-01	
8 x 2	16	85	No. 18555-02	
6 x 1	15	100	No. 18555-03	
4 x 0.75	13	125	No. 18555-04	

Biemer Clips

Serrated: Yes
Straight

Closing pressure:
0.29 - 0.39 N / 30 - 40 g



Biemer clips should never be compressed with fingers; use only the appropriate applicator No. 18059-14.

Mini Bulldog Artery Clip

Can be used with a minimum of distortion for MRI investigations.



30 mm
Serrated: Yes
Strong pressure

Straight



No. 18144-30

Moria

Moria Vessel Clamp

Straight

33 mm
Serrated: Yes
Light pressure
Jaw dimensions: 13 x 1.5 mm

Moria 201/A



No. 18320-11

Moria De Wecker Clamp

50 mm
Serrated: No
Strong pressure
Jaw dimensions: 16 x 2.5 mm

Straight

Moria MC43



No. 18374-43

Curved

Moria MC44



No. 18374-44

CLAMPS

Diethrich

Serrated: Yes
Closing pressure: 80 g



No. 18038-45

Angled

50 mm



No. 18039-45

Dieffenbach

Serrated: Yes

Straight

32 mm

Medium pressure



No. 18050-32

Curved

32 mm

Medium pressure



No. 18051-32



Straight

35 mm

Medium pressure

No. 18050-35



Curved

35 mm

Medium pressure

No. 18051-35

Straight

50 mm

Strong pressure

No. 18050-50

Curved

50 mm

Strong pressure

No. 18051-50

Schwartz



Serrated: No
Strong pressure
26 mm

Straight



No. 18052-01

Light bend



No. 18052-02

Sharp bend



No. 18052-03

Mini Serrefines

28 mm
Medium pressure
Serrated: Yes
Jaw dimensions: 6 x 2 mm

Straight



No. 18054-28

Curved



No. 18053-28

Vascular Occluders

Applications

- Fast, dependable zero-flow baseline determination in blood flow studies.
- Partial to full occlusion of vessels for circulation research studies.
- Prolonged implantations, such as chronic blood flow studies.
- Constriction of soft organs in acute or chronic applications.

Operation instruction

1. Apply the occluder cuff around the exposed blood vessel. Secure it in place with suture material through the eyelets.
2. Occlude the vessel to the desired degree by inflating the diaphragm with air or liquid injected into the actuating tube using a syringe and blunt needle. Clamp the tubing to maintain occlusion of the vessel over time.
3. To deflate, simply withdraw the air or liquid.



The actuating tube length is 90 cm and measures 0.76 mm ID x 1.6 mm OD. Detailed instructions are included.

A: Lumen diameter
B: Cuff width
C: Cuff thickness

VO-1.5 N

A: 1.5 mm - B: <3.5 mm - C: 1.5 mm

No. 18080-01

VO-2

A: 2 mm - B: 5 mm - C: 1.5 mm

No. 18080-02

VO-3

A: 3 mm - B: 5 mm - C: 1.5 mm


No. 18080-03

Benefits

- Occlusion is accomplished without traction on vessels or surrounding tissues.
- The actuating tube may be exteriorized from the occlusion site for remote actuation.
- Performance during implantations is reliable and consistent.
- Easily maintained: can be autoclaved or cold sterilized.
- Made from soft, flexible 100% silicone rubber.
- Fully operational with instant response using air, liquids, or inert gases.


Selection

The lumen diameter when deflated is usually the determining factor in the selection of the proper device. Select the occluder size that provides a slightly loose fit around the subject vessel. The cuff width and thickness will vary, depending on models and sizes.



V-Hook

Aids in feeding fine suture around blood vessels, works very similar to ligation aids.



Magnified View



11 cm
Tip Dimensions: 0.4 x 0.2 mm

No. 18052-12

Ligation Aids

A handy instrument for leading a fine suture under and around a blood vessel for tying-off purposes. Also useful for ligating peripheral nerves. Grooves toward hole help threading.



18063-13



Magnified View



10.5 cm
Hole Ø: 0.4 mm

No. 18062-12



Magnified View

Magnified View



13.5 cm
Hole Ø: 1 mm

No. 18062-13



13.5 cm
Hole Ø: 1 mm

No. 18063-13

Vessel Dilators

Highly modified forceps with elongated, parallel tips which are highly polished. Designed for controlled intraluminal vessel dilation.

S&T®

S&T®



Angled 10°

11 cm
Tip Ø: 0.1 mm

No. 00126-11

Tip Ø: 0.2 mm

No. 00125-11



Angled 45°

13.5 cm
Tip Ø: 0.2 mm

No. 00276-13




Angled 10°

12 cm
Tip Ø: 0.1 mm

No. 18131-12

Tip Ø: 0.2 mm

No. 18132-12



Micro Cannulation System

This micro cannula is most helpful for quick and easy insertion in arteries and veins. It can be used as an “indwelling” catheter during long term experiments. With care, thorough rinsing and sterilization, it can be reused several times. Detailed instructions are included.




Features

- Biocompatible Teflon® tubing.
- Cannula size 0.33 mm OD – 0.16 mm ID
- A pointed Surgical Stainless Steel stylus (trocar), to aid in vascular penetration and allow a maximum range of cannula manipulation during insertion.
- Contoured tip for easy insertion, fitted with shoulder for “tie-in” to prevent accidental removal.
- Female luer connection for linkage to infusion lines.


1 Approach

Cannulation Forceps (Item No. 18403-11) and Spinal Cord Hook (Item No. 10162-12) aid in the insertion process.



2 Insertion

Remove trocar and advance cannula.



3 Secure

Use shoulder hub and suture to “tie in” cannula to prevent accidental removal.



Instruments sold separately.


8 cm

Cannula size: 0.33 mm OD - 0.16 mm ID

No. 18000-10

Tubing Introducer Forceps

These vessel cannulation forceps are useful whenever a fine plastic tube has to be introduced into a small blood vessel of almost equal size. The hollowed jaws hold the tubing securely without deforming it. The tip of the tubing is directed exactly into the vessel opening without damage to the vessel from unwanted movement.



S&T®

F · S · T
by DUMONT®



For tubing of 0.35 mm OD
11 cm

No. 00608-11

For tubing of 0.6 mm OD
11 cm

No. 00574-11



For tubing of 0.35 mm OD
13 cm

No. 11280-11

For tubing of 0.5 mm OD
13 cm

No. 11281-11

For tubing of 1 mm OD
13 cm

No. 11282-11



For tubing of 0.35 mm OD
11.5 cm

No. 18403-11

For tubing of 0.6 mm OD
11.5 cm

No. 18406-11

For tubing of 0.6 mm OD
13.5 cm

No. 18406-13

PROBES, NEEDLE HOLDERS, WOUND CLOSURE, RETRACTORS

Probes & Hooks	133 – 138
----------------	-----------

Spatulae	139 – 142
----------	-----------

Spoons	143
--------	-----

Pins & Holders	144 – 145
----------------	-----------


Wound Closure	146 – 156
---------------	-----------

Retractors	157 – 163
------------	-----------




Double Pronged Hook


For peritoneum, pleura, endocardium, organ capsules and skin. Grasps lifts skin, tissue and dura etc.



Magnified View




The tip consists of two very sharp, nearly horizontally opposed points. By applying gentle downward pressure and twisting slightly in a clockwise fashion, the points will embed themselves horizontally into fine membranes or skin etc., so that it may be lifted upward. This instrument also has been used successfully when separating fine tissue from an underlying area that is not to be cut.




11 cm
Tip Ø: 1 mm

No. 18067-11


Spinal Cord Hook



Magnified View



Shaped like a ligation aid and sized to isolate the spinal cord. The cord can then be cut with minimal damage to the dura.



11 cm
Tip Ø: 3 mm

No. 10162-12

Tübingen Micro Probes

Micro Probes

Actual size



Angled 45°

13.5 cm
Tip Ø: 0.03 mm

No. 10032-13



Actual size



Straight

13.5 cm
Tip Ø: 0.03 mm

No. 10030-13

Actual size



Narrow Hook

13.5 cm
Tip Ø: 0.03 mm

No. 10031-13

Actual size



Wide Hook

13.5 cm
Tip Ø: 0.03 mm

No. 10033-13

300%



Angled 90° Short

15.5 cm
Tip Ø: 0.03 mm

No. 10063-15



300%



Angled 45°

15.5 cm
Tip Ø: 0.03 mm

No. 10066-15

300%



Angled 90° Long

15.5 cm
Tip Ø: 0.03 mm

No. 10065-15

Probes and Explorers



Actual size



Angled 80° Short

15.5 cm
Tip Ø: 0.12 mm

No. 10140-04

Actual size



Straight

15.5 cm
Tip Ø: 0.25 mm

No. 10140-01

Actual size



Angled 80° Long

15.5 cm
Tip Ø: 0.15 mm

No. 10140-03

Actual size



Angled 80°

15.5 cm
Tip Ø: 0.15 mm

No. 10140-02

Graefe Micro Hooks



175%



Micro hook

13 cm
Tip Ø: 0.05 mm

No. 10064-14

175%



Blunt hook

12 cm
Tip Ø: 0.3 mm

No. 10062-12

175%



Sharp hook

12 cm
Tip Ø: 0.075 mm


No. 10061-12

Titanium Micro Point, Y-Hook, and Spatula

These instruments are lightweight, color coded for easy identification, have an ergonomic design and a non-reflective surface.



Micro Point



Angled 45°

12.5 cm
Tip Ø: 0.4 mm

No. 10165-11



Y-Hook



Angled 45°

12.5 cm
Tip width: 0.5 mm

No. 10166-11



Micro Spatula



Angled 30°

12.5 cm
Tip: 0.25 x 0.6 mm

No. 10167-11

Vessel Dilating Probe



Angled
12.5 cm
Tip Ø: 0.6 mm
No. 10160-13

Gross Anatomy Probe



Angled 45°
15 cm
Tip Ø: 1.2 mm
No. 10088-15



Grooved Director

The Grooved Director is a specialized multipurpose device which is used by surgeons in different areas to probe cavities and wounds for example.



13 cm
with Tongue Tie
No. 10290-13


Combination Spoon and
Spatula



17.5 cm
Spoon: Ø 7 mm / Spatula: 30 x 7 mm

No. 10090-17

Combination Probe and
Spatula



14 cm
13 x 7 x 0.6 mm
Tip Ø: 0.1 mm

No. 10090-13

Micro Spatula



Straight

11 cm
17.5 x 1 x 0.25 mm

No. 10089-11

Mirror Finish Micro Spatula

Mirror finished to provide a non-stick spatula.



Curved

12 cm
15 x 0.8 x 0.25 mm

No. 10087-12

Double-Ended Micro Spatula



Curved/Angled

13 cm
25 x 2 x 0.3 mm

No. 10091-12

SPATULAE

Wecker Iris Spatula



Curved

12.5 cm
20 x 1.8 x 0.3 mm

No. 10092-12



Slightly curved

12.5 cm
23 x 1.8 x 0.3 mm

No. 10093-13



Straight

13 cm
25 x 3 x 0.5 mm

No. 10094-13

Micro Spatula Kit

Kit with 4 pieces.



150% of
actual size

SPATULAE



Straight


6 cm

Tip width: Black: 0.2 mm, Blue: 0.3 mm, Green: 0.5 mm, Red: 0.7 mm

No. 10098-06

Mini Hippocampal Dissecting Tool

The instrument ends are malleable to allow you to adjust their shape to the correct angle for optimal positioning.




14.5 cm
20 x 5 mm & 13 x 4 mm
Tip thickness: 0.5 mm

No. 10099-12

Hippocampal Dissecting Tool

The instrument ends are malleable to allow you to adjust their shape to the correct angle for optimal positioning.



16 cm
27 x 8 mm & 27 x 7 mm
Tip thickness: 0.5 mm


No. 10099-15

Spoon**Moria***Moria 1121B*

12.5 cm
Tip Ø: 8 mm
Depth: 2 mm

No. 10321-08**Mini Perforated Spoon**


Most commonly used to take embryos out of solution and handling very small organs.

Moria*Moria MC 17C*


10 cm
Tip Ø: 8 mm
Depth: 1 mm
Hole Ø: 0.8 mm

No. 10370-19**Perforated Spoon**

Most commonly used to take embryos out of solution and handling very small organs.

**Moria***Moria MC 17 BIS*


14.5 cm
Tip Ø: 15 mm
Depth: 3 mm
Hole Ø: 0.9 mm

No. 10370-18*Moria MC 17*

14.5 cm
Tip Ø: 20 mm
Depth: 5 mm
Hole Ø: 0.9 mm

No. 10370-17**Mirror Finish Cutting Spoon**

Non stick cutting spoon.



13 cm
Tip Ø: 4.5 mm
Depth: 0.15 mm

No. 10360-13

SPOONS

Pin/Needle Holder

Light weight.



17 cm

Aluminum handle with nickel-plated chuck
Jaw opening: 0 to 1 mm

No. 26018-17

Moria Pin/Needle Holder



Moria



Moria MC1

12 cm

Nickel-plated
Jaw opening: 0 to 1 mm

No. 26016-12

Needle Inserts

All insert pins fit any of our pin holders.
Pins are antimagnetic and acid resistant.

5 cm
Surgical Stainless Steel (Inox)



Lancet

No. 26007-01



Straight

No. 26007-02



Curved

No. 26007-03



Lancet half

No. 26007-04



Spatula

No. 26007-05

Minutien Pins Black Anodized

These high quality pins are black for
best visibility under high magnification
and bright light.

Tip Ø: 0.0175 mm
Rod Ø: 0.15 mm
1.2 cm

Box of 500 pins

No. 26002-15



Minutien Pins Stainless Steel

The thinnest and finest
pins available.



Tip Ø: 0.0125 mm
Rod Ø: 0.1 mm
1.2 cm

Box of 500 pins

No. 26002-10

Tip Ø: 0.0175 mm
Rod Ø: 0.15 mm
1.2 cm

Box of 500 pins

No. 26003-15


Tip Ø: 0.02 mm
Rod Ø: 0.2 mm
1.2 cm

Box of 500 pins

No. 26002-20

Insect Pins Black Anodized

Nylon heads
Tip Ø: 0.03 mm
Pkg. of 100 pins



Size	000	00	0	1	2	3	4	5	6	7
Rod Ø (mm)	0.25	0.3	0.35	0.4	0.45	0.5	0.55	0.6	0.65	0.7

No. 26000	-25	-30	-35	-40	-45	-50	-55	-60	-65	-70
-----------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Insect Pins Stainless Steel


Nylon heads
Tip Ø: 0.03 mm
Pkg. of 100 pins

Size	000	00	0	1	2	3	4	5	6	7
Rod Ø (mm)	0.25	0.3	0.35	0.4	0.45	0.5	0.55	0.6	0.65	0.7

No. 26001	-25	-30	-35	-40	-45	-50	-55	-60	-65	-70
-----------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Etched Tungsten Micro Needles

These Tungsten micro needles are drawn to an approximate 1 micron tip and three different rod diameters are offered. Each provides lateral stability as well as minimal spring action during manipulation. The micro needles can be used with our pin holders shown on page 144.



Tip Ø: 1 µm
Box of 10 needles

Rod Ø (mm)	Item
0.125	No. 10130-05
0.25	No. 10130-10
0.5	No. 10130-20

NEEDLE HOLDERS

Castroviejo Micro

Micro pattern, with slightly blunted tips.



Never use a micro needle holder with needles that are too thick, as this can easily damage the fine jaws. Use only micro needles of less than 0.2 mm diameter (see page 152).



Straight

9 cm
Tip width: 0.6 mm
Lock: Yes

No. 12060-01



Curved

9 cm
Tip width: 0.6 mm
Lock: Yes

No. 12061-01

Tip width: 0.6 mm
Lock: No

No. 12060-02

Tip width: 0.6 mm
Lock: No

No. 12061-02

Round-Handled Micro/Macro

These Round-Handled Needle Holders have a dual-purpose and can be used for microscopic and macroscopic applications. The fine tapered tips can be used to handle small needles up to 0.2 mm in diameter. While the remaining portion of the tip ensures a secure hold for larger needles. The balanced design improves control and stability, while the ergonomic handle enhances grip and reduces hand strain.



Curved

13.5 cm
Tip width: 0.4 mm
Lock: No

No. 12875-13

WOUND CLOSURE

Round Handled Micro

Round handles allow easy fingertip adjustments.



Straight

12.5 cm
Lock: Yes

No. 12075-12



Curved

12.5 cm
Lock: No

No. 12074-12

Lock: No

No. 12076-12

Round Handled with Suture Cutter

Round handles allow easy fingertip adjustments.



Actual size



CAUTIONARY NOTE

Never use a micro needle holder with needles that are too thick, as this can easily damage the fine jaws. Use only micro needles of less than 0.2 mm diameter (see page 152).



Curved

14 cm
Cutting edge: 3.5 mm
Lock: No

No. 12075-14

Kalt

The Kalt needle holder is characterized by its extraordinary design and good handling. The closure system closes softly and securely and can be easily opened again with your thumb.



Straight

Serrated: Yes
14 cm
Lock: Yes

No. 12080-14



Curved

Serrated: Yes
14 cm
Lock: Yes

No. 12081-14

Castroviejo with Tungsten Carbide Jaws



Straight

14 cm
Tungsten Carbide jaws
Lock: Yes

No. 12565-14

Mathieu

Extra slim and narrow profile, with squeeze-lock.
Facilitates excellent wrist motion for suturing.



12510-14



14 cm

Extra narrow profile
Lock: Yes

No. 12010-14




14 cm


Tungsten Carbide jaws
Lock: Yes

No. 12510-14

Halsey



75% of
actual size



13 cm
Smooth
Lock: Yes

No. 12001-13



13 cm
Tungsten Carbide jaws
Lock: Yes

No. 12501-13

Halsey Micro with Tungsten Carbide Jaws



75% of
actual size



12 cm
Tungsten Carbide jaws
Lock: Yes

No. 12500-12

WOUND CLOSURE

NEEDLE HOLDERS

Olsen-Hegar




**MOST
POPULAR**




LEFT-HANDED

12102-12



70% of
actual size




12 cm

Cutting edge: 10 mm

Lock: Yes

No. 12002-12

No. 12102-12



14 cm

Cutting edge: 15 mm

Lock: Yes

No. 12002-14

Olsen-Hegar with Tungsten Carbide Jaws



LEFT-HANDED

12512-12



**TUNGSTEN
CARBIDE**

12502-12

12512-12



70% of
actual size



12 cm

Tungsten Carbide jaws

Cutting edge: 10 mm

Lock: Yes

No. 12502-12

No. 12512-12



14 cm


Tungsten Carbide jaws

Cutting edge: 15 mm

Lock: Yes

No. 12502-14

Mayo-Hegar



70% of
actual size



15 cm

Lock: Yes

No. 12004-16



18 cm

Lock: Yes

No. 12004-18

WOUND CLOSURE


Crile-Wood




12504-15



12503-15
12504-15



70% of
actual size



15 cm

Lock: Yes

No. 12003-15



15 cm

Lock: Yes

No. 12503-15




15 cm

Lock: Yes

No. 12504-15

Slim Elongated with Tungsten
Carbide Jaws



70% of
actual size



15 cm

Tungsten Carbide jaws

Lock: Yes

No. 12005-15

WOUND CLOSURE

Microsurgical Needles with Suture Thread Attached

The combination of proprietary needle design technology and state-of-the-art manufacturing techniques has enabled FST® to provide a microsurgical needle that is unmatched in the industry. FST microsurgical needles provide frictionless tissue penetration. They are inspected under the microscope at critical stages during the manufacturing process, and a multi-point final inspection of each suture and needle combination ensures a high quality product.


The suture-to-needle attachment is tested to higher standards than the USP specifications.

Features:

- Needle and thread combination comprising of nonabsorbable black nylon polyamide monofilament thread and Surgical Stainless Steel 3/8 circle needle. Nylon is suitable for closing ophthalmic, neurological and microvascular wounds.
- 3/8 circle precision taper point. Surgical Stainless Steel needle honed under microscope by hand. Superfine round tip with flattened body to improve stability in needle holder. Easy penetration. Precise stitch placement.
- Grinding geometry and suture needle attachment are directed toward frictionless tissue penetration.
- Each needle suture combination is individually packed and sealed in a peel-open blister pack.

Sterile

Pkg. of 12 disposable units



400% of actual size

No. 12052-11



No. 12052-10



No. 12052-09



No. 12052-08



Suture size	Suture length (cm)	Needle Ø (micron)	Needle Ø (mm)	Needle chord length (mm)	Circle	Item
8/0	15	140	0.14	29	3/8	No. 12052-08
9/0	15	100	0.1	24	3/8	No. 12052-09
10/0	10	70	0.07	18	3/8	No. 12052-10
11/0	10	50	0.05	16	3/8	No. 12052-11


Kalt Suture Needles

- Polished Surgical Stainless Steel
- 3/8 curved
- Round with standard eye
- Suitable for sutures up to 0.32 mm diameter

Ø: 0.35 mm

Sterile: No

Pkg. of 12 needles



Size	Needle Chord Length (mm)	Item
3	12 mm	No. 12050-03
2	16 mm	No. 12050-02
1	20 mm	No. 12050-01
0	23 mm	No. 12050-10
00	26 mm	No. 12050-20

Silk Suture

Silk suture has a smooth flow through tissue while maintaining knot security.

Braided Silk

Sterile: No

Can be ETO sterilized



Size	Suture Ø (mm)	Spool length (m)	Item
7/0	0.05	91	No. 18020-70
6/0	0.08	23	No. 18020-60
5/0	0.12	23	No. 18020-50
4/0	0.17	23	No. 18020-40
3/0	0.22	23	No. 18020-30
2/0	0.32	23	No. 18020-20
0	0.37	23	No. 18020-00
1	0.45	23	No. 18020-01
2	0.55	23	No. 18020-02
3	0.65	23	No. 18020-03

For Suture Tying Forceps, see pages 99 - 101 and 111.

Nylon Monofilament Suture

Nylon is known for its uniform diameter flexibility and outstanding consistent knot security.

Nylon monofilament

Sterile: No

Can be ETO sterilized




Size	Suture Ø (mm)	Spool length (m)	Item
8/0	0.04	91	No. 18030-80
7/0	0.05	91	No. 18030-70
6/0	0.07	91	No. 18030-60
5/0	0.1	91	No. 18030-50
4/0	0.15	91	No. 18030-40
3/0	0.2	91	No. 18030-30

CLIPS

Michel Suture Clips

- Anti-magnetic
- Acid-resistant Surgical Stainless Steel
- Pkg. of 1,000 clips

Size (mm)	Item
7.5 x 1.75	No. 12040-01
11 x 2	No. 12040-02
12 x 2.5	No. 12040-03



WOUND CLOSURE

Applying Forceps



12.5 cm
For clip sizes 12040-02 and
12040-03

No. 12018-12

Applying and Removing Instruments



Angled
13 cm
For clip size 12040-01

No. 12029-12


Curved
13 cm
For clip sizes 12040-02 and
12040-03

No. 12028-12


Reloadable Skin Stapler with Rotating Head

The 360° swivel nose and unique design offers maximum visibility at the delivery point. The Surgical Stainless Steel staples are non-sterile and feature a patented staple design which make for quick and easy removal. The disposable staple cartridge includes a printed staple counter.

The handle is reusable and autoclavable. Staples are non-sterile. Components sold separately or as a kit.



Staple Dimensions:



Staple, actual size:



Surgical staple kit

- 1 Handle
- 1 Remover
- 12 Disposable staple cartridges

No. 12030-20

Single disposable cartridge
35 staples per cartridge

No. 12030-22

12 disposable cartridges
35 staples per cartridge

No. 12030-23

Handle

No. 12030-01

Surgical Staple Remover

Compatible with Reloadable Skin Stapler with Rotating Head and Manipler® Skin Stapler.



10 cm

No. 12030-04

WOUND CLOSURE


Manipler® Skin Stapler

Quality, slim, lightweight design with consistent actuation and staple count indicator.

Disposable and sterile.



Staple Dimensions:



Staple, actual size:




15 cm
35 staples per cartridge

No. 12035-00

AutoClip® System

The AutoClip® System is a safe, secure method of wound closure. Faster and easier than suture, this system is perfect when staples may be too thin to provide adequate closure. **Non-sterile. Components sold separately or as a kit.** We recommend using wet steam sterilization at 120-125 °C for at least 30 minutes in an autoclave to sterilize the device.



Applier



Clips



Remover

WOUND CLOSURE

AutoClip® Kit

- 1 Applier
- 9 mm clips (100)
- 1 Remover
- Storage case

AutoClip® applier

11.5 cm

AutoClip® clips

9 mm
Pkg. of 100 clips

AutoClip® clips

9 mm
Pkg. of 1,000 clips

AutoClip® remover

12.5 cm

No. 12020-00

No. 12020-09


No. 12022-09

No. 12022-19

No. 12023-00

Guthrie


Extra delicate pattern.



13 cm
2 Blunt

No. 17021-13


Fine



13.5 cm
2 Blunt

No. 17023-13

Blair




13 cm
4 Blunt

No. 17022-13

Fomon



80% of
actual size




17 cm
2 with 2 mm Ball each tip

No. 17020-17

RETRACTORS


Goldstein Mini with Blades



2 cm
Max. spread: 1 cm
Atraumatic blades

No. 17004-03



Goldstein Mini



2 cm
Max. spread: 0.5 cm
3 x 3 Sharp teeth

No. 17002-02


Barraquer Mini



2 cm
Max. spread: 1 cm

No. 17000-01



Goldstein Mini with Blunt Teeth



2 cm
Max. spread: 1 cm
2 x 2 Blunt teeth

No. 17005-03



Goldstein



3 cm
Max. spread: 1.8 cm
3 x 3 Sharp teeth

No. 17003-03

Barraquer




3 cm
Max. spread: 1.5 cm

No. 17000-03

4 cm
Max. spread: 1.5 cm

No. 17000-04




3 cm
Max. spread: 1.2 cm

No. 17000-02

Corcelle Speculum

Moria




Moria 7699

4.5 cm
Max. spread: 3.5 cm
Curved

No. 17370-53

Fine Adjustable Spring Wire





5 cm
Max. spread: 3.5 cm
Curved

No. 17004-05

Barraquer


Moria



Moria 6346D

3.4 cm
Max. spread: 1.5 cm


No. 17300-02



Moria 6346C

3.3 cm
Max. spread: 1.5 cm

No. 17300-03




Moria 6346B

3.5 cm
Max. spread: 2 cm

No. 17300-04

Agricola





4 cm
Max. spread: 3.5 cm
3 x 3 Sharp teeth

No. 17005-04

Liebertmann with Wire Teeth



Alm

Liebertmann




7 cm
Max. spread: 4 cm
Wire Slightly curved down

No. 17010-07




7 cm
Max. spread: 4 cm
Slightly curved
4 x 4 Blunt

No. 17008-07



7 cm
Max. spread: 4 cm
Blunt teeth
4 x 4 Blunt

No. 17009-07




8 cm
Max. spread: 4.5 cm
Blades

No. 17009-08

Spring-Loaded Retractor


Curved atraumatic blades.



6 cm
Max. spread: 3 cm

14 x 10 mm

No. 17006-05




8 cm
Max. spread: 5 cm

22 x 16 mm

No. 17007-08

Heiss




4 x 4 Blunt teeth

10 cm

Max. spread: 2.3 cm

No. 17011-10

Weitlaner



Straight
2 x 3 Blunt teeth

10.5 cm

Max. spread: 4 cm


No. 17012-11

Straight
3 x 4 Blunt teeth

13 cm

Max. spread: 4 cm

No. 17012-13



Magnetic Fixator Retraction System

This Small Animal Retraction System simplifies set-up procedure and provides the examiner with an excellent overview of the operative site. It consists of three components: Base Plate (Nos. 18200-03 & 18200-04); Fixators (Nos. 18200-01 & 18200-02); and Retractors (Nos. 18200-05 through 18200-12).

The Base Plates are made from magnetic Stainless Steel and are available in two sizes. The surface is nonreflective and both plates have a window in the center which allows the animal contact with body temperature control systems. The window sizes are 10 x 13 cm for the small base plate and 15 x 25 cm for the large.

The Fixators are movable anchors made from anodized aluminum with a surgical grade rare earth magnet in the base for attachment anywhere on the Base Plate. The magnets do not interfere with lab electronics and can be used in close proximity (3 cm) to ferro-magnetic items. They incorporate pushbutton-activated spring locks that grip either the Wire or Elastomer Retractors.

The Retractors are interchangeable Retractor Tips (Nos. 18200-08 through 18200-12) which attach to either Retractor Wire (Nos. 18200-05 & 18200-06) for static retraction or to Elastomer (No. 18200-07) for dynamic retraction. The Retractor Tips are light and atraumatic to delicate tissue or membrane.

All items are autoclavable, except for the elastomers.

Kit for animals up to 200 g

Includes:

- 1 Small base plate (No. 18200-03)
- 2 Short fixators (No. 18200-01)
- 1 Tall fixator (No. 18200-02)
- 1 Elastomer, 2 m roll (No. 18200-07)
- 1 Package of retractors, blunt, 1 mm wide (No. 18200-09)
- 1 Package of retractors, blunt, 2.5 mm wide (No. 18200-10)

No substitutions

No. 18200-20



Kit for animals from 200 g up to 5 kg

Includes:

- 1 Large base plate (No. 18200-04)
- 2 Short fixators (No. 18200-01)
- 2 Tall fixators (No. 18200-02)
- 1 Elastomer, 2 m roll (No. 18200-07)
- 1 Package of retractors, blunt, 2.5 mm wide (No. 18200-10)
- 1 Package of retractors, blunt, 5 mm wide (No. 18200-11)

No substitutions

No. 18200-50

Individual parts:

Short fixator, 3 cm high
Each

No. 18200-01

Tall fixator, 6 cm high
Each

No. 18200-02

Small base plate, 20 x 30 cm
Each

No. 18200-03

Large base plate, 25 x 35 cm
Each

No. 18200-04

Wire handles, 10 cm long
Pkg. of 10

No. 18200-05

Wire handles, 14 cm long
Pkg. of 10

No. 18200-06

Elastomer, 2 m roll

No. 18200-07

Sharp retractors, 1 mm wide
Pkg. of 10

No. 18200-08

Blunt retractors, 1 mm wide
Pkg. of 10

No. 18200-09

Blunt retractors, 2.5 mm wide
Pkg. of 10

No. 18200-10

Blunt retractors, 5 mm wide
Pkg. of 10

No. 18200-11

Blunt retractors, 7.5 mm wide
Pkg. of 10

No. 18200-12

ACCESSORIES & INSTRUMENT CARE

Animal Accessories	165 – 170
--------------------	-----------

Instrument Care & Accessories	171 – 182
-------------------------------	-----------


Surgical Accessories	183 – 186
----------------------	-----------

Laboratory Accessories	187 – 197
------------------------	-----------



Reusable Feeding Needles Ball Tip

Surgical Stainless Steel feeding needles with luer lock hub. Also ideal for transcardiac perfusions with a fixative. The needles come with a round tip.



Gauge	Length (mm)	Tip Ø (mm)	Shape	Mice (g)	Rats (g)	Guinea pigs (g)	Item
24	25	1.25	Straight	>14			No. 18061-24
22	25	1.25	Straight	15-20			No. 18061-22
20	38	2.25	Straight	20-25	50-75		No. 18064-20
20	38	2.25	Curved	20-25	50-75		No. 18065-20
18	38	2.25	Straight	20-30	100-200	250-300	No. 18061-38
18	50	2.25	Curved	25-30	100-200	250-300	No. 18061-50
16	75	3	Curved		150-300	350-450	No. 18061-75
16	100	3	Curved		150-300	350-450	No. 18061-10

These needles come with a barrel tip.



Gauge	Length (mm)	Tip Ø (mm)	Shape	Mice (g)	Rats (g)	Guinea pigs (g)	Item
24	25	1.7	Straight	>14			No. 18060-24
22	25	1.7	Straight	15-20			No. 18060-22
20	30	1.7	Straight	20-25	50-75		No. 18060-20
20	38	1.7	Straight	20-25	50-75		No. 18063-20
20	38	1.7	Curved	20-25	50-75		No. 18067-20
18	38	1.7	Straight	20-30	100-200	250-300	No. 18060-18
18	50	2	Curved	25-30	100-200	250-300	No. 18067-50
16	75	2.4	Curved		150-300	350-450	No. 18067-75
16	100	2.4	Curved		150-300	350-450	No. 18067-10


Single Use Feeding Needles

These economical feeding needles feature plastic luer hubs with silicone tips. They are nontoxic and nonpyrogenic. Needles can be easily formed to any desired shape. **Sterile.**

Pkg. of 5 needles



No. 18061-20



Gauge	Length (mm)	Tip Ø (mm)	Mice (g)	Rats (g)	Guinea pigs (g)	Item
20	38	1.75	20-25	50-75		No. 18061-20
18	50	2.5	25-30	100-200		No. 18061-18
15	75	3		200-350	400-600	No. 18061-15

Disposable Flexible PTFE Feeding Needles

These affordable needles feature flexible PTFE tube with silicone tip and plastic luer hub, delivered in sterile pouches. They are very flexible, and translucent for easy confirmation of reagent delivery. The soft silicone tips are non-toxic and non-pyrogenic and ensure that no damage occurs during the insertion. **Sterile.**

Pkg. of 5 needles



No. 18961-85



No. 18961-75



No. 18961-15




No. 18961-17



No. 18961-18



No. 18961-20



Gauge	Length (mm)	Tip Ø (mm)	Mice (g)	Rats (g)	Guinea pigs (g)	Item
20	38	1.8	20-25	50-75		No. 18961-20
18	38	2	20-30	100-200	250-300	No. 18961-18
17	52	2.4	25-30	100-200	250-300	No. 18961-17
15	78	2.6		200-350	400-600	No. 18961-15
18	75	2	25-30	150-250	250-300	No. 18961-75
17	85	2.4	25-30	150-250	250-300	No. 18961-85

GenoPunch

The interchangeable GenoPunch aids in the fast and simple collection of the 2 mm tissue sample for DNA analysis and/or genotyping. FST® Exclusive Item. **Autoclavable.**



**Microtubes
not included.**

GenoPunch includes:

- 1 GenoPunch
- 1 0.5 ml tube holder
- 1 1.6 ml tube holder
- 1 Screwdriver
- 4 Screws

FST does not supply microtubes.



11.5 cm
Surgical Stainless Steel (Inox)
and anodized aluminum
Punch Ø: 2 mm

No. 24215-02

The Ear Puncher relieves stress on the wrist during ID marking as it requires only a very gentle pressure to cut a hole. The Stainless Steel puncher has a sloped edge that provides a cut rather than a punch, which minimizes discomfort. The ear puncher should be lubricated to improve longevity. **Autoclavable.**



14 cm
Punch Ø: 1 mm

No. 24916-01

14 cm
Punch Ø: 2 mm

No. 24916-02

Ear Punch

Designed to ensure a fast and clean punch, this ear punch is lightweight and fits comfortably in the palm of your hand.

Autoclavable.



11.5 cm

Surgical Stainless Steel (Inox) and
anodized aluminum

Punch Ø: 2 mm

No. 24214-02

Finger Loop Ear Punch

This ear punch provides stability and control for researchers using the numbering system. The 1 mm ear punch offers greater numbering variations and/or patterns.



10.5 cm

Punch Ø: 2 mm

No. 24212-02

Punch Ø: 1 mm

No. 24212-01







Marking Pen

The Marking Pen was developed for easy, long lasting identification of laboratory animals. The markers contain no harmful chemicals and instead nontoxic pigment approved by the Japanese Ministry of Health for use in food, drugs and cosmetics. It is intended for use on the fur rather than the skin and will last for 6-12 weeks.









Color can stain skin and clothing. The use of gloves and lab coats is recommended. These colors will not work on black fur.



Green	Blue	Yellow	Red	Orange	Black
					
Fine Tip 4.5 x 7.5 mm 10 ml	Fine Tip 4.5 x 7.5 mm 10 ml	Fine Tip 4.5 x 7.5 mm 10 ml	Fine Tip 4.5 x 7.5 mm 10 ml	Fine Tip 4.5 x 7.5 mm 10 ml	Fine Tip 4.5 x 7.5 mm 10 ml
No. 24202-01	No. 24202-02	No. 24202-03	No. 24202-04	No. 24202-05	No. 24202-06



Green	Blue	Yellow	Red	Orange	Black
					
Standard Tip 15 x 10 x 10 mm 15 ml	Standard Tip 15 x 10 x 10 mm 15 ml	Standard Tip 15 x 10 x 10 mm 15 ml	Standard Tip 15 x 10 x 10 mm 15 ml	Standard Tip 15 x 10 x 10 mm 15 ml	Standard Tip 15 x 10 x 10 mm 15 ml
No. 24202-11	No. 24202-12	No. 24202-13	No. 24202-14	No. 24202-15	No. 24202-16

Skin Marker

This marker features a versatile tip for precise fine (0.2 mm) line marking, or when held at an angle, a broad (2 mm) line marking. The marker's violet ink is nontoxic, non-tattooing and surgical prep-resistant. Markings can be removed from the skin with isopropyl alcohol. A six-inch ruler calibrated in both centimeters and inches is included.



No. 18000-30

50% of actual size

NOT FOR HUMAN USE

Self Piercing Ear Tags


Ideal for use in small animals such as mice and rats, these ear tags come numbered from 1-100 or 1-500. Silver colored tags with black numbers provide high visibility making them easy to read. Once applied, tags seal and cannot be removed, providing an easy to use, permanent identification method. These ear tags are safe for use in salt water.



Custom alphanumeric sequences and numbers above 1000 are available by special order.

Customized ear tags available in packages of 100 or 500. The following markings are possible: 1 to 6 numbers only or 1 to 6 letters and numbers.

For special order, use item No. 70000-10 and indicate sequence. Please allow 4 to 5 weeks for delivery.



Alloy: Monel
0.8 cm
No. 1-100

No. 24221-10



Alloy: Monel
0.8 cm
No. 1-500

No. 24221-50

Alloy: Monel
0.8 cm
No. 501-1000

No. 24221-90

Picture similar

Fine Forceps Repair Kit

Realign and repair fine forceps with this convenient kit. Bent forceps tips can be re-straightened with the chain nose pliers. The sharpening stone has two grooves, 1.6 mm and 0.8 mm, to assist in reshaping the forceps tips. O-rings clamp the forceps shut to ensure that both shanks are equally aligned and sharpened. Instrument oil assists in producing a smooth sharp edge. Detailed instructions are included.



Kit includes:

- 1 Sharpening stone for fine forceps (No. 29008-22)
- 10 O-rings (11200-00)
- 1 Oil bottle, 50 ml (No. 29055-00)
- 1 Chain nose pliers

No. 29000-00



O-Rings for Forceps

These rubber O-rings fit our forceps and keep them closed with variable degrees of pressure on the tips.

Pkg. of 10

No. 11200-00




Oil bottle or spray

Physiologically inert oil for lubricating surgical instruments, box locks, ratchets and any overlapping joints.

50 ml bottle

No. 29055-00



Sharpening Stone for Fine Forceps

This natural Arkansas stone assists in reshaping the tips of fine forceps. The stone has two grooves, 0.8 mm and 1.6 mm and comes in a cedar box with ten O-rings.

12.5 x 6.5 x 3 cm

No. 29008-22

Instrument Marking Tape - 290 cm

Organize instruments quickly and easily with this economical, non-toxic, pressure sensitive tape. Color is unaffected by boiling, cold sterilization or autoclaving. 8 colors available. **Autoclavable.**



Color	Roll length (cm)	Tape width (cm)	Material	Item
Green	290	0.6	Vinyl	No. 29071-01
Blue	290	0.6	Vinyl	No. 29071-02
Yellow	290	0.6	Vinyl	No. 29071-03
Red	290	0.6	Vinyl	No. 29071-04
White	290	0.6	Vinyl	No. 29071-05
Black	290	0.6	Vinyl	No. 29071-06
Orange	290	0.6	Vinyl	No. 29071-08
Purple	290	0.6	Vinyl	No. 29071-09

Instrument Marking Tape
7 assorted colors

Organize instruments quickly and easily with this economical, non-toxic, pressure sensitive tape. Color is unaffected by boiling, cold sterilization or autoclaving. Includes 7 assorted color rolls: Yellow, Red, Black, White, Green, Blue and Orange. **Autoclavable.**



	107	0.6	Vinyl	No. 29080-02

Instrument Marking Tape - 510 cm

Organize instruments quickly and easily with this economical, non-toxic, pressure sensitive tape. Color is unaffected by boiling, cold sterilization or autoclaving. 9 colors available. **Autoclavable.**



Color	Roll length (cm)	Tape width (cm)	Material	Item
Green	510	0.6	Vinyl	No. 29070-01
Blue	510	0.6	Vinyl	No. 29070-02
Yellow	510	0.6	Vinyl	No. 29070-03
Red	510	0.6	Vinyl	No. 29070-04
White	510	0.6	Vinyl	No. 29070-05
Black	510	0.6	Vinyl	No. 29070-06
Brown	510	0.6	Vinyl	No. 29070-07
Orange	510	0.6	Vinyl	No. 29070-08
Purple	510	0.6	Vinyl	No. 29070-09

Self Sealing Sterilization Pouches

Preformed pouches with self adhering tape are blue tinted on one side for visualization of contents and paper-backed on the other side. Pouches will work with either steam autoclave or ethylene oxide sterilization.

Material properties:

- Protects instruments during sterilization.
- Provides sterile storage until use.
- Write on pouches for easier identification during sterilization.



Outer: 9 x 17 cm | Inner: 7 x 11.5 cm
For instruments up to 11 cm long

Pkg. of 100 pouches

No. 28000-06

Outer: 13.5 x 28 cm | Inner: 11.5 x 22.5 cm
For instruments up to 20 cm long

Pkg. of 100 pouches

No. 28000-11

Outer: 19 x 36 cm | Inner: 17 x 30 cm
For instruments up to 28 cm long

Pkg. of 100 pouches

No. 28000-14

HOT BEAD STERILIZERS

Hot Bead Sterilizer

The sterilizer provides a safe, effective and convenient method for sterilizing your surgical instruments prior to and during surgery or tissue culture. Without using potentially dangerous gases flames or chemicals, you can ensure that your instruments will be free of pathogens and microbial contaminants.

The beads take 15–20 minutes to reach 240 °C to 270 °C (464 °F to 518 °F), then the sterilizer is ready for use. The temperature is thermostatically maintained and the unit can be left on all day. Instruments require approximately 20 seconds of contact with the beads for complete sterilization. The sterilizer is safe to use even in laminar flow hoods.

Sterilization test results conducted by the Pasteur Institute in Lille, France, are available upon request. Available in 110 V and 220 V. CE Certified and UL Approved.

Sterilizer includes:

- Sterilizer unit
- 1 Bag of glass beads
- 1 Dust cover for well
- 1 Small heat-tempered glass dish for small objects

250 shown.
Instruments not included.

60% of actual size



250 Sterilizer

Well Ø: 4 cm
Well depth: 8 cm
Well volume: 100 ml
Total unit size: 14.5 x 12.5 x 13.5

No. 18000-45

350 Sterilizer

Well Ø: 4 cm
Well depth: 14 cm
Well volume: 175 ml
Total unit size: 20.5 x 12.5 x 13.5

No. 18000-50

Replacement glass beads for 18000-45

Weight: 150 g

No. 18000-46

Replacement glass beads for 18000-50

Weight: 300 g

No. 18000-51

Micro Bead Sterilizer

Micro Bead Sterilizer is ideal for the sterilization of small and large research tools (forceps, scissors, etc.). When the chamber is filled with the included glass beads, high temperatures (up to 300 °C / 572 °F) can be used to eliminate the presence of bacteria, spores and other micro-organisms.

Small Sterilizer 115 V

Well Ø: 4 cm
Well depth: 8 cm
Well volume: 100 ml
Total unit size: 14.5 x 15.5 x 15.5 cm

No. 18090-45

Small Sterilizer 220 V

Well Ø: 4 cm
Well depth: 8 cm
Well volume: 100 ml
Total unit size: 14.5 x 15.5 x 15.5 cm

No. 18090-46

Replacement glass beads for small sterilizer

Weight: 125 g

No. 18000-47



Small sterilizer shown.
Instruments not included.

60% of actual size

Tall Sterilizer 220 V

Well Ø: 4 cm
Well depth: 14 cm
Well volume: 175 ml
Total unit size: 14.5 x 15.5 x 21.5 cm

No. 18090-51

Tall Sterilizer 115 V

Well Ø: 4 cm
Well depth: 14 cm
Well volume: 175 ml
Total unit size: 14.5 x 15.5 x 21.5 cm

No. 18090-50

Replacement glass beads for tall sterilizer

Weight: 256 g

No. 18000-52

Autoclave Tape

Tape will permanently indicate diagonal stripes after exposure to steam autoclave temperature between 121 °C and 130 °C during a 40 - 60 minute time period. Use with sterilization pouches, sterilization wraps and sterilization cases.

The tape can be used in:

- Gravity sterilizers operating at 121 °C (+3 °C) for 30 minutes or
- Pre-vacuum sterilizers operating at 132 °C (+3 °C) for 4 minutes and 135 °C (+3 °C) for 3 minutes
- Shelf life/durability is 36 months



1,90 cm x 55 m

No. 28001-02

Disposable Sterilization Wraps

These biodegradable cellulose fiber wraps are resistant to tears and conform easily to maintain a breathable yet impervious barrier to airborne bacteria, saline, blood and water. Wrapping your instrument case securely will ensure the sterility of your instruments until ready for use. Available in two sizes.



38 x 38 cm
Pkg. of 25 wraps

No. 28015-15




51 x 51 cm
Pkg. of 25 wraps

No. 28020-20

Cases not included.

Silicone Mat

High quality, extra soft mat for safe and secure placement of delicate instruments. This mat can easily be cut along the premarked grooves to fit in various sized instrument cases. **Autoclavable.**



30 x 20 cm

No. 20325-00**Magnetic Sterilization Mat**

Used during sterilization and for safe anti-slip placement around surgical settings. **Autoclavable.**




Instruments not included.

30 x 20 cm

No. 20350-00**Silicone Mat**

Large, economical silicone mat. **Autoclavable.**



46 x 25 cm

No. 20325-10


Plastic Sterilization Container

This plastic sterilization container includes a silicone mat for safe placement of instruments. Perforated top is clear for visual identification of instruments. **Suitable for autoclave or ethylene oxide sterilization.**



19 x 10 x 2 cm

No. 20810-01



27 x 16 x 4 cm

No. 20810-02

Stainless Steel Sterilization Container

This container will assist in the sterilization and storage of your fine surgical instruments. It comes with a custom fit silicone mat to keep instruments in place while the sterilizing process and storage. The textile filters are necessary for keeping instruments sterile while they remain in the container.

Suitable for autoclave or ethylene oxide sterilization.



30 x 14 x 4 cm

No. 20850-00

5 Long-term textile filters


No. 20850-10

1 Long-term textile filter

No. 20850-11


Plastic Sterilization Container

This sterilization container is made from Ultem® polymer to ensure strength and long lasting durability. The transparent perforated lid provides easy identification of your surgical instruments. Silicone mat is included for a safe and secure hold. Trays are also stackable for convenience. **Suitable for autoclave or ethylene oxide sterilization.**




19 x 7 x 2 cm
Single tier

No. 20840-01




17 x 10 x 2 cm
Single tier

No. 20840-02



25 x 15 x 4 cm
Double tier

No. 20842-03



25 x 15 x 2 cm
Single tier

No. 20840-03

Colored Aluminum Instrument Cases

This instrument case comes with a spiked silicone mat for secure storage of surgical instruments. Five colors available but may vary due to lot to lot variations.

The case and silicone insert are autoclavable but should not be used for sterilization of surgical instruments.



Blue

No. 20330-00



Green

No. 20330-01



Red

No. 20330-02



Yellow

No. 20330-03



Silver

No. 20330-04

Moria Instrument Case

Comes with a silicone mat for safe placement of instruments. **Case and silicone insert are autoclavable but should not be used for sterilizing surgical instruments.**

Moria



Silver
18 x 9 x 3 cm

No. 20311-21

Colored Plastic Instrument Cases

This plastic case is compact, safe, secure, and slotted for placement of individual surgical instruments, aiding in the prevention of tip damage. Seven colors available. **Case is autoclavable but should not be used for sterilizing surgical instruments.**



Instruments
not included.

Blue



17 x 8 x 2 cm

No. 20830-00


Green



17 x 8 x 2 cm

No. 20830-01

Clear



17 x 8 x 2 cm

No. 20830-02

Yellow



17 x 8 x 2 cm

No. 20830-03

Pink



17 x 8 x 2 cm

No. 20830-04

Orange



17 x 8 x 2 cm

No. 20830-05

Purple



17 x 8 x 2 cm

No. 20830-06

INSTRUMENT STORAGE

Roll Up Travel Case

Vinyl dissection roll up case with Velcro strap to hold the case closed. Holds up to ten tools, one ruler holder, and one Velcro sealed pouch. Instruments not included.

36 x 23 cm (unfolded)
Black
Vinyl

No. 20831-10



Instrument Tip Protectors

These tip protectors are a convenient, color-coded way to protect surgical instrument tips and edges. They provide exceptional protection and are vented to prevent rusting from condensation. Instrument tip protectors are recommended during handling, storage, and sterilization. **Autoclavable.**



1.6 x 19.1 mm
Pkg. of 25
Material: Plastisol

No. 29060-01



2 x 19 mm
Pkg. of 25
Material: Plastisol

No. 29060-02



2.8 x 19.1 mm
Pkg. of 25
Material: Plastisol

No. 29060-03



3.2 x 25.4 mm
Pkg. of 25
Material: Plastisol

No. 29060-04



4.8 x 25.4 mm
Pkg. of 25
Material: Plastisol

No. 29060-05



9.5 x 25.4 mm
Pkg. of 25
Material: Plastisol

No. 29060-06



Assorted pack, five of each size
Pkg. of 30
Material: Plastisol

No. 29060-00



Double Tip Protectors

These vented tip protectors are designed to hold hemostats and rongeurs firmly while allowing the jaws, box hinge and tips to stay open for through sterilization. **Autoclavable.**



12.7 x 2 mm
Pkg. of 10
Material: Plastisol

No. 29066-01



9 x 25.5 mm
Pkg. of 10
Material: Plastisol

No. 29066-02



15 x 25 mm
Pkg. of 10
Material: Plastisol

No. 29066-03



25 x 26 mm
Pkg. of 10
Material: Plastisol

No. 29066-04



Assorted pack,
three of each size
Pkg. of 12
Material: Plastisol

No. 29066-00

Burrs Stainless Steel

Length: 44 mm
Shaft Ø: 2.3 mm
Pkg. of 10 burrs

Tip Ø (mm)	Item
0.7 *	No. 19008-07
0.9 **	No. 19008-09
1.4	No. 19008-14

* Use this size for screws No. 19010-10 (page 68).
** Use this size for screws No. 19010-00 (page 68).



Burrs Carbon Steel

Length: 44 mm
Shaft Ø: 2.3 mm
Pkg. of 10 burrs



**MOST
POPULAR**



**NOT
AUTOCLAVABLE**

Tip Ø (mm)	Item
0.5	No. 19007-05
0.7 *	No. 19007-07
0.9 **	No. 19007-09
1.4	No. 19007-14
2.1	No. 19007-21
2.9	No. 19007-29

* Use this size for screws No. 19010-10 (page 68).
** Use this size for screws No. 19010-00 (page 68).



Burrs Tungsten Carbide

Length: 44 mm
Shaft Ø: 2.3 mm
Pkg. of 5 burrs



Tip Ø (mm)	Item
0.5	No. 19009-05
0.7 *	No. 19009-07
0.9 **	No. 19009-09

* Use this size for screws No. 19010-10 (page 68).
** Use this size for screws No. 19010-00 (page 68).



Trephines Stainless Steel

Side opening for clearing of material.

Length: 44 mm
Shaft Ø: 2.3 mm
Sold individually

Tip Outer Ø (mm)	Item
1.8	No. 18004-18
2.3	No. 18004-23
2.7	No. 18004-27
5	No. 18004-50

1.8 - 2.7 mm 5 mm



Circular Saw

For cutting bone and other hard substances. Attaches to mandrel (No. 18000-18), on the right side.



Ø: 16 mm
Thickness: 0.1 mm
Pkg. of 10 saws

No. 18000-20

Mandrel

Screw allows attachment of discs and circular saws for use with high speed drills.



Length: 45 mm
Shaft Ø: 2.3 mm

No. 18000-18

High Temperature Cautery Kit

This high temperature cauterizer is a great alternative to disposable cautery units. Temperature at tips is approximately 1000 °C (1832 °F). Replacement cautery tips are available.



Plastic body
Surgical Stainless Steel tips: 0.2 mm Ø
Operation temperature: 1000 °C (1832 °F)
Total weight: 70 g
Length: 16 cm (without tip)

Cautery Kit

No. 18010-00

- Cautery kit includes:
- 1 Cautery handle
 - 2 AA batteries
 - 2 Standard tips
 - 2 Fine tips
 - 1 Storage case



Replacement tips
Single use
Straight / Standard
Sterile: Yes

Box of 10 tips

No. 18010-01



Replacement tips
Single use
Straight / Fine
Sterile: Yes

Box of 10 tips

No. 18010-02

Low Temperature Cautery Kit

This low temperature cautery kit is a great alternative to disposable cautery units. Temperature at the tips is approximately 649 °C (1200 °F). Replacement cautery tips are available.



Plastic body
Surgical Stainless Steel tips: 0.2 mm Ø
Operation temperature: 649 °C (1200 °F)
Total weight: 60 g
Length: 12 cm (without tip)

Cautery Kit

No. 18019-00

- Cautery kit includes:
- 1 Cautery handle
 - 1 AA battery
 - 2 Fine tips
 - 2 Elongated fine tips
 - 1 Storage case



Replacement tips
Single use
Straight / Fine
Sterile: Yes

Box of 10 tips

No. 18019-01



Replacement tips
Single use
Elongated Straight / Fine
Sterile: Yes

Box of 10 tips

No. 18019-02

Small Vessel Cauterizer Kit

This small hand-held unit keeps bleeding to a minimum and therefore provides a surgical field clear of clamps and hemostats. The cauterizer should be activated momentarily so the delicate tips do not burn out. Temperature at tips is approximately 1000 °C (1832 °F). Replacement cautery tips are available. **Autoclavable.**



Heavy gauge Stainless Steel body
Platinum-iridium tips: 0.3 mm Ø
Total weight: 100 g
Length: 13.5 cm (without tip)

Cautery Kit

No. 18000-00

Cautery kit includes:

- 1 Cautery handle
- 2 AA Batteries
- 1 Straight fine tip
- 1 Angled fine tip
- 1 Storage case



Remove batteries before autoclaving.



Replacement tips
Reusable
Straight / Fine

No. 18000-01



Replacement tips
Reusable
Angled / Fine

No. 18000-02



Replacement tips
Reusable
Straight / Fine

No. 18000-03




Replacement tips
Reusable
Straight knob

No. 18000-04

Neuro Punches

N.I.H. style neuro punches for punch removal of frozen brain microregions.



ID (mm)	OD (mm)	Gauge	Length (cm)	Item
0.31	0.61	24	4.2	No. 18036-24
0.41	0.7	22	4.5	No. 18036-22
0.69	1	19	4.5	No. 18036-19

Absorbent Swabs Mounted

These synthetic surgical sponges absorb fluids twice as fast as the best cotton sponges and have three times their fluid-holding capacity. They are made from strong, soft, lint-free biocompatible-proven material that is nonirritating to delicate tissue and leaves no fibrous residue that might cause wound contamination. The Absorption Spears are sterilized by radiation.



Absorption Spears
7 cm
Sterile: Yes
Pkg. of 200 spears
No. 18105-01




Absorbent Swabs
20 mm
Sterile: Yes
Pkg. of 200 triangles
No. 18105-04

Sample Corers

For quantitative analysis. Comes with plunger.

8.5 cm



ID (mm)	OD (mm)	Gauge	Item
0.35	0.8	21	No. 18035-35
0.5	1	19	No. 18035-50
0.8	1.45	17	No. 18035-80
1	1.8	15	No. 18035-01
2	3	11	No. 18035-02
3	4	8	No. 18035-03
5	6	4	No. 18035-05

Micro Cleaning Brush



7 cm
Nylon
Bag of 25

No. 18196-10

Miniature File Set

Comes with eight different file profiles in a vinyl pouch.



10 cm
Carbon Steel

No. 30076-14

Sharpening Stones

Natural Arkansas oil stones feature unequalled fineness, hardness and structural density. When used with mineral oil, they will produce a sharper cutting edge.



6 mm x 9 cm
Square stone

No. 29008-01



6 mm x 9 cm
Triangular stone

No. 29008-12

4-in-1 Screwdriver

With four hardened, interchangeable blades stored in handle: 1.5, 2, 2.5, and 3 mm.



Handle 9.5 cm, with
attachment 11.5 cm
Nickel handle

No. 30051-10

Ceramic Blade Cutter

Ceramic edge stays sharp 100 times longer than a steel edge. Rust and corrosion free. No trace metal contamination. **Autoclavable.**



**Plastic handle with
ceramic blade**

Straight

13 cm

Cutting Edge: 58 mm

No. 10025-70

**Replacement
blade**


Straight

Cutting Edge: 58 mm

No. 10025-71

Utility Scissors

These scissors are extremely hard (54 on the Rockwell scale). Useful for cutting tin or aluminum sheets, bone, plastics, etc. The strong, 3 mm thick blades are magnetic. The plastic handles are anatomically shaped.



75% of
actual size

21 cm
Stainless Steel (Inox)
with plastic handle

No. 37500-00

Universal Scissors


The scissor blades are made of high quality Stainless Steel and guarantee a perfect cut. Handles are made of glass fiber reinforced polyamide.



13 cm
Stainless Steel (Inox)
with plastic handle

No. 37500-05


Ruler with Gauge Measurements



Surgical Stainless Steel (Inox)
15.5 cm / 6 inch

No. 30085-15

Rulter with Metric Conversion Table



Surgical Stainless Steel (Inox)
30 cm / 12 inch

50% of actual size

No. 30085-30

Ruler Label

Used for stable measurements in all surgical platforms.




6 cm
Pkg. of 25 labels

No. 29027-00

Plastic Vernier Caliper

Tough polymer is unbreakable under normal conditions. Measures inside, outside, step and depth, metric and inch to 0.1 mm or 1/64".
Maximum measurement: 153 mm.



75% of
actual size

Plastic
21 cm

No. 30087-20

Digital Electronic Caliper

Wide screen LED display with the ability to measure in millimeters, inches and fractions. Measures inside, outside, step and depth. Battery, spare battery and plastic storage case included.



70% of
actual size

Surgical Stainless Steel (Inox)
23.5 cm

No. 30087-00

Castroviejo Surgical Caliper

Used for precise measurement during surgery.



0-20 mm with 0.5 mm divisions
Tip Ø: 0.5 mm

8.5 cm

No. 18000-35

Electronic Clock/Triple Timer

Three activities can be timed up or down simultaneously or individually. Time can be displayed either in 12 or 24 hours and features a memory function. Maximum countdown time is 19 hours, 59 minutes, 59 seconds. Minimum time interval is 1 second. The timer housing includes a powerful magnet for mounting.

LCD display: 4.5 x 4.5 cm
7 x 8.5 x 1.5 cm
AA battery (not included)

No. 27000-01



Gold Wire Contacts

Matching pin and socket. Contacts are crimp terminated, but also can be used for solder connections.

Total length: 16 mm
Ø: 1.2 mm
Opening for wire: 0.63 mm


Pkg. of 50 Male contacts

No. 19003-00

Pkg. of 50 Female contacts

No. 19003-01

Enlarged 225%



Loupe with Micrometer and LED

High quality loupe features a removable micrometer and ultra-bright LED lights surrounding the circumference for a defined image and clear contrast.




Magnification: 10x
Field of view: 30 mm
Working distance: 10 mm (without scale)
Ultrabright LED

38 x 38 x 40 mm

No. 29026-10

Stage Micrometer



76 x 26 mm
1 mm with 100 divisions (0.01 mm)

No. 29025-02

Headband Magnifiers

Precision ground and polished optical glass lenses. The padded headband is lightweight and fully adjustable. Can be worn with spectacles.



Magnification: 2.5x
Working distance: 20 cm (8 inch)

No. 28030-02

Magnification: 2.75x
Working distance: 15 cm (6 inch)

No. 28030-03

Magnification: 3.5x
Working distance: 10 cm (4 inch)

No. 28030-04

Interchangeable Magnifier Spectacles with LED

Economical and fully interchangeable headband magnifier with LED light.

Includes:

- Multiple Lens Magnifications (1.0x, 1.5x, 2.0x, 2.5x, 3.5x)
- LED Light Source
- Tilting Functionality
- Cushioned Nose Pads
- Adjustable Headband
- Interchangeable Lens Frames
- Requires 3 AAA Batteries (Batteries not included)



Can be used with or without the adjustable head strap (included).



Magnification: 1x, 1.5x, 2x, 2.5x and 3.5x

Field of view: Variable

Working distance: Variable

No. 28080-10

Galilean Flip-up

These loupes are lightweight and easy to use. Made from the finest optical coated lenses which deliver excellent clarity and high resolution. The loupes are mounted onto a strong yet flexible wraparound safety frame with a headband for stability and comfort. Ability to flip loupes up for use as safety glasses.

Comes with mini screwdriver for fine adjustments, micro cloth and storage case.



Magnification: 3x
Working distance: 40 cm (16 inch)
Weight: 262 g

No. 28050-30

Magnification: 3.5x
Working distance: 30 cm (12 inch)
Weight: 77 g

No. 28050-35

Eschenbach ridoMED

These magnifier spectacles allow full adjustments on almost all parts. Headband keeps spectacles steady and in place. Leather case and Headband included.



Magnification: 2.5x
Working distance: 35 cm (14 inch)
Weight: 97 g
Plastic frame reinforced with fiberglass

No. 28040-30

Eschenbach maxDETAIL

These spectacles are portable, lightweight, and easily adjustable. Designed with frosted objective lens housing which eliminates distracting reflections. Bendable ear pieces for a secure, comfortable fit. Protective case is included.



Magnification: 2x
Field of view: 110 mm (4 inch)
Working distance: 40 cm (16 inch)
Weight: 114 g

No. 28030-20

maxDETAIL Spectacles shown with Eschenbach Clip-On LED Light (sold separately).

Eschenbach Clip-On LED Light

A compact and lightweight light source with two high-performance SMD LEDs and a lens that concentrates the light producing a more powerful, bright and homogenous field of view. Light can be set high or low. Compatible with the maxDETAIL Spectacles and Head-band Magnifiers. Comes with 3 AA batteries, belt clip and storage case.



Weight: 335 g

No. 28030-25

Eschenbach varioLEDflex

The varioLEDflex ensures ease and precision by its smooth flexible neck and tiltable magnifying lens. This magnifier's innovative features provide a spacious working platform suitable for any application. Mounting clamp provides uncompromised workspace due to its sturdy, slim design. The magnification lens is illuminated with shadow-free full or half ring optimum bright LEDs.

Magnification: 2.5x
 Diopter: 6D
 Lens size: 76 mm
 Lens shape: Aspheric
 Working distance: Variable
 Lens material: PXM® lightweight lens with patented Ceratec® scratch resistant coating
 Illumination: SMD LED
 Power source: 120 V & 230 V

No. 28015-25

**Eschenbach Scribolux**

This magnifier provides an illuminated platform suitable for any working condition. The open design allows for a spacious working platform. Supplied in a microfiber pouch for protecting and cleaning the lens.

Magnification: 2.8x
 Diopter: 7/11D
 Lens size: 100 x 75 mm
 Lens shape: Aspheric
 Working distance: 7.5 cm (3 inch)
 Lens material: PXM® lightweight lens with patented Ceratec® scratch resistant coating
 Illumination: SMD LED
 Power source: 6 V (4 AA-Batteries included)

No. 28020-28



Lens Cleaning Kit

This convenient kit contains everything you need to clean lens surfaces safely. Perfect for microscopes, camera lenses, binoculars, telescopes, graphic art optics and all other fragile lenses. Storage case included.

Kit includes:

- 1 Bottle of lens cleaner (30 ml)
- 1 Ultra soft duster brush
- 1 Cleaning cloth (20 x 20 cm)
- 3 Books of lens paper (25 sheets each)



No. 29000-10

Lens Paper

This premium grade optical lens tissue is extremely soft and safe for any glass or plastic optical lens surface.



15 x 10 cm
Book of 50 sheets

No. 29015-50


STUDENT QUALITY INSTRUMENTS

Scissors	200 – 205
----------	-----------

Scalpel Handles	206
-----------------	-----

Forceps	207 – 212
---------	-----------

Hemostats, Pin & Needle Holders, Retractors, Vessel Dilators & Clamps	213 – 217
---	-----------



FST® STUDENT LINE



FEATURES:

- Economy
- Quantity discounts
- Quality
- Less hand finishing
- Less expensive alloys

One of the hallmarks of FST has always been to accurately assess the needs of our customers. We gather information not only from the lab, but from conferences, journals and researchers. Whether it is designing new tools or finding new applications for existing instruments, we believe our best information comes directly from you.

Our customers wanted reduced costs and quantity discounts without sacrificing the precision and quality inherent in German instruments. To meet their needs, we have developed a full line of “student” instruments. They were created for use in the classroom where students are learning proper instrument care.

Unlike our competitors, the quality of these instruments does not drop dramatically with the price. Our student line uses quality Surgical Stainless Steel and maintains the precision you expect from FST. In addition they carry our unconditional satisfaction guarantee while being offered at a significantly reduced price.

Not intended as a substitute for our highest quality instruments, the student line may require extra care as the alloys used are more susceptible to corrosion. Visit our website at **finescience.com** for more information.

SCISSORS

Vannas

Ideal for introductory courses in microdissection. The manufacturer, material and general pattern are the same as our No. 15003-08 but with much of the costly hand finishing omitted.



**Straight
Sharp/Sharp**

9 cm
Cutting edge: 5 mm
Tip Ø: 0.35 mm

No. 91500-09



**Curved
Sharp/Sharp**

9 cm
Cutting edge: 5 mm
Tip Ø: 0.35 mm

No. 91501-09

Iris



**Straight
Sharp/Sharp**

11.5 cm
Cutting edge: 16 mm

No. 91460-11



**Curved
Sharp/Sharp**

11.5 cm
Cutting edge: 16 mm

No. 91461-11

Sanvenero



**Straight
Sharp/Sharp**

14.5 cm
Cutting edge: 22 mm

No. 91408-14

Standard Surgical



Length (cm)	Cutting edge (mm)	Straight Sharp / Sharp	Straight Sharp / Blunt	Straight Blunt / Blunt
10.5	20	No. 91402-10	No. 91401-10	No. 91400-10
12	26	No. 91402-12	No. 91401-12	No. 91400-12
13	28	No. 91402-13	No. 91401-13	
14.5	30	No. 91402-14	No. 91401-14	No. 91400-14



Length (cm)	Cutting edge (mm)	Curved Sharp / Sharp	Curved Sharp / Blunt
12	26	No. 91405-11	No. 91404-12
13	28	No. 91405-13	No. 91404-13
14.5	30	No. 91405-14	No. 91404-14



Wagner



**Straight
Sharp/Sharp**

12 cm
Cutting edge: 20 mm

No. 91468-12

Spencer Ligature



**Straight
Blunt/Blunt**

9 cm
Cutting edge: 16 mm

No. 91476-09

Lister

Longer blunt blade prevents damaging tissue underneath skin without losing the cutting line.



**Angled to side
Blunt/Blunt**

14 cm
Cutting edge: 26 mm

No. 91413-14



**Angled to side
Blunt/Blunt**

18 cm
Cutting edge: 30 mm


No. 91413-18



**Angled to side
Blunt/Blunt**

20 cm
Cutting edge: 34 mm

No. 91413-20



**Curved
Sharp/Blunt**

14.5 cm
Cutting edge: 28 mm


No. 91409-15



**Straight
Blunt/Blunt**

17 cm
Cutting edge: 32 mm

No. 91410-17



**Curved
Blunt/Blunt**

17 cm
Cutting edge: 32 mm

No. 91411-17



80% of
actual size

Metzenbaum Baby



**Curved
Blunt/Blunt**

14.5 cm
Cutting edge: 22 mm

No. 91419-14


Metzenbaum



**Straight
Blunt/Blunt**

14.5 cm
Cutting edge: 22 mm

No. 91416-14



**Curved
Blunt/Blunt**

18 cm
Cutting edge: 24 mm

No. 91417-18

Strong Scissors

**Curved
Sharp/Sharp**

Student Quality
10.5 cm
Cutting edge: 20 mm

No. 91405-10

Bone Scissors

For cutting fine bone.



**Curved
Sharp/Sharp**

9 cm
Cutting edge: 14 mm

No. 91604-09

Scalpel Handle #4



For scalpel blades,
see page 77.

13 cm

No. 91004-13

Scalpel Handle #3




For scalpel blades,
see page 78.

12 cm

No. 91003-12

Dumont #5




**Standard
Straight**

11 cm
0.1 x 0.06 mm
Surgical Stainless
Steel (Inox)

No. 91150-20

Dumont #7




**Standard
Curved**

11 cm
0.17 x 0.1 mm
Surgical Stainless
Steel (Inox)

No. 91197-00

#5




Straight

11 cm
0.2 x 0.1 mm

No. 91115-10

#3



Straight / Broad shanks

12 cm
0.2 x 0.2 mm

No. 91113-10

#7




Curved

12 cm
0.2 x 0.2 mm

No. 91117-10

#5/45



Angled

11 cm
0.2 x 0.2 mm

No. 91110-10

Feilchenfeld



**Serrated/Sharp
Straight**

9 cm
Tip Ø: 0.75 mm

No. 91139-09



**Serrated/Sharp
Straight**

11.5 cm
Tip Ø: 1 mm

No. 91139-12

Splinter Forceps



**Serrated
Straight**


10.5 cm
Tip Ø: 0.3 mm

No. 91156-11

Micro Adson80% of
actual size**Serrated**

12 cm

Tip width: 0.7 mm

No. 91118-12**1x2 Teeth**

12 cm

Tip width: 1.3 mm


No. 91119-12**Adson**

Wide, strong grip with narrow tips.

80% of
actual size**Serrated**


12 cm

Tip width: 1.5 mm

No. 91106-12**1x2 Teeth**

12 cm

Tip width: 1.5 mm

No. 91127-12**Adson-Brown****Shark teeth**

12 cm

Tip width: 2.5 mm

No. 91162-12**Adson with Cross
Serrations****1x2 Teeth/
Cross-serrations**

12 cm

Tip width: 1.3 mm


No. 91427-12

Anatomical and Surgical


Broad pattern with strong spring action.

Anatomical Standard PatternStraight
Serrated


Tip width (mm)	Length (cm)	Item
2.5	11.5	No. 91100-12
2.7	13	No. 91100-13
3	14.5	No. 91100-14
3.5	16	No. 91100-16
4	17	No. 91100-17

Surgical Standard PatternStraight
1x2 Teeth

Tip width (mm)	Length (cm)	Item
2.2	12	No. 91121-12
2.4	13	No. 91121-13
2.6	14.5	No. 91121-14
2.8	15.5	No. 91121-15
3	16	No. 91121-16
3.5	18	No. 91121-18
4	20	No. 91121-20
4.5	25	No. 91121-25

Anatomical Narrow PatternStraight
Serrated

Tip width (mm)	Length (cm)	Item
1.5	11.5	No. 91102-12
2.1	13	No. 91102-13
2.2	14.5	No. 91102-14
2.3	16	No. 91102-16

Surgical Narrow PatternStraight
1x2 Teeth

Tip width (mm)	Length (cm)	Item
2	11.5	No. 91123-12
2.2	14.5	No. 91123-14
2.4	16	No. 91123-16



Semken



**Serrated
Straight**

11.5 cm
Tip width: 1.2 mm

No. 91108-12

Straight


14.5 cm
Tip width: 2.2 mm

No. 91108-14

Gillies



80% of
actual size



**1x2 Teeth and
Cross-Serrations**


15.5 cm
Tip width: 2.1 mm

No. 91128-15

Russian



80% of
actual size



Serrated

15 cm
Tip dimension: 7.6 x 5.7 mm

No. 91126-15

McIndoe



80% of
actual size




Serrated

15 cm
Tip width: 1.2 mm

No. 91138-15

Halsted-Mosquito



**Straight
Serrated**

12.5 cm
Tip width: 1.4 mm


No. 91308-12



**Curved
Serrated**

12.5 cm
Tip width: 1.4 mm

No. 91309-12



**Curved
1x2 Teeth and
Serrations**

12.5 cm
Tip width: 2 mm

No. 91331-12

Hartmann



**Curved
Serrated**

10 cm
Tip width: 1.5 mm

No. 91303-10

Crile




80% of
actual size



**Straight
Serrated**

14 cm
Tip width: 1.5 mm

No. 91304-14



**Curved
Serrated**

14 cm
Tip width: 1.5 mm

No. 91305-14

**Straight
Serrated**

16 cm
Tip width: 2 mm

No. 91304-16

**Curved
Serrated**

16 cm
Tip width: 2 mm

No. 91305-16


Kelly



**Straight
Serrated**

14 cm
Tip width: 2 mm

No. 91318-14




**Curved
Serrated**


14 cm
Tip width: 2 mm

No. 91319-14

Rochester-Pean




80% of
actual size



**Straight
Serrated**

14 cm
Tip width: 2 mm

No. 91316-14



**Curved
Serrated**

14 cm
Tip width: 2 mm

No. 91317-14

**Straight
Serrated**

16 cm
Tip width: 2.5 mm

No. 91316-16

**Curved
Serrated**

16 cm
Tip width: 2.5 mm

No. 91317-16


Pean



**Straight
Serrated
Narrow**

14 cm
Tip width: 2 mm

No. 91322-14



**Curved
Serrated
Narrow**

14 cm
Tip width: 2 mm

No. 91323-14

Pin Holder



For pins, see
page 145.

Nickel-plated

7.5 cm
Jaw opening: 0 to 1 mm

No. 91606-07

Halsey



80% of
actual size

For suture needles, see
page 152 - 153.




Straight

13 cm
Tip width: 1.5 mm
Clamping length: 18 mm
Lockable: Yes
Scissors: No

No. 91201-13

Mayo-Hegar



80% of
actual size

For suture needles,
see page 152 - 153.



Straight


16 cm
Tip width: 2.6 mm
Clamping length: 21 mm
Lockable: Yes
Scissors: No

No. 91204-16

Senn-Miller

Vessel Dilator


Spring Loaded



16 cm

3 sharp teeth 7 x 8 mm and
1 blunt tooth 18 x 6 mm

No. 91790-16



16 cm

3 blunt teeth 7 x 8 mm and
1 blunt tooth 18 x 6 mm

No. 91791-16




Angled 10°

11 cm

Tip Ø: 0.3 mm

No. 91815-11



80% of
actual size


Atraumatic blades

8.5 cm

Maximum spread: 3 cm

No. 91706-05

Barraquer



3 cm
Maximum spread: 1.1 cm

No. 91700-03

Dieffenbach



Straight

35 mm

Strong pressure

No. 91850-35

NUMERICAL INDEX

00071-14	123	10035-00	76	10110-07	73	11003-13	109	11043-08	102	11200-33	91
00072-14	123	10035-05	76	10130-05	145	11003-14	109	11049-10	103	11203-23	91
00108-11	98	10035-10	76	10130-10	145	11003-16	109	11050-10	103	11203-25	91
00109-11	98	10035-12	76	10130-20	145	11003-18	109	11051-10	103	11210-10	91
00125-11	129	10035-15	76	10140-01	135	11003-20	109	11052-10	103	11210-20	91
00126-11	129	10035-20	76	10140-02	135	11006-12	107	11053-10	103	11215-01	61
00272-13	100	10035-25	76	10140-03	135	11006-15	101	11054-10	103	11215-02	61
00276-13	129	10035-30	76	10140-04	135	11008-13	110	11055-10	103	11220-21	90
00325-00	122	10050-00	75	10152-30	72	11008-15	110	11062-10	104	11223-20	90
00396-01	122	10052-11	75	10157-13	72	11009-13	110	11063-07	100	11231-20	88
00398-02	122	10053-09	75	10157-15	72	11009-15	110	11064-07	102	11231-30	88
00400-03	122	10053-13	75	10157-18	72	11010-17	115	11065-07	102	11241-30	90
00574-11	131	10055-12	70	10160-13	137	11011-17	115	11066-07	102	11242-40	90
00608-11	131	10056-12	70	10162-12	133	11012-18	115	11067-07	102	11251-10	85
00632-11	98	10058-15	71	10165-11	136	11012-21	115	11069-08	102	11251-20	85
00649-11	98	10059-13	70	10166-11	136	11012-25	115	11070-08	102	11251-21	86
10000-10	80	10059-15	71	10167-11	136	11013-18	115	11071-10	104	11251-23	85
10000-11	80	10060-00	80	10290-13	137	11013-21	115	11072-11	106	11251-30	85
10000-15	80	10060-13	80	10315-12	76	11014-18	114	11073-10	105	11251-33	87
10002-00	79	10061-12	135	10316-14	76	11015-18	114	11074-02	105	11251-35	87
10002-50	79	10062-12	135	10317-14	76	11016-17	115	11075-00	105	11252-00	83
10003-12	78	10063-15	134	10318-14	76	11017-17	115	11076-15	110	11252-20	85
10003-13	78	10064-14	135	10321-08	143	11018-12	107	11080-02	114	11252-21	86
10004-13	77	10065-15	134	10360-13	143	11019-12	107	11083-07	99	11252-23	85
10006-12	81	10066-15	134	10370-13	71	11020-12	107	11084-07	99	11252-30	85
10007-12	79	10073-14	70	10370-17	143	11021-12	112	11090-09	99	11252-40	85
10007-16	79	10075-16	69	10370-18	143	11021-14	112	11090-10	99	11252-50	83
10009-13	77	10080-05	69	10370-19	143	11021-15	112	11091-15	121	11253-10	86
10010-00	78	10081-10	69	11000-12	109	11022-12	107	11092-12	121	11253-20	84
10010-10	81	10082-15	69	11000-13	109	11022-14	112	11093-10	99	11253-21	84
10011-00	78	10083-20	69	11000-14	109	11022-15	112	11095-09	120	11253-25	84
10011-10	81	10087-12	139	11000-16	109	11023-10	112	11095-13	120	11253-27	87
10012-00	78	10088-15	137	11000-18	109	11023-12	112	11096-10	121	11253-29	84
10015-00	78	10089-11	139	11000-20	109	11023-14	112	11096-13	121	11254-20	83
10015-10	81	10090-13	138	11000-25	109	11023-15	112	11101-09	106	11255-20	85
10020-00	77	10090-17	138	11000-30	109	11024-12	110	11103-09	106	11258-20	92
10021-00	77	10091-12	139	11001-12	109	11024-18	115	11106-09	106	11260-20	88
10022-00	77	10092-12	140	11001-13	109	11025-18	115	11150-10	103	11270-20	89
10023-00	77	10093-13	140	11001-14	109	11026-15	113	11151-10	103	11271-30	89
10025-23	74	10094-13	140	11001-16	109	11027-12	107	11152-10	103	11272-30	89
10025-43	74	10095-12	69	11001-18	109	11028-15	113	11153-10	103	11272-40	85,89
10025-44	74	10096-16	69	11001-20	109	11029-14	112	11154-10	103	11272-50	89
10025-45	74	10098-06	141	11002-12	109	11030-12	108	11155-10	103	11273-20	84
10025-50	74	10099-12	142	11002-13	109	11031-15	113	11158-10	103	11273-22	84
10025-70	187	10099-15	142	11002-14	109	11032-12	107	11159-10	103	11274-20	89
10025-71	187	10100-30	74	11002-16	109	11036-20	115	11160-10	103	11280-11	131
10030-13	134	10100-45	74	11002-18	109	11036-90	115	11200-00	171	11281-11	131
10031-13	134	10110-01	73	11002-20	109	11040-08	102	11200-10	92	11282-11	131
10032-13	134	10110-03	73	11002-25	109	11041-08	102	11200-12	92	11293-00	88
10033-13	134	10110-05	73	11003-12	109	11042-08	102	11200-14	92	11294-00	90

11295-00	85	11988-03	95	12500-12	149	14003-20	49	14062-10	37	14160-10	38
11295-10	85	11990-14	94	12501-13	149	14004-12	49	14063-09	37	14161-10	38
11295-20	83	11991-14	94	12502-12	150	14004-13	49	14064-11	44	14171-10	48
11295-51	85	11992-12	94	12502-14	150	14004-14	49	14065-11	44	14173-12	45
11297-00	89	11992-20	96	12503-15	151	14004-16	49	14066-11	44	14184-09	36
11297-10	89	12001-13	149	12504-15	151	14004-18	49	14067-11	44	14185-09	36
11370-31	97	12002-12	150	12510-14	148	14005-12	49	14068-12	39	14200-21	55
11370-32	97	12002-14	150	12512-12	150	14005-13	49	14069-12	39	14370-22	38
11370-40	97	12003-15	151	12565-14	148	14005-14	49	14070-12	39	14501-14	50
11370-42	97	12004-16	150	12875-13	146	14005-16	49	14071-12	39	14502-14	50
11373-12	97	12004-18	150	13002-10	120	14007-14	51	14072-10	47	14504-14	50
11373-22	97	12005-15	151	13003-10	120	14008-14	49	14074-09	43	14505-14	50
11390-25	98	12010-14	148	13004-14	118	14010-15	54	14074-11	44	14508-15	52
11393-04	100	12018-12	154	13005-14	118	14010-17	54	14075-09	43	14509-15	52
11393-05	100	12020-00	156	13006-12	116	14011-15	54	14075-11	44	14510-15	54
11399-80	97	12020-09	156	13007-12	116	14011-17	54	14076-09	46	14510-17	54
11399-87	97	12022-09	156	13008-12	117	14012-15	55	14077-09	44	14511-15	54
11412-11	95	12022-19	156	13009-12	117	14012-17	55	14077-10	44	14511-17	54
11413-11	95	12023-00	156	13010-12	117	14013-15	55	14078-10	42	14512-15	54
11445-12	95	12028-12	154	13011-12	117	14013-17	55	14079-10	42	14512-17	54
11480-11	96	12029-12	154	13012-12	117	14014-17	55	14080-11	47	14518-14	52
11485-11	96	12030-01	155	13013-14	119	14015-17	55	14081-09	46	14518-18	52
11487-11	96	12030-04	155	13014-14	119	14016-14	53	14082-09	46	14519-14	52
11506-12	107	12030-20	155	13015-14	119	14016-18	53	14083-08	35	14519-18	52
11515-02	61	12030-22	155	13018-14	118	14017-14	53	14084-08	35	14558-09	41
11602-14	109	12030-23	155	13019-14	118	14017-18	53	14084-09	36	14558-11	41
11602-16	114	12035-00	155	13020-12	116	14018-13	52	14085-08	35	14559-09	41
11608-15	110	12040-01	154	13021-12	116	14018-14	52	14085-09	36	14559-11	41
11616-15	108	12040-02	154	13108-12	117	14018-18	52	14086-09	47	14568-09	40
11617-12	108	12040-03	154	13109-12	117	14019-13	52	14088-10	38	14568-12	40
11626-11	87	12050-01	153	14000-12	49	14019-14	52	14090-09	36	14569-09	40
11627-12	108	12050-02	153	14000-13	49	14019-18	52	14090-11	36	14569-12	40
11650-10	103	12050-03	153	14000-14	49	14024-14	53	14091-09	36	14574-09	43
11651-10	103	12050-10	153	14000-16	49	14028-10	42	14091-11	36	14574-11	43
11652-10	103	12050-20	153	14000-18	49	14029-10	42	14094-11	37	14575-09	43
11700-00	105	12052-08	152	14000-20	49	14037-10	47	14095-11	37	14575-11	43
11700-01	105	12052-09	152	14001-12	49	14040-10	39	14101-14	51	14854-10	35
11700-02	105	12052-10	152	14001-13	49	14041-10	39	14105-12	45	14855-10	35
11700-03	105	12052-11	152	14001-14	49	14054-13	50	14106-09	48	14958-09	41
11700-04	105	12060-01	146	14001-16	49	14058-09	40	14108-09	48	14958-11	41
11851-20	93	12060-02	146	14001-18	49	14058-11	40	14110-15	54	14959-09	41
11852-20	93	12061-01	146	14002-12	49	14059-09	40	14110-17	54	14959-11	41
11911-11	93	12061-02	146	14002-13	49	14059-11	40	14111-15	54	15000-00	23
11915-11	93	12074-12	147	14002-14	49	14060-09	37	14111-17	54	15000-01	26
11917-12	93	12075-12	147	14002-16	49	14060-10	37	14116-14	53	15000-02	26
11923-13	94	12075-14	147	14003-12	49	14060-11	37	14116-18	53	15000-03	23
11972-20	96	12076-12	147	14003-13	49	14061-09	37	14117-14	53	15000-04	23
11980-13	95	12080-14	147	14003-14	49	14061-10	37	14117-18	53	15000-08	23
11988-01	95	12081-14	147	14003-16	49	14061-11	37	14130-17	50	15000-10	23
11988-02	95	12102-12	150	14003-18	49	14062-09	37	14131-14	51	15000-11	26

NUMERICAL INDEX

15000-12	26	15610-08	26	17004-05	159	18020-20	153	18058-15	125	18200-10	163
15001-08	23	15615-08	26	17005-03	158	18020-30	153	18058-18	125	18200-11	163
15002-08	23	15617-08	26	17005-04	159	18020-40	153	18059-14	124	18200-12	163
15003-08	24	15650-11	27	17006-05	161	18020-50	153	18060-18	165	18200-20	163
15004-08	24	15651-11	27	17007-08	161	18020-60	153	18060-20	165	18200-50	163
15005-08	24	15750-11	27	17008-07	160	18020-70	153	18060-22	165	18320-11	125
15006-09	28	15751-11	27	17009-07	160	18025-10	100	18060-24	165	18374-43	125
15007-08	25	15903-08	24	17009-08	160	18026-10	101	18061-10	165	18374-44	125
15008-08	24	15904-08	24	17010-07	160	18030-30	153	18061-15	166	18403-11	131
15009-08	25	16000-14	59	17011-10	162	18030-40	153	18061-18	166	18406-11	131
15010-09	29	16001-15	58	17012-11	162	18030-50	153	18061-20	166	18406-13	131
15010-10	29	16004-16	59	17012-13	162	18030-60	153	18061-22	165	18555-01	125
15011-12	31	16005-16	59	17020-17	157	18030-70	153	18061-24	165	18555-02	125
15012-12	31	16015-17	58	17021-13	157	18030-80	153	18061-38	165	18555-03	125
15013-12	31	16016-17	58	17022-13	157	18035-01	186	18061-50	165	18555-04	125
15015-11	30	16020-14	57	17023-13	157	18035-02	186	18061-75	165	18601-15	111
15017-10	28	16021-14	57	17300-02	159	18035-03	186	18062-12	128	18602-15	111
15018-10	30	16025-14	67	17300-03	159	18035-05	186	18062-13	128	18603-14	111
15019-10	30	16030-12	64	17300-04	159	18035-35	186	18063-13	128	18961-15	166
15020-15	32	16030-16	64	17370-53	159	18035-50	186	18063-20	165	18961-17	166
15021-15	32	16044-10	64	18000-00	185	18035-80	186	18064-20	165	18961-18	166
15023-10	27	16050-15	65	18000-01	185	18036-19	186	18065-20	165	18961-20	166
15024-10	27	16060-11	68	18000-02	185	18036-22	186	18067-10	165	18961-75	166
15025-10	27	16101-10	62	18000-03	185	18036-24	186	18067-11	133	18961-85	166
15030-14	34	16102-11	62	18000-04	185	18038-45	126	18067-20	165	19003-00	191
15031-14	34	16104-14	66	18000-10	130	18039-45	126	18067-50	165	19003-01	191
15033-09	28	16104-19	66	18000-18	183	18040-11	122	18067-75	165	19007-05	183
15036-14	34	16105-16	66	18000-20	183	18040-14	123	18080-01	127	19007-07	183
15037-14	34	16106-14	66	18000-30	169	18040-22	122	18080-02	127	19007-09	183
15040-11	29	16107-14	60	18000-35	190	18040-33	122	18080-03	127	19007-14	183
15042-11	29	16109-14	60	18000-45	174	18050-32	126	18090-45	175	19007-21	183
15043-08	25	16120-14	57	18000-46	174	18050-35	126	18090-46	175	19007-29	183
15044-08	25	16121-14	57	18000-47	175	18050-50	126	18090-50	175	19008-07	183
15070-08	25	16130-15	65	18000-50	174	18051-32	126	18090-51	175	19008-09	183
15071-08	25	16140-11	63	18000-51	174	18051-35	126	18105-01	186	19008-14	183
15110-08	33	16143-12	63	18000-52	175	18051-50	126	18105-04	186	19009-00	68
15111-08	33	16144-13	63	18004-18	183	18052-01	126	18131-12	129	19009-05	183
15123-12	32	16150-24	67	18004-23	183	18052-02	126	18132-12	129	19009-07	183
15124-12	32	16152-11	64	18004-27	183	18052-03	126	18144-30	125	19009-09	183
15200-00	33	16152-12	64	18004-50	183	18052-12	128	18155-13	104	19010-00	68
15370-50	29	16152-15	64	18010-00	184	18053-28	126	18196-10	186	19010-01	68
15370-52	29	16220-14	56	18010-01	184	18054-28	126	18200-01	163	19010-10	68
15371-92	30	16221-14	56	18010-02	184	18055-01	125	18200-02	163	19010-11	68
15396-00	26	17000-01	158	18019-00	184	18055-02	125	18200-03	163	20311-21	181
15396-01	26	17000-02	158	18019-01	184	18055-03	125	18200-04	163	20325-00	177
15400-12	32	17000-03	158	18019-02	184	18055-04	125	18200-05	163	20325-10	177
15401-12	32	17000-04	158	18020-00	153	18055-05	125	18200-06	163	20330-00	180
15403-08	24	17002-02	158	18020-01	153	18055-06	125	18200-07	163	20330-01	180
15404-08	24	17003-03	158	18020-02	153	18056-14	124	18200-08	163	20330-02	180
15514-12	31	17004-03	158	18020-03	153	18057-14	124	18200-09	163	20330-03	180

20330-04	180	26000-70	145	29027-00	189	91102-16	211	91400-12	201
20350-00	177	26001-25	145	29055-00	171	91106-12	210	91400-14	201
20810-01	178	26001-30	145	29060-00	182	91108-12	212	91401-10	201
20810-02	178	26001-35	145	29060-01	182	91108-14	212	91401-12	201
20830-00	181	26001-40	145	29060-02	182	91110-10	208	91401-13	201
20830-01	181	26001-45	145	29060-03	182	91113-10	208	91401-14	201
20830-02	181	26001-50	145	29060-04	182	91115-10	208	91402-10	201
20830-03	181	26001-55	145	29060-05	182	91117-10	208	91402-12	201
20830-04	181	26001-60	145	29060-06	182	91118-12	210	91402-13	201
20830-05	181	26001-65	145	29066-00	182	91119-12	210	91402-14	201
20830-06	181	26001-70	145	29066-01	182	91121-12	211	91404-12	201
20831-10	182	26002-10	145	29066-02	182	91121-13	211	91404-13	201
20840-01	179	26002-15	145	29066-03	182	91121-14	211	91404-14	201
20840-02	179	26002-20	145	29066-04	182	91121-15	211	91405-10	205
20840-03	179	26003-15	145	29070-01	172	91121-16	211	91405-11	201
20842-03	179	26007-01	145	29070-02	172	91121-18	211	91405-13	201
20850-00	178	26007-02	145	29070-03	172	91121-20	211	91405-14	201
20850-10	178	26007-03	145	29070-04	172	91121-25	211	91408-14	200
20850-11	178	26007-04	145	29070-05	172	91123-12	211	91409-15	203
24202-01	169	26007-05	145	29070-06	172	91123-14	211	91410-17	203
24202-02	169	26016-12	144	29070-07	172	91123-16	211	91411-17	203
24202-03	169	26018-17	144	29070-08	172	91126-15	212	91413-14	203
24202-04	169	26029-10	106	29070-09	172	91127-12	210	91413-18	203
24202-05	169	26030-10	106	29071-01	172	91128-15	212	91413-20	203
24202-06	169	27000-01	191	29071-02	172	91138-15	212	91416-14	204
24202-11	169	28000-06	173	29071-03	172	91139-09	209	91417-18	204
24202-12	169	28000-11	173	29071-04	172	91139-12	209	91419-14	204
24202-13	169	28000-14	173	29071-05	172	91150-20	207	91427-12	210
24202-14	169	28001-02	176	29071-06	172	91156-11	209	91460-11	200
24202-15	169	28015-15	176	29071-08	172	91162-12	210	91461-11	200
24202-16	169	28015-25	196	29071-09	172	91197-00	207	91468-12	202
24212-01	168	28020-20	176	29080-02	172	91201-13	216	91476-09	202
24212-02	168	28020-28	196	30051-10	187	91204-16	216	91500-09	200
24214-02	168	28030-02	192	30076-14	187	91303-10	213	91501-09	200
24215-02	167	28030-03	192	30085-15	189	91304-14	214	91604-09	205
24220-00	170	28030-04	192	30085-30	189	91304-16	214	91606-07	216
24221-10	170	28030-20	195	30087-00	190	91305-14	214	91700-03	217
24221-50	170	28030-25	195	30087-20	190	91305-16	214	91706-05	217
24221-90	170	28040-30	194	37500-00	188	91308-12	213	91790-16	217
24916-01	167	28050-30	194	37500-05	188	91309-12	213	91791-16	217
24916-02	167	28050-35	194	91003-12	206	91316-14	215	91815-11	217
26000-25	145	28080-10	193	91004-13	206	91316-16	215	91850-35	217
26000-30	145	29000-00	171	91100-12	211	91317-14	215		
26000-35	145	29000-10	197	91100-13	211	91317-16	215		
26000-40	145	29008-01	187	91100-14	211	91318-14	214		
26000-45	145	29008-12	187	91100-16	211	91319-14	214		
26000-50	145	29008-22	171	91100-17	211	91322-14	215		
26000-55	145	29015-50	197	91102-12	211	91323-14	215		
26000-60	145	29025-02	192	91102-13	211	91331-12	213		
26000-65	145	29026-10	192	91102-14	211	91400-10	201		

A

Absorption swabs	186
Adson DeBakey Forceps	108
Adson Forceps	107,210
Adson-Brown Forceps	108,210
Adson-Graefe Forceps	108
Agricola Retractor	159
Allis Clamp Forceps	121
Alm Retractors	160
Animal Identification	
Ear Punch	167-168
Ear Tags	170
Markers	169
Autoclave Tape	176

B

Baby-Mixer Hemostat	119
Backhaus Towel Clamp	120
Barraquer Retractors	217
BeeBee Bone Scissors	64
Biemer	
Clip Applicator	124
Clips	125
Bishop-Harman	102
Blair Retractor	157
Boehler Bone Cutter	65
Bone	
Austin Chisel	69
Dissecting Chisel	69
Forceps	68
Nipper	62
Scissors	205
Scraper	69
Screws	68
Spring Scissors	63
Wax	68
Bonn	
Forceps	99
Micro Probe	134
Scissors	35-36,47
Bonn-Strabismus Scissors	36
Breakable Scalpels	75
Bulldog Clamps	125

C

Calipers	190
Cannulation System	130
Carbon Steel Blades	76
Castroviejo	
Needle Holder	146,148
Spring Scissors	27-28
Surgical Caliper	190
Cataract Knife	70
Cauterizer	184-185
Ceramic	
Scalpel Handle	74
Scalpels	74,187

Ceramic Coated	
Forceps	83,89
Iris Scissors	41
Spring Scissors	27
Circular Saw	183
Cleaning Brush	186
Cleveland Bone Cutter	66
Clips (Vascular)	
Biemer	125
Bulldog Artery Spring Clamp	125
Dieffenbach	217
Dietrich Bulldog	126
Double Clamps	122
Micro Serrefines	125
Mini Serrefines	126
S&T® Micro	122
Schwartz Micro Serrefines	126
Titanium	125
Clock (Electronic Timer)	191
Cohan-Vannas Spring Scissors	26
Colibri Retractors	158-159
Combination Spatula and Probe	138
Combination Spatula and Spoon	138
Cover Glass Forceps	105
Crile Hemostats	118,214
Crile-Wood Needle Holders	151
Cross-Action Forceps	105
Curettes	69
Cutters	61
BeeBee Bone Scissors	64
Boehler Bone Cutter	65
Bone Nipper	62
Bone Pliers	67
Bone Scissors	64
Bone Shears	67
Bone Trimmers	60
Cartilage	60
Cleveland	66
Dumont	61
Liston Bone	66
Littauer Bone	64
Malleus Nipper	63
Skull Flap	65

D

DeBakey Forceps	110
Decapitation Scissors	55
Diamond Coated Forceps	94
Diamond Knives	74
Dieffenbach Clamp	217
Dietrich Bulldog Clamps	126
Double Micro Clamp Applying Forceps	123
Double Micro Clamps	122
Dowell Spring Scissors	29
Drill Accessories	
Burrs	183
Circular Saw	183

Mandrel	183
Trephines	183
Dumont	61,83-92,131,207
Dumoxel	
Forceps	89

E

Ear Punchs	167-168
Ear Tags	170
Episcleral Forceps	104
Eschenbach Magnifier	194-196
Clip-on LED light	195
Exclusive Line	
Forceps	93
Needle Holder	146
Rongeurs	56
Scissors	35

F

Feeding Needles	
Reusable	165
Single Use	166
Feilchenfeld Forceps	209
File Set	187
Fomon Retractor	157
Forceps	95-96
Adson	107
Adson (Student)	210
Adson DeBakey	108
Adson-Brown	108
Adson-Brown (Student)	210
Adson-Graefe	108
Allis Clamp Forceps	121
Balanced	93,111
Biemer Clip Applicator	124
Bishop-Harman	102
Bone	68
Bonn	99
Bonn Micro	99
Ceramic Coated	83,89
Circle	106
Cover Glass	105
Cover Slip	87
Cross Action	105
DeBakey Round Handled	110
Diamond Coated	94
Double Micro Clamp Applying	123
Dumont	83-92,131
Dumont (Student)	207
Dumoxel	89
Episcleral	104
Epoxy Coated	90-91
Feilchenfeld (Student)	209
Forceps Style Clip Applicator	124
Gerald	114
Gillies	113

Gillies (Student)	212
Gold Plated	93
Graefe	102-103
Insect Handling	106
Laminectomy	90
London	114
McIndoe (Student)	212
Micro Adson	107
Micro Adson (Student)	210
Micro-Blunted Tips	84
Mirror Finish	85,94-95
Moria Iris	97
Moria Paufigue	98
Moria Suture Tying	100
Moria Ultra Fine	97
Mouse Handling	115
Narrow Pattern	109
O-Rings	171
Octagon	102
Organ Holding	113
Pierse Fixation	104
Plastic	105
Potts-Smith	115
Repair Kit	171
Replaceable Tips	95
Ring	106
Russian	113
Russian (Student)	212
S&T®	98
S&T® Micro Clamp Applying	123
S&T® SuperGrip	98
S&T® Suture Tying	100
S&T® Vessel Cannulation	131
Self-Closing	96
Semken	110
Semken (Student)	212
Sliding Lock	87,104
Sorensen	111
Splinter (Student)	209
Standard Pattern	109
Standard Pattern (Student)	211
Student	208
Suture Tying	99-101
Taylor	115
Tissue	112
Titanium	89,114
Vessel Cannulation	131
Vessel Dilators	129
Vessel Dilators (Student)	217
Vial	101
Forceps Style Clip Applicator	124
Forceps with Replaceable Tips	95
Friedmann Rongeurs	59
Friedmann-Pearson Rongeurs	56-57

G

Galilean Loupes	194
-----------------	-----

Gavage Feeding Needles	165-166
GenoPunch	167
Gerald Forceps	114
Gillies Forceps	113,212
Gold Plated Forceps	93
Gold Wire Contacts	191
Goldstein Retractors	158
Graefe Forceps	102-103
Graefe Scissors	47
Grooved Director	137
Gross Anatomy Blade and Handle	80
Gross Anatomy Knives	72
Gross Anatomy Probe	137
Guthrie Retractor	157

H

Halsey Needle Holder	149,216
Halsted-Mosquito Hemostats	117,213
Hartmann Hemostats	120,213
Heavy Scissors	205
Heiss Retractor	162
Hemostats	116
Baby-Mixer	119
Crile	118
Crile (Student)	214
Halsted-Mosquito	117
Halsted-Mosquito (Student)	213
Hartmann	120
Hartmann (Student)	213
Kelly	118
Kelly (Student)	214
Mosquito	117
Pean (Student)	215
Providence-Hospital	119
Rochester-Pean (Student)	215
Ultra-fine	116
Hippocampal Dissecting Tool	142
Holders and Breakers	75
Hooks	134-135
Hot Bead Sterilizer	174-175

I

Insect Handling Forceps	106
Insect Pins	145
Insert Pins	145
Instrument Care	
Double Tip Protectors	182
Forceps Repair Kit	171
Instrument Oil	171
Marking Tape	172
Sharpening Stones	171,187
Tip Protectors	182
Instrument Cases	
Aluminum (Storage)	180-181
Plastic (Storage)	181
Sterilization	178-179

Instrument Oil	171
Iris Scissors	36-42,200
Iris Spatula	140

K

Kalt Needle Holders	147
Kaye Scissors	48
Kelly Hemostats	118,214

L

LaGrange Scissors	45
Large Loops Scissors	48
Lempert Rongeurs	59
Lens Paper	197
Lexer-Baby Scissors	42
Ligation Aids	128
Lister	
Scissors	51,203
Liston Bone Cutter	66
Littauer Bone Cutter	64
London Forceps	114
Lorna Towel Clamp	121
Luer Rongeurs	58

M

Magnifiers / Loupes	192-196
Cleaning Kit	197
Malleus Nipper	63
Mandrel	183
Markers	169
Marking Tape	172
Mathieu Needle Holder	148
Mayo Scissors	54,203
Mayo-Hegar Needle Holder	150,216
Mayo-Noble Scissors	55
Mayo-Stille Scissors	55
McIndoe Forceps	212
McPherson Forceps	100
Metzenbaum Baby Scissors	52,204
Metzenbaum Scissors	52-53,204
Michel Suture Clips & Applicators	154
Micro Clip Applicator	124
Micro Serrefines	125
Microsurgical Needles with Suture Thread	
Attached	152
Mini Serrefines	126
Minutien Pins	145
Moria	
Bulldog Clamp	125
Forceps	97
Iris Scissors	38
Pascheff-Wolff Spring Scissors	30
Paufigue Forceps	98
Retractors	159
Spoons	143

Spring Scissors	26
Suture Tying Forceps	100
Vannas-Wolff Spring Scissors	29
Vessel Clamp	125
Mosquito Hemostats Micro	117
Mouse Handling Forceps	115
Multipurpose Forceps	111

N

Narrow Pattern Forceps	109
Needle Holders	
Castroviejo	146,148
Crile-Wood	151
Halsey	149
Halsey (Student)	216
Kalt	147
Mathieu	148
Mayo-Hegar	150
Mayo-Hegar (Student)	216
Olsen-Hegar	150
Round Handled	146
Tungsten Carbide	148-151
Needles	
Etched Tungsten Micro Needles	145
Holders	144
Holders (Student)	216
Insect	145
Insert	145
Minutien	145
Suture Needles	153
Neuro Punches	186
Noyes Spring Scissors	31
Nylon Suture	153

O

O-Rings for Forceps	171
Obsidian Stone Age Scalpels	73
Octagon Forceps	102
Olsen-Hegar Needle Holder	150
Optical Cleaning Kit	197
Organ Holding Forceps	113

P

Pean Hemostats	215
Pearson Rongeurs	58
Pick	133
Pierse Fixation Forceps	104
Pin Holders	144,216
Plastic Forceps	105
Potts-Smith Forceps	115
Probes	135
Bonn Micro Probes	134
Double Pronged Pick	133
Providence-Hospital Hemostats	119
PTFE Feeding Needles	166

R

Repair Kit	171
Retraction System	163
Retractors	157-159,161,217
Agricola	159
Alm	160
Barraquer (Student)	217
Blair	157
Colibri	158-159
Fomon	157
Goldstein	158
Guthrie	157
Heiss	162
Senn-Miller (Student)	217
Weitlaner-Locktite	162
Reusable Feeding Needles	165
Ring Forceps	106
Rochester-Pean Hemostats	215
Rongeurs	
Friedmann	59
Friedmann-Pearson	56-57
Lempert	59
Luer	58
Pearson	58
Round Handled Needle Holders	146-147
Rulers	189
Russian Forceps	113,212

S

S&T®	
Clamp Applying Forceps	123
Forceps	98
Micro Clamps	122
SuperGrip Forceps	98
Suture Tying Forceps	100
Vessel Cannulation Forceps	131
Vessel Dilators	129
Sample Corers	186
Sanvenero Scissors	200
Scalpels	
Breakable	75
Cataract Knife	70
Ceramic Blade Cutter	187
Ceramic Blades	74
Circle Knife	71
Diamond Knives	74
Disposable Safety Scalpels	80
Holders and Breakers	75
Micro	76
Micro Knives	71,76
Safety Scalpel Blade Cartridges	81
Scalpel Blade Remover	79
Scalpel Blades	77-78
Scalpel Handles	77-79,81
Scalpel Handles (Student)	206
Schwartz Micro Serrefines	126
Scissors	
Bone	64

Bone (Student)	205
Bonn	35-36
Bonn Artery	47
Bonn-Gawenda	35
Bonn-Strabismus	36
Decapitation	55
Dissector	46
Graefe	47
Heavy (Student)	205
Iris	36-42
Iris (Student)	200
Kaye	48
LaGrange	45
Large Loops	48
Lexer-Baby	42
Ligature	46
Lister	51
Lister (Student)	203
Mayo	54
Mayo (Student)	203
Mayo-Noble	55
Mayo-Stille	55
Metzenbaum	52-53
Metzenbaum (Student)	204
Metzenbaum Baby	52
Metzenbaum Baby (Student)	204
Micro	34
Moria Iris	38
Sanvenero (Student)	200
Shea	45
Spencer	46
Spencer (Student)	202
Stevens Tenotomy	44
Strabismus	43
Tissue Separating	47
Universal Scissors	188
Utility Scissors	188
Wagner	39
Wagner (Student)	202
Walton	44
Screwdriver	187
Semken Forceps	110,212
Senn-Miller Retractors	217
Sharpening Stones	171,187
Shea Scissors	45
Sichel Knife	70
Silicone Mat	177
Silk Sutures	153
Single Use Feeding Needles	166
Skin Staplers & Applicators	155-156
Sliding Lock Forceps	104
Spatula	139,141
Combination Probe and Spatula	138
Combination Spoon and Spatula	138
Spencer Ligature Scissors	46,202
Spinal Cord Hook	133
Splinter Forceps	209
Spoons	143

Spring Scissors	27,29,32
Bone Cutting	63
Castroviejo	27-28
Cohan-Vannas	26
Dowell	29
Micro	34
Moria	26,29-30
Noyes	31
Pascheff-Wolff	30
Titanium	26
ToughCut®	32
Trident II	33
Tungsten Carbide	31
Vannas	23-26,30,32
Vannas (Student)	200
Vannas-Tübingen	24
Vannas-Wolff	29
Westcott	30
Sterilization	
Containers	178-179
Disposable Wraps	176
Tape	176
Stevens Tenotomy Scissors	44
Storage Cases	180-181
Strabismus Scissors	43
Surgical Scissors	49-51
Student	201
Tungsten Carbide	40-41,43,50,52,54
Suture Needles	152-153
Suture Tying Forceps	99-101

T

Taylor Forceps	115
Timer (Electronic)	191
Tip Protectors	182
Tissue Forceps	112
Tissue Separating Scissors	47
Titanium	
Forceps	89
Titanium Forceps	114
Titanium Micro Point, Y-Hook, and Spatula	136
Towel Clamps	
Backhaus	120
Lorna	121
Travel Case for instruments	182
Trephines	183
Trident II Spring Scissors	33

V

Vannas Spring Scissors	23-26,30,32,200
Vannas-Tübingen Spring Scissors	24
Vascular Occluders	127
Vessel Cannulation Forceps	131
Vessel Dilating Probe	137
Vessel Dilators	129,217
Vial Forceps	101
Von Graefe Knife	70

W

Wagner Scissors	39,202
Walton Scissors	44
Weitlaner-Locktite Retractor	162
Westcott Spring Scissors	30
Wraps	176

Most FST® instruments are made from Surgical Stainless Steel alloys with supreme German quality standards and premier craftsmanship. Most surgical instruments are shown in actual size. As these instruments are handcrafted, dimensions may vary slightly from those stated in this catalog.

The information in this catalog is accurate to the best of our knowledge. Designs, styles and dimensions depicted in this catalog are subject to change without notice. All recommendations or suggestions are made without guarantee, and we disclaim any liability incurred in connection with any recommendation. With the purchase of any product from this catalog the user assumes all risks and liabilities whatsoever in the use of such products. Neither seller nor manufacturer shall be liable in tort or contract for any loss or damage (direct, incidental, or consequential) arising out of the use, misuse, or inability to use such product.

FST® is a registered trademark of Fine Science Tools (USA) Inc. and Fine Science Tools GmbH. ToughCut®, and CeramaCut® are registered trademarks of Fine Science Tools (USA), Inc.

© COPYRIGHT 2025/2026 The text, photos and drawings contained in this catalog are proprietary to Fine Science Tools Inc. and may only be copied, duplicated or otherwise reproduced with the written consent of Fine Science Tools Inc.



Scissors, Bone Instruments,
Knives & Scalpels




Forceps/Tweezers, Hemostats
& Vascular Instruments



Probes, Needle Holders, Thread,
Retractors & Clamps



Surgical & Laboratory
Accessories



Student Quality Instruments



Fine Science Tools (USA) Inc.

4000 East 3rd Avenue, Suite 100
Foster City, CA 94404-4824
USA

Phone +1 800 521 2109 / +1 650 349 1636

Fax +1 800 523 2109 / +1 650 349 3729

E-Mail america@finescience.com

Online finescience.com



Fine Science Tools GmbH

Vangerowstraße 14
69115 Heidelberg
Germany

Phone +49 62 21 - 90 50 50

Fax +49 62 21 - 90 50 590

E-Mail europe@finescience.com

Online finescience.com



Fine Science Tools

Unit C, 10/F, Charmhill Centre
50 Hillwood Road, Tsimshatsui
Hong Kong

Phone +852 6532 9229

E-Mail asia@finescience.com

Online finescience.com



2Biological Instruments

Via Leonardo da Vinci 2c
21023 Besozzo (VA)
Italy

Phone +390332773210

E-Mail 2biol@2biol.com

Online www.2biol.com

